

# TOXAPHENE 8-E

## An Emulsifiable Liquid



### ACTIVE INGREDIENTS:

\*Toxaphene

Xylene Range Aromatic Hydrocarbon Solvent

### INERT INGREDIENTS

### BY WEIGHT

71.6%

23.0%

5.4%

Total 100%

\*Technical Chlorinated Camphene (Chlorine 67% to 69%)

ACCEPTED

FEB 14 1973

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTRATION  
ED UNDER NO. 100-1122 SUBJECT  
TO ATTACHED COMMENTS.

**CONTAINS 8 POUNDS TOXAPHENE PER GALLON**  
**WARNING—KEEP OUT OF REACH OF CHILDREN**

### RECOMMENDATIONS

Unless otherwise indicated, dosage rates are given in terms of pints per acre of TOXAPHENE 8-E in sufficient water to thoroughly cover plants.

**CORN**—Fall Armyworms, use 2½ pts. per acre. Corn Earworms, use 1½ to 2 pts. per acre. Do not feed treated forage to dairy animals or animals being finished for slaughter.

**CABBAGE**—Cabbage Loopers—Use 1½ to 2 pts. per acre. For control of Armyworms, use 2 pts. per acre. Do not apply to Broccoli, Brussels Sprouts, and Cauliflower after edible parts start to form.

**POTATOES**—Loopers—Use 1 to 1½ pts. per acre. For control of Armyworms and grasshoppers, use 1½ to 2 pts. per acre. Foliage treatment only. No time limitation.

**TOMATOES**—Cabbage Loopers, Climbing Cutworms, Tomato Hornworms, Tomato Fruitworms, Tomato Pinworms, Flea Beetles—Use 1½ to 4 pts. per acre. For control of Armyworms, use 2 pts. per acre. Do not apply within 3 days of harvest.

**COTTON**—Armyworms, Boll Weevils, Bollworms, Cotton Leafworms, Climbing Cutworms, Flea Beetles, Fleahoppers, Grasshoppers, Plant Bugs, Thrips—Use 2 to 4 pts. per acre. For control of Cotton Leaf Perforator, use 4 pts. per acre. **DO NOT GRAZE DAIRY ANIMALS BEING FINISHED FOR SLAUGHTER ON FIELDS TREATED LATE IN THE SEASON.**

**USE ONLY AS RECOMMENDED**

### OBSERVE FOLLOWING USE PRECAUTIONS

This product is toxic to bees and should not be applied when bees are actively visiting the area. Do not apply on feed or forage crops to be fed to dairy animals or to animals being finished for slaughter.

This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

**DO NOT USE, POUR, SPILL OR STORE  
NEAR HEAT OR OPEN FLAME**

**MAY BE FATAL IF SWALLOWED.** Do not breathe spray mist. May be absorbed through skin. Do not get in eyes, on skin, or on clothing. In case of skin contact, wash with soap and water. Avoid contamination of feed and food-stuffs. Wash thoroughly after using and before eating or smoking.

### NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

**DESTROY EMPTY CONTAINER—NEVER RE-USE**