

DANGER—POISON—PRECAUTIONS



CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.


In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

EPA REG. #2269-159

STOP—READ THE LABEL BEFORE USING!

POISON

See side panels for antidote



DANGER

Keep out of reach of children

GK 8-2 SPRAY

Each gallon of GK 82 contains 8 pounds toxaphene and 2 pounds methyl parathion. Used as directed, it will control the following insects: thrips, fleahoppers, plant bugs, boll weevils, bollworms, cutworms, armyworms, cotton leafworms, garden webworms, aphids, stink bugs, grasshoppers, corn earworms, green cloverworms, bean leaf beetles, and velvetbean caterpillars as directed on this label.

ACTIVE INGREDIENTS:

*Toxaphene	66.6
†O,O-dimethyl O-p-nitrophenyl thiophosphate	16.8
Xylene (Aromatic Petroleum Distillate)	11.6

INERT INGREDIENTS

TOTAL

Percent by Weight


100.0

*Technical Chlorinated Camphene (Chlorine Content 67% to 69%)
†Methyl Parathion

NOT FOR HOME USE

Manufactured by

GOLD KIST INC., Atlanta, Georgia 30301



Antidote—administer intramuscularly as soon as signs of atropinization in conjunction with a strong cholinesterase producing cardiac and should be given supple central nervous system tives, but this drug symptoms. Refer to the poison may occur VERY CLOSE SUPERV

Consult your State Ag treated areas.

Prepare a spray mixture

1. Add about half t
2. Start agitator or
3. Continue mixing
4. Do not apply mo

GK 82 may be applied in sufficient water to gallons of water per acre. Early-Season Program: to 1.25 pint GM 82 per stage. For thrips control per acre.

Mid-Season Insects: Ov are controlled with 1.5 as insect counts indica

Late-Season Control: U pints per acre to contr counts indicate they are Caution: Do not hand within 24 hours after animals or animals bein

Apply 2 pints of GK 82 2.25 pints per acre to g and velvet bean caterp diluted insecticide at 3

Caution: Avoid spray d treated plants animals being or poultry.

FOR

Apply 2 pints per acre diluted with water. Wit Do not apply this produ

Do not feed treated fo Do not contaminate feed DESTROY all containers Do not burn.

Rinse equipment and c from water supplies.

Do not store near heat d containers for other pur Do not apply more than

Gold Kist warrants th When used in accorda reasonably fit for its int and soil conditions, m this product are beyon product contrary to la reasonably for seeable.

STOP—READ THE LABEL BEFORE USING!


POISON

See side panels
for antidote



DANGER

Keep out of reach
of children



GK 8-2 SPRAY

Each gallon of GK 82 contains 8 pounds toxaphene and 2 pounds methyl parathion. Used as directed, it will control the following insects: thrips, fleahoppers, plant bugs, boll weevils, bollworms, cutworms, armyworms, cotton leafworms, garden webworms, aphids, stink bugs, grasshoppers, corn earworms, green cloverworms, bean leaf beetles, and velvetbean caterpillars as directed on this label.

ACTIVE INGREDIENTS:

Percent by Weight

*Toxaphene	66.6
†O,O-dimethyl O-p-nitrophenyl thiophosphate	16.8
Xylene (Aromatic Petroleum Distillate)	11.6

INERT INGREDIENTS

	5.0
TOTAL	100.0


*Technical Chlorinated Camphene (Chlorine Content 67% to 69%)

†Methyl Parathion

NOT FOR HOME USE

Manufactured by

GOLD KIST INC., Atlanta, Georgia 30301



NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Toxaphene produces central nervous system excitation which ordinarily responds to the barbituric acid derivatives, but this drug should be considered only if complete atropinization fails to relieve symptoms. Refer to "Clinical Handbook on Economic Poisons." Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

POST TREATED AREA

Consult your State Agricultural Extension Services or Experiment Station regarding posting treated areas.

GENERAL DIRECTIONS

Prepare a spray mixture of GK 82 as follows:

1. Add about half the total amount of water to be used to the spray tank.
2. Start agitator or pump bypass and add proper amount of GK 82.
3. Continue mixing and add remaining water.
4. Do not apply more than 2 applications per growing season.

DIRECTIONS FOR USE ON COTTON

GK 82 may be applied by either ground equipment or aircraft. For ground equipment, dilute in sufficient water to give adequate coverage. For aerial applications, dilute in 3 to 4 gallons of water per acre.

Early-Season Program: For general early-season control, plant bugs and fleahoppers, use 1 to 1.25 pint GM 82 per acre. Make two applications at 7-day intervals starting at the two-leaf stage. For thrips control only, use 0.75 to 1 pint per acre and for cut worms use 2 pints per acre.

Mid-Season Insects: Overwintering boll weevils, plant bugs, aphids, and cotton leafworms are controlled with 1.5 to 2 pints GK 82 per acre. Make repeat treatments at 7-day intervals as insect counts indicate they are necessary (not over 2 applications per growing season).

Late-Season Control: Use 2 to 4 pints per acre to control boll weevils, and aphids. Use 4 pints per acre to control bollworms. Repeat applications at 5 to 7-day intervals as insect counts indicate they are necessary. (not over 2 applications per growing season).

Caution: Do not hand pick or harvest within 7 days of application. Workers entering field within 24 hours after application should wear protective clothing. Do not graze dairy animals or animals being finished for slaughter in treated fields.

DIRECTIONS FOR USE ON SOYBEANS

Apply 2 pints of GK 82 per acre to control aphids, green cloverworms, stink bugs. Apply 2.25 pints per acre to control armyworms, bean leaf beetles, corn earworm grasshoppers, and velvet bean caterpillars. Apply suitably diluted with water. For aerial application, apply diluted insecticide at 3 to 4 gallons per acre.

Caution: Avoid spray drift. Do not apply less than 3 weeks before harvest. Do not feed treated plants or ensilage made from treated plants to poultry, dairy animals, or animals being finished for slaughter. Do not feed soybean mill trash to livestock or poultry.

FOR ARMYWORM CONTROL IN SMALL GRAINS

Apply 2 pints per acre to control armyworms in wheat, oats, barley, or rice. Apply suitably diluted with water. With aerial application, apply in a volume of 3 to 4 gallons per acre. Do not apply this product within 15 days of harvest.

CAUTION

Do not feed treated forage to dairy animals or animals being finished for slaughter.

Do not contaminate feed or foodstuffs.

DESTROY all containers when empty by punching holes in them and burying with wastes. Do not burn.

Rinse equipment and containers and dispose of wastes by burying in noncrop lands away from water supplies.

Do not store near heat or open flame. Keep containers closed when not in use. Do not reuse containers for other purposes.

Do not apply more than 2 applications per growing season.

NONWARRANTY

Gold Kist warrants that this product conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this product is reasonably fit for its intended purpose. Since timing, method of application, weather, plant, and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.