



DANGER—POISON—PRECAUTIONS

CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.

CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- (1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician, clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms, and coma.

FIRST AID TREATMENT

Call a doctor (physician, clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

STOP—READ THE LABEL BEFORE USING!

POISON
See side panels
for antidote
and precautions



DANGER
Keep out of reach
of children

DOUBLE "16" COTTON SPRAY
Contains 1.6# Endrin plus 1.6# Methyl Parathion per gallon

Complete Directions for Use

Use only according to these label instructions.

READ "LIMIT OF WARRANTY AND LIABILITY" BEFORE BUYING OR USING. IF TERMS ARE NOT ACCEPTABLE RETURN AT ONCE UNOPENED.

ACTIVE INGREDIENTS:

*Endrin


**O,O-dimethyl O-p-nitrophenyl phosphorothioate

Xylene

INERT INGREDIENTS

*hexachlorocyclohexane, endo, dimethanone, ethalene

**Methyl Parathion



- 17.3%
- 17.2%
- 56.2%
- 9.3%
- 100.0%

NOT FOR HOME USE

Manufactured by

GOLD KIST INC., Atlanta, Georgia 30301

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.



... TWO + FOUR ...
... 2-PAM ...
... DO NOT GIVE MORPHINE OR TRANQUILIZERS ...
... VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS ...

Endrin produces central nervous system excitation which is potent rather than a part of any of the barbiturate acid derivatives. Acute effects of endrin poisoning may last several days to a week or more.

Repeated exposure to cholinesterase inhibition may without warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been assured as determined by blood tests.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

For use primarily with ground rigs. If airplane use is desired, use at least 3 to 10 gals. water per acre.

This is a concentrated insecticide and must be diluted with water for use. Mix by adding to spray tank containing water with pump and agitator running. Before using study safety directions. Consult your physician about obtaining an adequate supply of 1-100 gr. Atropine tablets for emergency use.

DIRECTIONS FOR USE

COTTON—To control boll weevil, boll worm, cotton aphid, fleahopper, leafworm, cutworms, fall armyworm, grasshoppers, lygus bug, and other mirds, thrips, and some species of spider mites, use 1 1/2 to 2 pints (0.25 to 0.4 lb. endrin and 0.25 to 0.4 lb methyl parathion) in the amount of water required for uniformly thorough spraying of 1 acre of cotton, depending upon size of plants and insects to be controlled. Generally, apply at the lower rate during the early season and at the higher rate during and after the blooming period.

For boll weevils, during the early season, apply at the 2 to 4-leaf stage or at first squaring. If weevils are present, and make 3 to 4 applications at weekly intervals as necessary during mid and late season, apply when 10 percent of squares or bolls are punctured and repeat at 4 to 5 day intervals as necessary. For bollworm, apply when eggs and 3 to 4 small bollworm larvae are found per 100 bud terminals and repeat at weekly intervals as necessary. The seasonal control of bollworm may require application to be repeated at 4 to 5 day intervals.

For cotton aphid, apply when aphids are present in buds and on leaves of seedling cotton or when honeydew develops on older cotton, repeat as needed. For thrips and fleahopper, apply at the 2 to 4-leaf stage and make 2 to 3 applications at weekly intervals as needed. For lygus bug, and other mirds, apply at first squaring if insects are present or damaged squares are found, and make 3 to 4 applications at weekly intervals. For cutworms, apply when worms appear or damage is noticed, usually during the early season and repeat as necessary. For fall armyworm and grasshoppers, apply when damaging infestations occur. For leafworm, apply when worms appear, usually during the maturing period, repeat as needed. For spider mites (does not control all species) apply when whitish or yellowish speckling of the leaves indicates damage; repeat as needed.

DO NOT APPLY TO COTTON WITHIN 15 DAYS OF HAND PICKING OR HARVEST WORKERS ENTERING FIELDS WITHIN 5 DAYS OF APPLICATION. SHOULD BE PROTECTED DO NOT GRAZE TREATED COTTON PLANTS OR TRASH TO DAIRY ANIMALS OR ANIMALS BEING FINISHED FOR SLAUGHTER.

DO NOT CONTAMINATE FOOD OR FOOD PRODUCTS

Do not apply to any area with grazing animals. Do not use containers to ever re use. Wash out of containers before reuse.

NOTICE OF WARRANTY

We warrant that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. But neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.