

1991

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling with soap and water. Wash all contaminated clothing with soap and hot water before reuse. Keep unauthorized persons out of application areas. Do not remain in treated areas. Ventilate the treated areas after treatment is completed, taking care that the ventilated product or vapors will not drift into other parts of building or undesirable areas. Do not contaminate water, food or feed. Keep out of reach of domestic animals. Do not use on humans, pets or livestock. Do not use on plants or vegetation. Agitate the product prior to use. Keep container tightly closed when not in use. Do not mix with other pesticides or chemicals. Use the product in food processing facilities only when food processing is not underway. Foods must be removed during treatment. All food processing surfaces must be covered and thoroughly cleaned before using. After application in food processing areas, wash with potable water all equipment, benches, shelving, and other areas where exposed food may be handled. Apply this product only as specified on this label. Not intended for household use.

PHYSICAL OR CHEMICAL HAZARDS

Extinguish open flame and pilot lights before using this product. **DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.** The ingredients used in this formulation may stain or otherwise harm certain construction materials, fabrics, or other materials. Care should be taken when applying the product to such materials by first making application to a small inconspicuous area where such materials exist. If undesirable results are obtained, use of the pesticide should be immediately discontinued in these areas.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS—Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse plastic containers.
PESTICIDE DISPOSAL—Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides.

CONTAINER DISPOSAL—Metal container 30 gallons or more: (a) Reseal container and offer for reconditioning, or (b) Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill. Metal containers less than 30 gallons: As in (b) above. Plastic containers less than 30 gallons: Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers.

GENERAL—Consult Federal, State or local disposal authorities for approved alternative procedures (such as limited open burning for plastic containers).

Use application equipment according to equipment manufacturer's recommendations per equipment instruction manual. Be sure equipment is calibrated correctly and in proper operating condition prior to handling or applying the pesticide. This product is designed for undiluted use as a



A SPACE SPRAY OR SURFACE TREATMENT SPRAY FOR CONTROL OF CERTAIN FLYING, CRAWLING, AND STORED PRODUCTS INSECTS FOR INDUSTRIAL AND INSTITUTIONAL USE AT FOOD PROCESSING PLANTS, PACKAGING PLANTS, WAREHOUSES, RESTAURANTS, HOTELS, CLUBS, AND INSTITUTIONS (Nursing Homes, Entertainment Facilities, Military Installations, Shopping Center Structures, and similar places)

ACTIVE INGREDIENTS	100%
Petroleum Distillate.....	99.046%
*Piperonyl Butoxide, Technical.....	.850%
Pyrethrins.....	.104%
*Equivalent to .68% (butylarbityl) 6-propylpiperonyl ether and .17% related compounds.	

INSECTS CONTROLLED: (EXPOSED STAGES):

- | | |
|---------------------------|---------------------------|
| Flying Insects: | Crawling Insects: |
| Drosophila Gnats | Cockroaches |
| Vinegar Flies | Saw-toothed Grain Beetles |
| Fruit Flies | Silverfish |
| Mosquitoes | Ants |
| Houseflies | Cigarette Beetles |
| Angoumois Grain Moths | Rice Weevils |
| Mediterranean Flour Moths | Red Flour Beetles |
| Indian Meal Moths | Caddises |
| Small Flying Moths | Confused Flour Beetles |
| | Meal Moth Larvae & Adults |
| | Carpet Beetles |
| | Drug Store Beetles |

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED—Call a physician immediately. Do not induce vomiting except under direction of a physician.

IF INHALED—Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN—Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES—Flush eyes with water for at least 15 minutes. Call a physician immediately.

(See side panel for additional precautions)

DOSAGES: SPACE SPRAYING

A dosage rate of 1/4 ounce per 1,000 cubic feet of space is recommended for normal infestations and preventive use. One ounce per 1,000 cubic feet of space is recommended for heavy insect infestations. Do not use more than one gallon of this product per 50,000 cubic feet (2 1/2 ounces per 1,000 cubic feet).

DOSAGES: SURFACE TREATMENT APPLICATIONS

A dosage rate of about 1 gallon per 1,000 square feet is recommended.

DIRECTION FOR SPACE SPRAYING

To control above named flying insects, close room or warehouse and shut off all ventilating systems. Plan fogging operation so that operator can continually move away from treated areas. Apply upward at walls and ceilings so that as many insects as possible can be contacted directly with the applied product. Application can also be directed under and beneath pallets, overhead pipes, and bases of equipment. Leave room closed for about 15 minutes. Sweep up and destroy fallen insects. Repeat as necessary for effective control.

DIRECTIONS FOR SURFACE TREATMENT APPLICATION

Applications should be made with a tank-type sprayer fitted with a nozzle that will deliver a uniform coarse wet spray. Application should be made so that the spray is glistening wet, but not running or puddling. Make application to walls, floors, bases of equipment, under skids and pallets, into cracks and crevices, and other insect harborages, contacting as many insects as possible.


ANTS AND ROACHES—Direct contact of the insect with the spray, in addition to thorough spraying of all parts of the room suspected of harboring these pests should be made. Special attention should be given to cracks, crevices, hidden crawl spaces, and other areas where these pests are suspected of hiding. Treatment of window and door frames, trails and points of entry should be sprayed for control of ants. Spray on ants where possible. Repeat treatment as necessary for effective control.

SILVERFISH AND STORED PRODUCTS INSECTS (EXPOSED STAGES) LISTED ABOVE—Application should include frequent and repeated spraying of baseboards, window and door frames, shelving and storage areas. Direct contact of these insects is emphasized for adequate control of these pests. Repeat treatment as necessary for effective control.

NOTICE: The manufacturer and seller warrant that this product conforms to its chemical description and is reasonably fit for the purpose stated on its label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability, fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

NET CONTENTS _____ GALLONS

EPA Reg. No. 2270-4
EPA EST. No. 2270-MO-01



THE HUGE COMPANY, INC.