

**OTHER EXCELCIDE
PRODUCTS**

For Rodent Control

Bait Boxes

For dispensing of dry or liquid bait

In cardboard, wood, plastic or metal

Bait

Besides Fumarin—also dry cereal type Pival, Warfarin, and Diphacin, along with Pivalyn and PMP in liquid form

Traps

Ketch-All Mouse Traps

Metal Extended Trigger Mouse Trap

New Type Wood Snap Mouse Trap

New Type Wood Snap Rat Trap

DIRECTIONS

FOR RATS: EXCELCIDE FUMARIN, used in food processing areas, non-food processing areas, or any rooms adjacent, should be dispersed in EXCELCIDE Fibreboard, Wood, or Metal Bait Boxes. Four ounces per station should be the minimum amount used. An uninterrupted supply of bait should be maintained for at least 10 days. Check all baits daily and keep containers full of bait. Continue to feed the rats until kill and control occurs. This usually takes from 5-14 days but may take longer.

CONTINUOUS BAITING IS ESSENTIAL FOR RESULTS. Protect the bait from children and domestic animals by means of bait boxes where necessary. Where possible, choose clean, dry places for placement to avoid bait souring or decomposing. Place baits in locations not accessible to pets, children and domestic animals.

FOR MICE: Follow the same directions as for rats except that bait placements may be smaller in size. Bait, 1/4 to 1/2 oz., should be placed at 8-12 foot intervals. An uninterrupted supply of bait should be maintained for at least 15 days and placements should be made in more places over infested areas. Baits should be placed not over 10-20 feet apart in infested areas for best results.

ACTIVE INGREDIENT: 0.025%

*3-(alpha-acetonylfurfuryl)-4-hydroxycoumarin

INERT INGREDIENTS: 99.975%

Rolled Oats
Steelcut Oats
Yellow Corn Meal
Granulated Sugar

Peanut Oil
Wheat Germ Oil
Antioxidant
Corn Oil

* Fumarin



EXCELCIDE™

FUMARIN

READY-TO-USE

**RAT AND MOUSE
KILLER**



NET. WEIGHT

4 lbs.

CAUTION: Keep out of reach of children.

THE HEDGE COMPANY, Inc.

Sanitation Consultants to the Food Industry

MANUFACTURERS OF

EXCELCIDE INSECTICIDES, RODENTICIDES AND EQUIPMENT
884-886 HODIAMONT AVE. • ST. LOUIS, MISSOURI 63112

ACCEPTED

Nov. 8, 1967

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER.



EXCELCIDE

FUMARIN

READY-TO-USE

**RAT AND MOUSE
KILLER**



NET. WEIGHT

4 lbs.

CAUTION: Keep out of reach of children.

THE HUGE COMPANY, Inc.

Sanitation Consultants to the Food Industry

MANUFACTURERS OF

EXCELCIDE INSECTICIDES, RODENTICIDES AND EQUIPMENT

884-886 HODIAMONT AVE. • ST. LOUIS, MISSOURI 63112

CAUTION

This product contains as its active chemical an anticoagulant agent (Fumarin), an anti-Vitamin K agent. If swallowed by humans, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such case, intravenous and oral administration of Vitamin K, combined with blood transfusions, are indicated, as in the case of hemorrhage.

NOTICE

The Huge Company, Inc. warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

USDA Registration No. 2278-43

OTHER EXCELCIDE PRODUCTS

For Insect Control

EXCELCIDE Residual Spra

EXCELCIDE Fly Spra

EXCELCIDE Vapo Spra

EXCELCIDE Mill Spra

EXCELCIDE Larvae

Concentrate

EXCELCIDE Outside

Residual

EXCELCIDE Fly Tid-Bits

EXCELCIDE Formulas for
use in Dyna-
Fog machines

EXCELCIDE Aerosol Bombs

EXCELCIDE Residual No. 2A

EXCELCIDE Residual No. 2B

EXCELCIDE Stro-Mal
Residual No. 1

EXCELCIDE Stro-Mal
Residual No. 2

Also space, residual and hand
sprayers

Overhead spraying equipment

ED
67
ECTICIDE
CIDE ACT
REGISTER-

ER EXCELCIDE
PRODUCTS

Rodent Control

Dispensing of dry or
liquid bait

Fibreboard, wood, plastic
or metal

Excelside Fumarin—also dry
liquid type Pival,
Fumarin, and Diphacin,
combined with Pivalyn and
Fumarin in liquid form

All Mouse Traps

Extended Trigger
Snap Trap

Wood Snap
Trap

Wood Snap
Trap

DIRECTIONS

FOR RATS: EXCELCIDE FUMARIN, used in food processing areas, non-food processing areas, or any rooms adjacent, should be dispersed in EXCELCIDE Fibreboard, Wood, or Metal Bait Boxes. Four ounces per station should be the minimum amount used. An uninterrupted supply of bait should be maintained for at least 10 days. Check all baits daily and keep containers full of bait. Continue to feed the rats until kill and control occurs. This usually takes from 5-14 days but may take longer.

CONTINUOUS BAITING IS ESSENTIAL FOR RESULTS. Protect the bait from children and domestic animals by means of bait boxes where necessary. Where possible, choose clean, dry places for placement to avoid bait souring or decomposing. Place baits in locations not accessible to pets, children and domestic animals.

FOR MICE: Follow the same directions as for rats except that bait placements may be smaller in size. Bait, 1/4 to 1/2 oz., should be placed at 8-12 foot intervals. An uninterrupted supply of bait should be maintained for at least 15 days and placements should be made in more places over infested areas. Baits should be placed not over 10-20 feet apart in infested areas for best results.

ACTIVE INGREDIENT:	0.025%
*3-(alpha-acetonylfurfuryl)-4-hydroxycoumarin	
INERT INGREDIENTS:	99.975%
Rolled Oats	Peanut Oil
Steelcut Oats	Wheat Germ Oil
Yellow Corn Meal	Antioxidant
Granulated Sugar	Corn Oil

* Fumarin



EXCELCIDE

FUMARIN

READY-TO-USE

RAT AND MOUSE
KILLER



NET WEIGHT

4 lbs.

CAUTION: Keep out of reach of children.

THE HUGE COMPANY, Inc.

Sanitation Consultants to the Food Industry

MANUFACTURERS OF


EXCELCIDE INSECTICIDES, RODENTICIDES AND EQUIPMENT
884-886 HODIAMONT AVE. • ST. LOUIS, MISSOURI 63112

CAUTION

This product contains as it is called an anticoagulant agent anti-Vitamin K agent. If humans, domestic animals or other material may reduce the clotting of the blood and cause bleeding intravenous and oral administration of Vitamin K, combined with blood transfusions, as in the case

NOTICE

The Huge Company, Inc. warrants that this product conforms to the description and is reasonably safe when used in accordance with directions and conditions of use, but neither the company nor any other warranty of fitness for a particular purpose or implied, extends to the product contrary to label instructions, abnormal conditions, or use not reasonably foreseeable. The buyer assumes the risk of a



USDA Registration No. 2271

MARIN, used
 food proces-
 agent, should
 Fibreboard,
 Four ounces
 minimum amount
 apply of bait
 east 10 days.
 sp containers
 d the rats un-
 This usually
 take longer.

ESSENTIAL
 the bait from
 ils by means
 . Where poses
 es for place-
 decomposing.
 accessible to
 imals.

directions as
 ments may be
 1/2 oz., should
 als. An un-
 ould be main-
 d placements
 s over infest-
 ced not over
 reas for best

0.025%

99.975%

eanut Oil
 heat Germ Oil
 ntioxidant
 om Oil



EXCELCIDE

FUMARIN

READY-TO-USE

RAT AND MOUSE
 KILLER



NET. WEIGHT

4 lbs.

CAUTION: Keep out of reach of children.

THE HUGE COMPANY, Inc.

Sanitation Consultants to the Food Industry

MANUFACTURERS OF

EXCELCIDE INSECTICIDES, RODENTICIDES AND EQUIPMENT

884-886 HODIAMONT AVE. • ST. LOUIS, MISSOURI 63112

CAUTION

This product contains as its active chemical an anticoagulant agent (Fumarin), an anti-Vitamin K agent. If swallowed by humans, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such case, intravenous and oral administration of Vitamin K, combined with blood transfusions, are indicated, as in the case of hemorrhage.

NOTICE

The Huge Company, Inc. warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

USDA Registration No. 2270-43

OTHER EXCELCIDE PRODUCTS

For Insect Control

- EXCELCIDE Residual Spra
- EXCELCIDE Fly Spra
- EXCELCIDE Vapo Spra
- EXCELCIDE Mill Spra
- EXCELCIDE Larvae Concentrate
- EXCELCIDE Outside Residual
- EXCELCIDE Fly Tid-Bits
- EXCELCIDE Formulas for use in Dyna-Fog machines
- EXCELCIDE Aerosol Bombs
- EXCELCIDE Residual No. 2A
- EXCELSIDE Residual No. 2B
- EXCELCIDE Stro-Mal Residual No. 1
- EXCELCIDE Stro-Mal Residual No. 2
- Also space, residual and hand sprayers
- Overhead spraying equipment

ACCEPTED
 11/8, 1967
 THE FEDERAL INSECTICIDE
 AND RODENTICIDE ACT