DYNA-FOG CONTACT SPRA

[2270-48] (2 page)

¥ \$

÷,

For use in thermal-type generators such as the Dyna-Fog Machine for the control of certain crawling and flying insects. Ready to Use. No dilution necessary.



[2270-48] (2 page)

DYNA-FOG **CONTACT SPRA**

For use in thermal-type generators such as the Dyna-Fog Machine for the control of certain crawling and flying insects. Ready to Use. No dilution necessary.



EXCELCIDE **DYNA-FOG CONTACT SPRA** FOR USE IN DYNA-FOG MACHINES

Formula contains tetrachloroethylene to eliminate any fire or explosion hazard attendant with indoor fogging with this type machine. For control of flying insects either inside or outside - Drosophila gnats (Vinegar and Fruit flies), Houseflies, Blowflies, Angoumois Grain Moths, Mediterranean Flour Moths, Indian Meal Moths; and for such crawling insects as Cockroaches, Confused Flour Beetles, Ants, Cadelles, Silverfish, Carpet Beetles that would be exposed.

Classified by Underwriters' Laboratories, Incorporated as to fire hazard only. EXCELCIDE Dyna Fog Contact Spra is classed 20 to 25 between Paraffin oil and Kerosene in respect to fire hazard. See UL index of classified Products.

RECOMMENDATIONS

Most effective inside fogging is accomplished during dry weather. External openings to building should be closed with exception of probably one providing an updraft. All parts of building or enclosure should receive equal concentration of fog. Exposed foods should be guarded by proper protective covering or by temporary relocation.

Plan fogging operation so that operator may continually move away from tog. Fogging should be done from windward side when applying fog on outside of building.

NOTICE

The manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

[2270-48] (2 page)

For outdoor fogging the area to be treated should be completely covered with visible fog. The same is true of indoor treatment, although in the latter case no more than 1 gal. per 50,000 cu. ft. should be applied, and the particle size of the insecticide should be $\frac{1}{2}$ to 10 microns. Machine is adjustable for these sizes. Repeat applications should be effected as often as is necessary.



Spray EXCELCIDE DYNA-FOG CONTACT SPRA upward at walls and ceilings so that as many insects as possible can be contacted with direct mist. After spraving, sweep up all dead and dying insects and destroy them. Periodic spraying assists in control of new batches of named insects, thereby reducing infestation.

ACTIVE IN Petroleun Tetrachlo Mineral Se Technica Pyrethrin

*Equivalent to 1.60% (butylcarbityl)(6-propylpiperonyl) ether and 40" related compounds.

CAUTION: Harmful if swallowed. Do not contaminate or store near feed or foodstuff. Use in **Cod processing plants** only when plant is not in operation. All food processing surfaces should be thoroughly cleaned before using.

This product is toxic to fish and wildlife. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

ACCEPTED 8-2-73 10 UNDER 10 2270 -48

DIRECTIONS

EXCELCIDE DYNA-FOG CONTACT SPRA is readyto-use and needs no dilution.

NGREDIENTS	100%	
m Distillate	74.38%	7,
oroethylene	19.00°	<u>،</u>
Seal Oil	4.32°	7c
al Piperonyl Butoxide*	5.00%	•
18	· · · · · · · · · · · · · · · · · · ·	•-,
	• • • • •	

