

DIRECTIONS FOR USE

Use one 6-ounce can for each unobstructed closed area of 6,000 cubic feet, but not less than 4,000 cubic feet.

Place canister on table for elevation in center of area to be treated or near point of greatest infestation. Place newspaper under canister. Push lockopen nozzle to side with thumb and lock on canister top with forefinger. Use one or more canisters in combination of 6 ounce sizes to give best distribution of vapors where free flow of mist is not assured. The area to be treated should be closed for a minimum of 45 to 60 minutes. After treatment the area should be aired for at least 30 minutes before workers re-enter the food processing plant or warehouse.

EXCELCIDE Super Vapona Aerosol should be used for control of crawling insects, i.e., exposed roaches, ants, carpet beetles, fleas, and silverfish; or flying insects, i.e., flies, mosquitoes, wasps, and flying moths, in the manner prescribed above.

WARNING

May be fatal if swallowed, inhaled or absorbed through skin or eyes. Do not get on skin or eyes. Do not breathe fumes. Avoid exposure to fumes. Wear natural rubber gloves and protective clothing. Wear a full face mask and canister of a type passed by the U.S. Department of Agriculture for Vapona protection. Keep all unprotected persons out of operational area and ventilate thoroughly before re-entering. In case of contact wash immediately with soap and water.

USDA Registration No. 2270-135

Revised 12/68



"EXCELCIDE" SUPER VAPONA AEROSOL

For Use in Food Processing Plants and Warehouses for Control of Certain Flying and Crawling Insects.

WARNING:

Keep Out of Reach of Children

(See side panel for additional cautions)

NET WEIGHT: 6 Ounces

THIS FORMULA MUST BE USED BY TRAINED OPERATORS ONLY.

ACTIVE INGREDIENTS.....	2.95%
*2,2-Dichlorovinyl Dimethyl phosphate.....	2.74%
*Related compounds.....	0.21%
INERT INGREDIENTS.....	97.05%
*Vapona Insecticide®	TOTAL 100.00%

The **HUGE COMPANY**, Inc.
884-886 HODIAMONT AVENUE
ST. LOUIS, MISSOURI 63112

Atropine is antidotal. Always wash hands, arms and face thoroughly with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. At no time should this product be applied to product zone surfaces. Exposed foods should be guarded by proper protective covering or by temporary relocation. Food processing equipment should be removed from the room, or covered during application. After application, food processing equipment should be cleaned. Apply when plant is not in operation. Food should be removed and food handling equipment thoroughly covered during application or washed after application is completed. Do not use in the household.

Contents under pressure. Never puncture container or throw into fire or incinerator. Do not store above 120° F., near radiator, or other source of heat.

DISPOSAL OF CONTAINERS: After using, shake can to insure that no material is left in container. Completely empty container by removing to an open air area away from pets and animals. Pointing orifice away from body, carefully press release button until no more vapor escapes. Destroy container when empty. Do not reuse.

NOTICE:

The manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.