

"EXCELCIDE"

[illustration]

194

GPS, GENERAL PURPOSE
SPRA #2

FOR FOGGING, SPRAYING, AND MICRON GENERATOR APPLICATIONS

Ready-To-Use - Needs No Dilution

A SPECIAL FORMULA DESIGNED TO KNOCK DOWN AND KILL CERTAIN CRAWLING
AND FLYING INSECTS. AS A SURFACE TREATMENT SPRAY, CONTACT-SPACE
SPRAY OR FOGGING SPRAY.

- THIS FORMULA MUST BE USED BY TRAINED OPERATORS ONLY

FOR INDUSTRIAL USE IN
FOOD PROCESSING, BEVERAGE AND WAREHOUSE INDUSTRIES

ACCEPTED
8 NOV 1995

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 2270-145

ACTIVE INGREDIENTS:

N-octyl Bicycloheptenedicarboximide*	2.25%
Technical Piperonyl Butoxide**	1.25%
Pyrethrins50%
INERT INGREDIENTS***:	96.00%
TOTAL	100.00%

*MCK Insecticide Synergist, U.S. Patent No. 2476512

**Equivalent to 1.00% (butylcarbityl)(6-propylpiperonyl) ether
and 0.25% related compounds

***Contains Petroleum Distillates, Xylene or Xylene Range Aromatic Solvent

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautionary statements
and Statement of Practical Treatment

EPA Reg. No. 2270-145

NET CONTENTS GALLONS

NET EST. NO. 2270-MO-1

Sanitation in the Food and Allied Industries
Manufacturers of EXCELCIDE INSECTICIDES and PEST CONTROL TOOLS

Manufactured by

7625 PAGE AVE. THE HUGE COMPANY, INC.
ST. LOUIS, MISSOURI 63133

(Side Panels)

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

BEST COPY AVAILABLE

CAUTION

Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing vapor. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Remove contaminated clothing before reuse.

Use this product in food processing plants only when the plant is not in operation. Foods should be removed or covered during treatment. After space spraying, thoroughly wash all equipment, benches, shelving, etc. where exposed food will be handled with an effective cleaning compound and rinse with potable water before use. Do not remain in treated areas and ventilate the area after treatment is completed.

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol.
- IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.
- IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth.
- IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.
- NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR SPACE SPRAYING AND FOGGING

This product is designed for control of small flying insects: Flies, Gnats, Mosquitoes, and Flying Moths: the adult Mediterranean Flour Moth, Indian Meal Moth, and Angoumois Grain Moth in their exposed stages.

Spray into entire room, after closing off all air currents. Spray should be directed upward at wall and ceiling so that as many insects as possible can be contacted with a direct vapor or mist. The product can be applied by means of an electric, portable fogging device: Dyna Fog, Challenger, DEH, or BVI Foggers. Application should be made so that a minimum of 1/2 ounce per 1000 cu. ft. is used.

Room should be kept closed at least ten minutes after spraying. Repeat as often as necessary to keep named insects under control. Periodic spraying assists in the control of new infestations of named insects. Sweep up all dead and dying insects and

BEST COPY AVAILABLE

384

destroy them at the close of the ten (10) minute period.

This product is designed for control of crawling insects: American, German, and Oriental Cockroaches, and Silverfish, as well as stored product pests: Confused Flour Beetles, Red Flour Beetles, Rice Beetles, Cadelles, Saw-Toothed Grain Beetles, Dermestid Beetles, and Carpet Beetles, in their accessible stages. Thoroughly clean all flour, grain, and food dusts from horizontal surfaces, since these static accumulations encourage stored product pest breeding.

To control ants, spray ant hills and trails. Spray with portable electric sprayers, or foggers, mentioned above, applying to walls, floors, baseboards, wall floor junctures, window frames, doorway storing. Spray box cars and store rooms before filling with grain, feed, or food products. Repeat at regular intervals or as often as necessary to control the named insects.

DIRECTIONS FOR SURFACE TREATMENTS

This product is a ready to use formula, needing no dilution. To control existing cockroach infestations (the American, German and Oriental Cockroach), ants and silverfish, spray the product over and into cracks and crevices so that as many insects as possible can be contacted with direct spray. Treatment should be confined basically to wall-floor junctures, bases of equipment and under surfaces of skids. For control of ants, spray hills and trails. Make sure that ALL breeding sites and harborages are thoroughly wetted down with the insecticide with emphasis on contacting as many insects as possible, to a point where these surfaces are glistening wet and yet do not run. This wetting down application can best be achieved through a low-pressure, conventional garden type tank sprayer fitted with a special fan-pattern nozzle.

For control of existing flying insects (houseflies, Drosophila gnats, mosquitoes, and exposed stages of Indian Meal Moths, Mediterranean Flour Moths, and Angoumois Grain Moths) application should be applied in a wetting down treatment, with emphasis on contacting as many insects as possible, to surfaces on which the insects alight or crawl. This application should be only in areas where the affected insects will not drop into food or onto food surfaces.

For control of exposed stages of stored product insects: Confused Flour Beetles, Flat Grain Beetles, Rice Weevils, Saw-Toothed Grain Beetles, Cadelles, apply as directed above for cockroach control.

Since these insects harbor and breed in flour and food dust, such deposits must be vacuumed and cleaned before making application. Periodic, regular spraying of this product assists in the control of new batches of named insects, thereby reducing insect infestations.

STORAGE AND DISPOSAL

STORAGE: Store in a secure area. Keep container tightly closed when not in use. Store away from heat, strong oxidizers or open flame. Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be used according to label directions should be disposed of according to applicable Federal, State or local procedures.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other

BEST COPY AVAILABLE

reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by Federal, State and local authorities.

NOTICE

The manufacturer and seller warrant that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANT ABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions, not reasonably foreseeable to seller and buyer assumes the risk of any such use.

(RV 062995)

BEST COPY AVAILABLE