

DIRECTIONS FOR USE

EXCELCIDE Animal and Area Spray is especially formulated with Vapona® insecticide for use on animals in and around farm and commercial buildings, and outdoor areas adjacent to these buildings. Application may be by fog, mist, or spray. For commercial use, application is limited to Trained Personnel only. See specific recommendations under each area of use.

USE & INSECT

LACTATING DAIRY AND BEEF CATTLE, HORSES, HOGS, SHEEP, GOATS. Flies (Face, Horn, House and Stable), Mosquitoes. Apply daily, using a good hand or automatic mist sprayer so that the animal's hairs are wet. Do not exceed 2 ounces daily per adult animal, on horses, dairy and beef cattle, and 1 oz. daily per adult animal on goats, hogs, and sheep. Reduce dosage one-half for younger animals.

ANIMAL BUILDINGS (Hog, Barns or Stables, Dairy Barns, Shelter, Stables, Goat or Sheep Sheds, Hog Houses, Feed Storage Rooms, Milk Rooms, Face Horn, House & Stable.) Flies, Mosquitoes, Gnats, etc. Apply as a fog or mist to the building. Do not apply to animals.



ANIMAL & AREA SPRAY

ACTIVE INGREDIENTS	99.99%	
Petroleum Distillate		28.70%
2,2-dichlorovinyl dimethyl		7.29%
Related Compounds		63.91%
INERT INGREDIENTS		
Water		71.30%
Other Inert Ingredients		28.70%

WARNING - KEEP OUT OF REACH OF CHILDREN
(See additional information on label)

NOTICE - This product is a restricted use pesticide. It is intended for use by trained personnel only. It is not to be used on animals. It is not to be used in areas where food or feed crops are growing. It is not to be used in areas where people are present. It is not to be used in areas where children are present. It is not to be used in areas where the general public is present. It is not to be used in areas where the general public is present.

THE HUGE COMPANY INC.
Specialty Consultants to the Food Industry
MANUFACTURERS OF
EXCELCIDE INSECTICIDES, RODENTICIDES, AND FUMIGANTS
884-886 HODIAMONT AVE. - ST. LOUIS, MISSOURI 63101

OUTDOOR AREAS Flies, Mosquitoes, Gnats, Flying Moths. To be applied by, or under the directions of, trained personnel. Apply with fogging apparatus or mist blowers at the rate of 5 pints per acre. Do not treat areas where food or feed crops are growing. Repeat as necessary.

RESTAURANTS, THEATRES, FOOD PROCESSING PLANTS, INDUSTRIAL PLANTS, WAREHOUSES. Flies, Mosquitoes, Wasps, Gnats, Flying Moths, and other small flying insects, Cockroaches, Ants, Spiders, Silverfish. To be applied by trained personnel only. Apply with low pressure sprayer or pressurized spray to localized areas where insects may infest. Spray areas around baseboards, cracks, walls, door and window frames and localized areas of floors. Do not apply to areas which will be contacted frequently by children and do not allow them in treated areas until surfaces are dry. Do not contaminate food, water, food containers, or cooking utensils. Do not treat domestic animals. Do not apply to the edible products areas of food processing plants. Do not apply more than 1.75 fluid ounces per average person.

FOOD PROCESSING PLANTS, INDUSTRIAL PLANTS, THEATRES, WAREHOUSES. Flies, Mosquitoes, Gnats, Flying Moths, Wasps, Gnats, etc. Apply as a fog or mist to the building. Do not apply to animals. Do not apply to areas where food or feed crops are growing. Do not apply to areas where people are present. Do not apply to areas where children are present. Do not apply to areas where the general public is present.