ACCEPTED

any 10,197

FUNGICIOF AND RODENTICIDE ADE NON ECONOMIC POISON RECONTACTOR NO. 22 70 -500

EXCELCIDE ULTRAFOG FOR USE IN DYNA-FOG MACHINES

Formula con ate any fire tains tetrachloroethylene to eliminindoor foggii or explosion hazard attendant with trol of flying with this type machine. For conDrosophila glinsects either inside or outside -flies, Blowflies, Angoumois Grain Moths, Houseiterranean Flies, Angoumois Grain Moths, Mediterranean Flour Moths, Indian Meal Moths; and Flour Beetle insects: Cockroaches, Confused pet Beetles is, Ants, Cadelles, Silverfish, Carexposed.

RECOMMENDATIONS

Most effecti during dry we inside fogging is accomplished should be chather. External openings to building providing an osed with exception of probably one closure sho updraft. All parts of building or enfog. Expose and receive equal concentration of protective chooses should be guarded by proper Do not remandation of treatment is in in treated area and ventilate after completed.

Plan fogging operation so that operator may continually move away from fog. Fogging should be done from we away from fog. Fogging should be outside of brindward side when applying fog on wilding.

NOTICE

The manufact to its chemicurer warrants that this product conforms the pirpose sal description and is reasonably fit for ance with distated on the label when used in accordant but neither thections under normal conditions of use, chantability is warranty nor any other warranty of merpress or important fitness for a particular purpose, examinary to kied, extends to the use of this product ditions, or ubel instructions, or under abnormal conable to selleinder conditions not reasonably foreseeuse.

— and buyer assumes the risk of any such



ULTRAFOG

For use in thermal-type generators such as the Dyna-Fog Machine for the control of certain crawling and flying insects.

Ready to use. No dilution necessary.

CONTAINS FIRE AND EXPLOSION RETARDANT

CAUTION: KEEP OUT OF REACH OF CHILDREN (See side panel for additional cautions)

ACTIVE INGREDIENTS

100%

Petroleum Distillate Tetrachloroethylene Technical Piperonyl Butoxide* Pylethrins

*Consists of (butylcarbityl) (6-propylpiperonyl) ether and related compounds.

THE HUGE COMPANY INC.

884-886 HODIAMONT AVENUE

DIRECTIONS

EXCELCIDE ULTRAFOG is ready-to-use and needs no dilution.

For outdoor fogging the area to be treated should be completely covered with visible fog. The same is true of indoor treatment, although in the latter case no more than 1 gal. per 50,000 cu. ft. should be applied, and the particle size of the insecticide should be 1/2 to 10 microns. Machine is adjustable for these sizes. Repeat applications should be effected as often as is necessary.

Spray EXCELCIDE ULTRAFOG upward at walls and ceilings so that as many insects as possible can be contacted with direct mist. After spraying, sweep up all dead and dying insects and destroy them. Periodic spraying assists in control of new batches of name insects, thereby reducing infestation.

CAUTION: Harmful if swallowed. Do not contaminate or store near feed or foodstuffs. Use in food processing plants only when plant is not in operation. All food processing surfaces should be thoroughly cleaned before using. Do not reuse container. Destroy when empty.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

USDA Registration Number 2270-560