

# DANGER! POISONOUS IF SWALLOWED!

A

AVOID CONTACT WITH SKIN, EYES, OR CLOTH-ING. WASH THOROUGHLY AFTER USE. AVOID BREATHING DUST OR SPRAY MIX.

ANTIDOTE: If swallowed, give a sublespoon of salt in a glass of warm water and repeat until vomit is clear. Then give 2 tablespoons of Epsom Salts or Milk of Magnesia in water, and plenty of milk or water. Have patient lie down and keep quiet. Call a physician immediately.

### DANGER:

DO NOT USE OR STORE IN OR AROUND THE HOME DO NOT ALLOW DOMESTIC ANIMALS TO GRAZE TREATED AREAS. DO NOT RE-USE EMPTY DRUM. RETURN TO DRUM RECONDITIONER, OR DESTROY BY PERFORATING OR CRUSHING AND BURYING IN A SAFE PLACE.

This product is toxic to wildlife. Birds and other wildlife in treated areas may be killed. Do not apply where runoff is likely to occur. Do not contamingte water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this abel.

The contamination of vegetation by sodium arsonite used for wood control may create a severe hazard to wildlife. Therefore, use must be limited to bare ground or small enclosed industrial areas. Dosage rates in excess of 50 pounds arsenic trioxide equivalent per acre are limited to areas to be covered by pavement after treatment.

Do not contaminate water used for irrigation or domestic purposes.



DANGER CONTRACTORS AND A CONTRACTORS Sec. Contraction of the

ACTIVE INGREDIENTS: Sodium Arsenite*	40.0%
INERT INGREDIENTS	60.0%
*Total Arsonic, expressed as elemental, all in watersoluble 23.07%	form

Sold by



884 886 HOD AMONT AVENUE SAINT LOUIS MO 6312

## GENERAL WEED CONTROL

For commercial or industrial use only. Do not apply to areas underlaid by roots of desirable trees and shrubs. Do not allow spray or spray drift to contact desirable plants.

For use in industrial roadways, industrial driveways, and industrial yards where plant growth is not wanted. TIMING: For best results, apply when weeds are less than six inches high.

APPLICATION: Mix recommended amounts with water, and apply with sprayer or sprinkling can.

PERENNIAL WEED AND GRASS CONTROL: For use in sprayer, mix 1 part with 7½ parts water. For sprinkling can application mix 1 part with 30 parts water. Thoroughly wet foliage, stems, and exposed root crowns with spray mixture.

ANNUAL WEED AND GRASS CONTROL For use in sprayer mix 1 part with 15 parts water. For sprinkling can application mix 1 part with 60 parts water. Thoroughly wet foliage, stems, and exposed root crowns with spray mixture.

PLANT GROWTH PREVENTION: Apply 2 to 21; gts mixed with 5 or more gallons water, per 100 sq. ft Use higher rate for heavy soils or where ground is not bare of vegetation. Treated soil should not be cultivated or disturbed after treatment. Treatment usually retards all plant growth for an extended period, depending upon rate of leaching from soil root zone.

TREE AND STUMP KILLING Mix i part with 3 parts water.

FOR TREE KILLING. Cut deep gashes into back and wood of tree, around tree trunk, 2 to 3 in apart. Fill each gash with this mixture. For best results, make treatment during Spring or early Summer.

FOR STUMP TREATMENTS: Soak freshly cut surface with this mixture to prevent sprouting.

NOTICE. Seller and manufacturer variant that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to labe. instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

# TW-40

CONTAINS THE EQUIVALENT OF 4 LBS. ARSENIC TRIOXIDE PER GALLON

EPA Reg. No. 2270-684

