

SEP 12 1975

Use: the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, and the pesticide laws and regulations thereunder. EPA Reg. No. 2270-696

DIRECTIONS FOR USE

General: This Concentrate is designed for use undiluted in mechanical sprayers which give particle size of aerosol size, such as the Micro-Ben Micron Generator. It can be diluted with refined kerosenes or mineral oil and can be applied in fogging equipment that gives larger than aerosol particle size, such as the Microsol or Challenger machines. It can also be diluted with oil specified above and applied as a contact spray to kill crawling insects shown later on this label.

Kills the most common types of INDIAN MEAL MOTHS, FLOUR BEETLES, CRACKER BEETLES, and FISH-BONE BEETLES in grain, dried fruit, products of animal origin, and other products. Also roach and silverfish. For use with all ventilation systems, including automatic sprayers similar to the Micro-Ben Micron Generator. For contact spray use, spray into the air stream at a rate of 1.00% (one part concentrate to 99 parts of air) in all types of ventilation systems. For use in food processing plants, spray into the air stream at a rate of 1.00% (one part concentrate to 99 parts of air) in all types of ventilation systems. The air stream should be treated immediately prior to entry. Infested packaging materials should be fumigated with a registered fumigant, or treated with a registered insecticide approved for such use.

Kills the most common types of INDIAN MEAL MOTHS, FLOUR BEETLES, CRACKER BEETLES, and FISH-BONE BEETLES in grain, dried fruit, products of animal origin, and other products. Also roach and silverfish. For use with all ventilation systems, including automatic sprayers similar to the Micro-Ben Micron Generator. For contact spray use, spray into the air stream at a rate of 1.00% (one part concentrate to 99 parts of air) in all types of ventilation systems. For use in food processing plants, spray into the air stream at a rate of 1.00% (one part concentrate to 99 parts of air) in all types of ventilation systems. The air stream should be treated immediately prior to entry. Infested packaging materials should be fumigated with a registered fumigant, or treated with a registered insecticide approved for such use.



"EXCEL"CELCIDE

Ultra Low Dosage

ACTIVE INGREDIENTS	100%
*2,2-dichlorovinyl dimethyl phosphate.46%
Other related compounds.04%
Pyrethrins.	2.00%
**Piperonyl butoxide, Technical.	4.00%
***N-octyl bicycloheptene dicarboximide.	4.00%
Petroleum distillate.	89.50%
*From .5% (wt.) of dichlorvos, technical (DDVP)	
**Equivalent of 3.2% (butylcarbityl) (6-propylpiperonyl) ether and .8% related compounds.	
*** MGK-264, Insecticide Synergist.	

CAUTION: KEEP OUT OF REACH OF CHILDREN (See Other Precautions On Side Panel)

FOR USE IN HOMES, RESTAURANTS, FOOD PROCESSING PLANTS, WAREHOUSES, AND INDUSTRIAL INSTALLATIONS.

FOR APPLICATION BY TRAINED PERSONNEL ONLY

THE HUGE COMPANY, Inc.
Sanitation Consultants to the Food Industry
MANUFACTURERS OF
EXCELCELCIDE INSECTICIDES, RODENTICIDES AND EQUIPMENT
7625 PAGE BOULEVARD • ST. LOUIS, MO. 63133

For use in homes, restaurants, food processing plants, warehouses, and industrial installations. Apply the spray into all cracks and crevices, under floors, walls, floors, under the base of furniture, and in all places where insects are likely to hide, at the rate of 1.00% (one part concentrate to 99 parts of air).

Cautions: Avoid contact with eyes and skin. Avoid contact with clothing. Wear mask or respirator of a type recommended by the manufacturer of the equipment. Wear protective clothing. Wash hands, arms and face with soap and water after handling and before eating. Wash all contaminated clothing with soap and water before re-use. Do not use pet, animal, or household appliances during application.

Do not use in schools, hospitals, nursing homes, or other places where children, the elderly, or the infirm are present. Do not use in areas where food is prepared or stored.

NOTE TO PHYSICIAN: For use in hospitals.

ENVIRONMENTAL HAZARDS

Do not use in areas where food is prepared or stored. Do not use in areas where children, the elderly, or the infirm are present. Do not use in areas where food is prepared or stored.

Do not use in areas where food is prepared or stored. Do not use in areas where children, the elderly, or the infirm are present. Do not use in areas where food is prepared or stored.

Do not use in areas where food is prepared or stored. Do not use in areas where children, the elderly, or the infirm are present. Do not use in areas where food is prepared or stored.

NOTICE

The manufacturer warrants that this product will meet the stated objectives of use when used in accordance with the directions on the label. The manufacturer does not warrant that the product will meet the objectives of use when used in accordance with the directions on the label. The manufacturer does not warrant that the product will meet the objectives of use when used in accordance with the directions on the label.

EPA Reg. No. 2270-696
EPA Est. No. 2270-MO-01

DIRECTIONS FOR USE

General: This Concentrate is designed for use undiluted in mechanical sprayers which give particle size of aerosol size, such as the Micro-Gen Micron Generator. It can be diluted with refined kerosenes or mineral oil and can be applied in fogging equipment that gives larger than aerosol particle size, such as the Microsol or Challenger machines. It can also be diluted with oil specified above and applied as a contact spray to kill crawling insects shown later on this label.

Kills the Accessible Stages of INDIAN MEAL MOTH, DRIED FRUIT BEETLE, and CONFUSED FLOUR BEETLE in dried fruit products storage areas or processing areas. Close room or warehouse and shut off all ventilating systems. Use a spraying device similar to the Micro-Gen equipment to dispense this product. Do not apply to dried fruit directly. Direct spray into areas of the room frequented by these insects hitting as many insects as possible. Then spray into the air above the trays at a rate of 1/2 gallon of spray per 50,000 cu. ft. of space. Repeat application every 30 days. Leave room closed for one hour after application. Do not remain in treated areas and ventilate before re-entry. Infested stored dried fruit should be fumigated or treated by other effective means using an approved product intended for this purpose.

Kills the Accessible Stages of RICE WEEVIL, YELLOW MEALWORM, CASEWORM, CONFUSED FLOUR BEETLE, SAW-TOOTHED GRAIN BEETLE, ANGRY MOUNTAIN GRAIN MOTH, MEDITERRANEAN FLOUR MOTH, AND INDIAN MEAL MOTH in food warehouses, storage rooms and similar areas. Close room or warehouse and shut off all ventilating systems. Use a spraying device similar to the Micro-Gen equipment. Direct spray into corners, under pallets and around stacks of packaged goods, hitting as many insects as possible. Then spray at the rate of one fluid ounce of spray per 1,000 cu. ft. of space. Repeat applications as necessary. Leave room closed for one hour after application. Do not remain in treated areas and ventilate prior to re-entry. Infested package goods should be fumigated or treated by other effective means using an approved product intended for this purpose.



"EXCELcide"

Ultra Low Dosage

ACTIVE INGREDIENTS	100%
*2,2-dichlorovinyl dimethyl phosphate46%
Other related compounds04%
Pyrethrins	2.00%
**Piperonyl butoxide, Technical	4.00%
***N-octyl bicycloheptene dicarboximide	4.00%
Petroleum distillate	89.50%
*From .5% (wt.) of dichlorvos, technical (DDVP)	
**Equivalent of 3.2% (butylcarbityl) (6-propylpiperonyl) ether and .8% related compounds.	
***MGK-264, Insecticide Synergist.	

CAUTION: KEEP OUT OF REACH OF CHILDREN
(See Other Precautions On Side Panel)

FOR USE IN HOMES, RESTAURANTS, FOOD PROCESSING PLANTS, WAREHOUSES, AND INDUSTRIAL INSTALLATIONS.

FOR APPLICATION BY TRAINED PERSONNEL ONLY

THE HUGE COMPANY, Inc.

Sanitation Consultants to the Food Industry

MANUFACTURERS OF

EXCELCIDE INSECTICIDES, RODENTICIDES AND EQUIPMENT

7625 PAGE BOULEVARD • ST. LOUIS, MO. 63133



"EXCEL" **EXCELIDE** Ultra Low Dosage

ACTIVE INGREDIENTS	100%
*2,2-dichlorovinyl dimethyl phosphate46%
Other related compounds04%
Pyrethrins	2.00%
**Piperonyl butoxide, Technical	4.00%
***N-octyl bicycloheptene dicarboximide	4.00%
Petroleum distillate	89.50%
*From .5% (wt.) of dichlorvos, technical (DDVP)	
**Equivalent of 3.2% (butylcarbityl) (6-propylpiperonyl) ether and .8% related compounds.	
***MGK-264, Insecticide Synergist.	

CAUTION: KEEP OUT OF REACH OF CHILDREN
(See Other Precautions On Side Panel)

FOR USE IN HOMES, RESTAURANTS, FOOD PROCESSING PLANTS, WAREHOUSES, AND INDUSTRIAL INSTALLATIONS.

FOR APPLICATION BY TRAINED PERSONNEL ONLY

THE HUGE COMPANY, INC.
Sanitation Consultants to the Food Industry
MANUFACTURERS OF
EXCELIDE INSECTICIDES, RODENTICIDES AND EQUIPMENT

To KILL ROACHES, SILVERFISH, EARWIGS, ANTS, AND SPIDERS. Apply in Micro-Gen or similar equipment adjusted to coarse spray. Apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes, and in all places where these insects hide, at the rate of 1/4 gal./1000 sq. ft. of wall space, or pint of run-off.

Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing of spray mist. Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to give adequate protection against this material. Wear protective clothing. Wash hands, arms and face with soap and water after handling and before smoking. Wash all contaminated clothing with soap and water before re-use. Remove pets, birds, and cover fish aquariums before spraying.

Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

NOTE TO PHYSICIAN: Atropine is anticholinergic.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not re-use drum. Return to drum re-conditioner or destroy by perforating or crushing and burying in a safe place.

Mix well in container before each use. Keep container closed and at room temperature. DO NOT POUR OR SPILL NEAR OPEN FLAME.

NOTICE

The manufacturer and seller warrant that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose express or implied, extends to the use of this product contrary to label instructions, or under conditions, not reasonably foreseeable to seller and buyer assumes the risk of any such use.

EPA Reg. No. 2270-696