


US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION 2270-710	DATE OF ISSUANCE FEB 18 1986
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT Excelcide Quadricide #3	
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)		
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
The Hude Company, Inc. 7625 Page Boulevard St. Louis, MO 63133		
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.		
Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:		
1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.		
2. Make the labeling changes listed below before you release the product for shipment:		
a. Add the phrase "EPA Registration No. 2270-710."		
b. Under "Precautionary Statements" change the cleaning statement to read "Afterspace spraying; wash all equipment, benches, shelving, etc., where exposed food will be handled, with an effective cleaning compound followed by a potable water rinse."		
c. On the label Ingredient Statement, include the percentage of the aromatic petroleum hydrocarbon either with the petroleum distillates or with the inert ingredients. This component is not considered active at this small percentage.		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE
		2-18-86

160 / 161573
18 / 1

PHS
6

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Timothy A. Gardner
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

P. HS
6

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Do not breathe vapors or mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly with soap and water after handling. Wash all contaminated clothing with soap and hot water. Wear protective clothing. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and by the National Institute for Occupational Safety and Health. Keep unprotected persons out of application areas. Do not allow insecticide or vapors to drift into areas not being treated. Do not remain in treated areas. Ventilate treated areas after treatment is completed, taking care that the vapors will not drift into other parts of building. Do not contaminate water, food or feed. Keep out of reach of children and domestic animals. Do not use on humans, pets, or livestock. Do not allow the product to contact plants or food crops. Do not mix or combine with other pesticides or chemicals. Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying wash all equipment, benches, shelving, etc., with potable water where exposed food will be handled. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Note: When used in hospitals patients should be removed prior to treatment ventilate for two hours after treatment. Do not return patients to room until after ventilation.

Remove pets and birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of waste.

PHYSICAL OR CHEMICAL HAZARDS

This formulation may stain or otherwise harm certain construction materials, fabrics, or other materials. First apply to a small inconspicuous area of such materials. If harm results, use should immediately be discontinued in these areas.

FIRE HAZARDS

Do not use, pour, spill, or store near heat, electrical sparks or arcing, welding, strong oxidizers, or open flame. Extinguish pilot lights and all sources of ignition before use.

Follow all operation, maintenance, storage and safety instructions and precautions of the equipment manufacturer.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Strictly follow all safety precautions and directions for use on this labeling.

STORAGE AND DISPOSAL

STORAGE: Store in a secure area separated from water, food or feed. Keep container tightly closed when not in use. Do not transfer this product to unlabeled storage containers. Store away from heat, strong oxidizers or open flame.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate that is not used according to label instructions must be disposed of according to approved federal, state and local procedures.

CONTAINER DISPOSAL: Metal Containers—Triple rinse (or equivalent). Then offer for reconditioning or recycling, or puncture and dispose of in a sanitary landfill, or by other approved federal, state and local procedures. Plastic Containers—Triple rinse (or equivalent). Then offer for reconditioning or recycling, or dispose of in a sanitary landfill, or by professional incineration if allowed by federal, state and local authorities.

PRECAUCION!

AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.
TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.



EXCELCIDE

QUADRA

#3

ACTIVE INGREDIENTS:

*trans-methrin (5-(phenylmethyl)-3-turanyl)methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate	0.3000%
Related Compounds	0.0409%
Aromatic petroleum hydrocarbons	0.3945%
Petroleum distillate	99.2500%
INERT INGREDIENTS:	0.0146%
	100.000%w/w

INERT INGREDIENTS:

*Cis/trans isomers ratio: Max. 30% (±) cis and min. 70% (±) trans.

†U.S. Patent Nos. 3,465,007 and 3,542,928.

•Penick's SBP-1382® brand of methrin insecticide.

Penick Corp., 1050 Wall Street West, Lyndhurst, N.J. 07071

FOR USE INDOORS AND OUTDOORS: HOTELS, HOMES, FOOD PACKAGING AND PROCESSING PLANTS, COMMERCIAL, INDUSTRIAL AND STORAGE BUILDINGS, MILK PLANTS, MILK STORAGE PLANTS, SUPERMARKET PLANTS, CANNERIES, BAKERIES, BOATS, SHIPS, HOSPITALS, PATIENTS' ROOMS. DO NOT USE FOR TREATMENT OF PETS. ALSO FOR TRUCKS, BOXCARS AND CARS. FOR USE IN DOG KENNELS, HORSE STABLES, NOT FOR BE USED FOR FOOD.

A SYNTHETIC PYRETHROID FOR CONTROLLING THE FOLLOWING FLYING AND CRAWLING INSECTS: Houseflies, Mosquitoes, Gnats, Flying Moths (Millers), Fruit Flies, Vinegar Flies, Wasps, Hornets, Yellow Jackets, Cockroaches, Waterbugs, Fleas, Ticks, Ants, Crickets, Silverfish, Earwigs, Spiders, Grain Insects (Adults of confused flour beetles, Sawtoothed grain beetles, Shiny Spider beetles, Grain weevils, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, Grain mites), Carpa beetles, Sowbugs, Centipedes, Millipedes and Bedbugs.

Note: Other insects may be controlled using this product as long as the application is effective against the target insect(s) and application is limited to a site named on this labeling.

A lesser dosage is permitted if the application is effective.

KEEP OUT OF REACH OF CHILDREN
CAUTION

FIRST AID: IF SWALLOWED: Call a physician immediately. IF VOMITING: Do not vomit. IF INHALED: Remove person to fresh air. If breathing has stopped, call a physician immediately. IF ON SKIN OR CLOTHING: Remove clothing. Wash affected areas with soap and water. IF IN EYES: Flush eyes with plenty of water. (See side panel for additional information.)

THE HUGE COMPANY, INC.

Sanitation in the Food and Allied Industries

Formulators of EXCELCIDE Insecticides and Suppliers of Pest Control Products

7625 PAGE BLVD.

ST. LOUIS, MISSOURI 63113

EPA EST. NO. 2270-MO-01

EPA REG. NO. 2270-MO-01

NET CONTENTS _____ GALLONS

ONI

Do not use este producto
aplicada ampliamente
In English, do not use this
product as explained to you.

R A C I D E

#3

FOR USE INDOORS AND OUTSIDE PREMISES OF HOTELS, MOTELS, HOMES, FOOD HANDLING ESTABLISHMENTS, PACKAGING AND PROCESSING PLANTS, SEED HOUSES, COMMERCIAL, INDUSTRIAL, OFFICE, INSTITUTIONAL AND STORAGE BUILDINGS, MILK HANDLING AREAS OF MILK PLANTS, MILK STORAGE ROOMS, EGG PROCESSING PLANTS, SUPERMARKETS, RESTAURANTS, BOTTLING PLANTS, CANNERIES, FLOUR AND FEED MILLS, BAKERIES, BOATS, SHIP CABINS AND HOSPITALS. IN HOSPITALS, PATIENTS SHOULD BE REMOVED PRIOR TO TREATMENT. ALSO FOR USE IN BUSES, AUTOMOBILES, TRUCKS, BOXCARS AND SHIP CARGO HOLDS. ALSO FOR USE IN DOG KENNELS AND HORSE STABLES. IN HORSE STABLES, NOT FOR APPLICATION IF HORSES WILL BE USED FOR FOOD.

SPACE SPRAYING (Atomization): Close doors and windows. Apply with nozzle which will deliver a very fine mist. For rapid control of flies, fruit flies, gnats, mosquitoes, skipper flies, wasps, hornets, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, and tobacco moths: direct mist from nozzle to allow uniform distribution throughout the entire area at a rate of 3-6 ounces per 1000 cubic feet of space.

To kill exposed or accessible stages of the above named crawling insects, use a rate of one gallon to 20000 to 40000 cubic feet of space.

SURFACE SPRAYING: To control roaches, ants, silverfish, spiders, crickets, clover mites, chinch bugs, granary weevils, rice weevils, confused flour beetles, red red flour beetles, sawtoothed grain beetles, soldier beetles, cigarette beetles, Drugstore beetles, meal worms, grain moths and cadulles. Use a good sprayer adjusted to deliver a coarse wet spray. Direct the spray into hiding places, cracks and crevices, under pallets, around containers of stored foods, around the base of machinery, behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails, nests and points of entry. If surface application only is to be used, spray floors, walls, and other surfaces applying at a rate of 1 gallon to 750 square feet of surface.

INDOORS:

Space Spray: To kill houseflies, mosquitoes, gnats, flying moths (millers), fruit flies, vinegar flies. Close room or area to be treated. Shut off air conditioner and ventilator system. Seal all open vents. Remove fish and pets. Apply undiluted as a very fine mist space spray through manually operated equipment or with electrical and other powered applicators. Avoid staining by holding the spray nozzle at least 5 ft. from objects. Direct the fine spray mist toward the upper corner of the room. Fill the room with a fine mist space spray at the rate of 3 fl. ozs. per 5,000 cu. ft. Leave room closed for one-half hour. Ventilate thoroughly before re-entry. Sweep up and destroy insects.

Contact Spray: To kill cockroaches, fleas, waterbugs, crickets, silverfish, earwigs, sowbugs, carpet beetles, centipedes, millipedes. Adjust spray to produce large wetting type spray particles. Direct spray to contact insects in cracks and crevices in floors, baseboards, around pipes, behind cabinets and other harborages. Spray these infested areas until thoroughly wet. Repeat as necessary. To kill spiders: Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

To kill ants: Spray doors, around window frames, ant trails and hills.

To kill bedbugs: Apply as a spot treatment to cracks and crevices around baseboards, floorboards, bedboards and walls. First thoroughly clean and air mattresses and springs. Then spot treat only areas that may harbor bedbugs. Concentrating on tufts, folds, and seams. Repeat as necessary. For persistent infestations, consult professional applicator.

To kill fleas and ticks: Spray directly on insects as well as floors, floor coverings, baseboards, cracks and crevices, infested furniture and animal resting areas. Hold spray nozzle about 18 inches from areas to be treated. Apply spray until area is moist. Treat pet bedding the same way. Also spray entire inside surface of dog houses. Repeat as necessary. Do not allow pets to contact treated areas until spray has dried. Remove or cover animal feed before spraying. Also, treat dogs, cats and horses with a registered flea-control product before they re-enter the treated area.

To kill grain insects: Adults of confused flour beetles, sawtoothed grain beetles, shiny spider beetles, grain weevils, Angoumois grain moth, Mediterranean flour moth, Indian meal moth, grain mites. Remove infested grain, cereal or flour and destroy. Avoid contamination of other food and foodstuffs in the areas by removing before spraying. Spray directly on exposed stages and into cracks and crevices where grain insects may be hiding. In homes, dispose of all infested products. The shelves and drawers should be cleaned and thoroughly sprayed so as to contact all pests, and covered with shelf paper after allowing shelves to dry. Any utensils that are contacted with spray should be washed before using. Repeat as necessary.

To kill wasps, hornets, yellow jackets: Application should be made in the late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat as necessary.

OUTDOORS: To control nuisance pests around buildings, patios and paved areas: Apply as a contact spray. Spray directly on insects. Avoid spraying turf or plants.

Ants and Fleas: Same as directed for indoor use.

Wasps, Hornets, Yellow Jackets: Same as directed for indoor use. Aim spray at nest openings in bushes, under eaves, chimneys, cracks and crevices to saturation in and around nest openings. Contact as many insects as possible.

Earwigs, Sowbugs, Spiders, Centipedes, Millipedes: Apply as a contact spray, as for indoor use.

To control named flying and crawling insects around premises, spray thoroughly around doors, window frames and similar areas of entry. Also thoroughly spray garbage and refuse areas, especially around poultry houses, barns, and similar areas of heavy infestation. Do not spray on turf or plants.

Thermal Applications: For control of houseflies and mosquitoes: This formulation is to be used undiluted in only such portable thermal applicator equipment that can deliver spray particle sizes within the aerosol size range.

Thermal Applications Indoors: For the control of houseflies, mosquitoes, and gnats in warehouses, restaurants and industrial institutions. Remove or cover exposed food and food handling surfaces. Remove animals and plant life. Shut off ventilating systems, air ducts, air conditioning equipment and close off room or area to be treated. Do not apply while food processing plant is occupied or in operation. Extinguish all flames and pilot lights. Apply as a dry fog at the rate of 1-1/3 fl. ozs. per 1,000 cu. ft. of space. Direct nozzle of thermal applicator toward the upper corners of the room and along the ceiling. Close off room for at least one-half hour. Do not remain in treated areas. Ventilate the area after treatment.

Thermal Applications Outdoors: For reduction in annoyance from houseflies, mosquitoes and gnats in yards, patios, around swimming pools, picnic areas, campsites, drive-ins, and horse stables, and other small area applications. Hold thermal applicator at least 5 ft. away from any object, especially plants and shrubbery. Avoid wetting any plant foliage. Apply undiluted at the rate of 3-3/4 gallons per acre. Fog only when there is no breeze, or the wind velocity is less than 3 mph. The ideal time is generally at dusk when the wind dies down and the air temperature and ground temperature are approximately the same. Under these conditions the fog will linger in the treated area for a longer time. Apply fog while moving away from treated area. Avoid inhalation of the fog. Do not enter the treated area until the fog has dissipated. Repeat application as necessary.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

FEB 18 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

2270-710

NOTICE

The manufacturer and seller warrant that this product conforms to its chemical description and is reasonably fit for the purpose stated on the labeling when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions not reasonably foreseeable to seller, and buyer assumes all risk of use, storage or handling of this product not in strict accordance with directions on this labeling.

KEEP OUT OF REACH OF CHILDREN
CAUTION

FIRST AID

SWALLOWED: Call a physician immediately. DO NOT INDUCE VOMITING.

INHALED: Remove person to fresh air. Apply artificial respiration if breathing has stopped. Call a physician immediately.

ON SKIN OR CLOTHING: Remove all contaminated clothing and wash affected areas with soap and water. In serious cases get medical attention.

IN EYES: Flush eyes with plenty of water. Call a physician immediately. (See separate label for precautions.)

PANTRY, INC.

Applied Industries

Suppliers of Pest Control Tools
LOUIS, MISSOURI 63133

EPA REG. NO. 2270-

GALLONS