

## DIRECTIONS

Impact Insecticide contains piperonyl butoxide. It is an effective, fast acting insecticide for the control of roaches, ants, flies, mosquitoes, and the other listed injurious and annoying insects found in homes, institutions, municipalities and buildings. It should not be applied directly to food or foodstuffs. Impact Insecticide is highly useful for insect control in residences, institutions, public buildings, hospitals, hotels, clubs, restaurants, stores, markets, theatres, parks, municipalities and other situations when used as directed.

Impact Insecticide is an excellent insecticide for use as a vapor, fog, or mist spray in special generator, fogging devices and hand sprayers. Regulate dosage in accordance with equipment manufacturers' directions for the particular type of applicator employed. Application should be sufficient to fill the enclosure with the fog, mist or vapor. Do not remain in treated areas and ventilate the area after treatment is completed. May also be used for outdoor fogging. For best results do not try to fog outside on windy days.

For most effective results against the active stages of flying, running and crawling insects, use in a good sprayer adjusted to deliver a fine mist.

Treat infested areas thoroughly and when ever possible, keep doors and windows closed for 10 minutes after spraying.

**Do not remain in treated areas and ventilate the area after treatment is completed.**

**Flying Insects:** For control of flies, mosquitoes, gnats, wasps, hornets and many other flying pests, direct the spray toward the upper portions of the room and saturate the atmosphere with the mist, using 1 to 2 ounces to each 1000 cubic feet of space.

**Crawling Insects:** To control roaches, waterbugs, silverfish, crickets, and spiders, spray infested areas thoroughly and direct the liquid behind baseboards, mouldings, cabinets, shelves, sinks, door and window frames, and pipes, toward drains and dark corners, and into cracks, crevices, recesses and similar hiding places.

Against ant infestations, treat shelves, cabinets and storage areas, spray ant runs, trails, baseboards, thresholds and other places of entry, and treat nests liberally.

In controlling fleas and Brown Dog Ticks in houses, direct the application toward the lower wall portions, baseboards, rugs, carpets and floors of infested areas. Animal quarters, kennels, and bedding should also be sprayed.

U.S.D.A.

Piperonyl butoxide.....	50%
Pyrethrin.....	10%
Petroleum Oil.....	70%

\*Equivalent to 0.4% of (baetyl carbonyl) (6-propyl piperonyl) ether and to 0.105% of related compounds.

**CAUTION: KEEP OUT OF REACH OF CHILDREN**  
See side panel for additional cautions.



### IMPACT INSECTICIDE KILLS BY CONTACT:

Roaches  
Waterbugs  
Silverfish  
Crickets  
Spiders  
Ants  
Floor Beetles

Weevils  
Flies  
Caddisflies  
Mosquitoes  
Skippers  
Grain Moths  
Gnats

Grain Beetles  
Meal Worms  
Spider Beetles  
Wasps  
Hornets  
Sand Flies  
Clothes Moths

Bedbugs  
Meal Moths  
Grain Mites  
Cheese Mites  
Carpet Beetles  
Fleas  
Brown Dog Ticks in Buildings

NET CONTENTS: ONE U. S. GALLON

**INDUSTRIAL SOAP COMPANY**  
ST. LOUIS, MISSOURI

## DIRECTIONS CONTINUED

...the bedding, effectively, but never top ends, sides, and bottom of mat. ...spraying thoroughly all tufts, seams and folds. Spray around and frame, direct spray against joints, door and lock joints, treat walls, baseboards, ceiling, floors, closets, and bedroom furniture, picture frames, with particular attention to protect bedding hiding and breeding places.


For most effective control of clothes moths and carpet beetles, remove infested articles from storage, brush thoroughly and if possible air several hours in direct sunlight. Apply spray liberally in empty chests, closets, bureaus and storages, directing the liquid into cracks, joints and crevices. After airing, infested articles may be treated by holding the spray nozzle at least 3 feet away from the fabric and applying the liquid lightly to the seams to avoid the possibility of staining. Treat both sides of rugs, carpets, and pads, and all exposed and accessible surfaces of overstuffed furniture. Do not overspray if products are made of rubber or are rubber coated, to prevent expansion or swelling. Repeat treatment as needed for susceptible articles not stored in moth-tight containers.

Home and institutional pantries and food storages frequently become infested with various stored food pests including flour beetles, weevils, caddisflies, grain beetles, meal worms, spider beetles, meal moths, skippers, grain and cheese mites. To avoid sources of reinfestation, wormy flour, grain and cereals should be destroyed before treatment. Spray thoroughly all surfaces of shelves, bins, cupboards, cabinets, pantries, lockers and similar storages, with particular attention to cracks, niche, crevices and other hiding places. Control is limited to the exposed stages of these pests.

When used around food and food-processing plants, foods should be removed or covered during treatment. All food processing surfaces should be covered before treatment or thoroughly cleaned before using. When using the product as a space spray in these areas, apply only when plant is not in operation.

**CAUTION:**  
**Combustible mixture.** Do not pour or spill near an open flame. Harmful if taken internally. Keep away from children. Do not smoke while spraying.

**Avoid contamination of food.** In other words, do not spray directly on foodstuffs, eatables, bakery goods, etc.



Do not remain in treated areas and ventilate the area after treatment is completed.

**Flying Insects**

Against house flies, mosquitoes, and other flying insects, spray the areas where they are most likely to be found.

**CAUTION** KEEP OUT OF REACH OF CHILDREN. See side panel for additional cautions.



**Crawling Insects:** To control roaches, waterbugs, silverfish, crickets, and spiders, spray infested areas thoroughly and direct the liquid behind baseboards, mouldings, cabinets, shelves, sinks, door and window frames, and pipes, toward drains and dark corners, and into cracks, crevices, recesses and similar hiding places.

Against ant infestations, treat shelves, cabinets and storage areas; spray ant runs, trails, baseboards, thresholds and other places of entry, and treat nests liberally.

In controlling fleas and Brown Dog ticks in houses, direct the application toward the lower wall portions, baseboards, rugs, carpets and floors of infested areas. Animal quarters, kennels, and bedding should also be sprayed.

**IMPACT INSECTICIDE KILLS BY CONTACT:**

- |               |             |                |                              |
|---------------|-------------|----------------|------------------------------|
| Roaches       | Weevils     | Grain Beetles  | Bedbugs                      |
| Waterbugs     | Flies       | Meal Worms     | Meal Moths                   |
| Silverfish    | Caddises    | Spider Beetles | Grain Mites                  |
| Crickets      | Mosquitoes  | Wasps          | Cheese Mites                 |
| Spiders       | Skippers    | Hornets        | Carpet Beetles               |
| Ants          | Grain Moths | Sand Flies     | Fleas                        |
| Flour Beetles | Gnats       | Clothes Moths  | Brown Dog Ticks in Buildings |

NET CONTENTS: ONE U. S. GALLON

**INDUSTRIAL SOAP COMPANY**  
ST. LOUIS, MISSOURI

When used around food and food processing plants, foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product as a space spray in these areas, apply only when plant is not in operation.

**CAUTION:** Combustible mixture. Do not pour or spill near an open flame. Harmful if taken internally. Keep away from children. Do not smoke while spraying.

Avoid contamination of food. In other words, do not spray directly on foodstuffs, eatables, bakery goods, etc.