

2285-11 Pm 17 1/3

ACCEPTED

2285-11

SEP 24 1965

at the Federal
Insecticide Administration

IMPACT

Reg. No. 2285-11

Registration No. 2285-11

Piperonyl Butoxide	55%
Pyrethrins	10%
Petroleum Oil	37%

*Equivalent to 0.40% of (Butyl carbityl) (6-propyl piperonyl) ether and to 0.105% of related compounds.

CAUTION: KEEP OUT OF REACH OF CHILDREN
See side panel for additional cautions.

STATEMENT OF PRACTICAL TREATMENT

- If swallowed - Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.
- If inhaled - Remove victim to fresh air.
- If on skin - Remove contaminated clothing; wash affected area with soap & water.
- If in eyes - Flush eyes with plenty of water. Call a physician immediately if irritation persists.

IMPACT INSECTICIDE KILLS BY CONTACT

Roaches, Waterbugs, Silverfish, Crickets, Spiders, Ants, Flour Beetles, Weevils, Flies, Caddis, Mosquitoes, Skippers, Grain Moths, Gnats, Grain Beetles, Meal Worms, Spider Beetles, Wasps, Hornets, Sand Flies, Clothes Moths, Bedbugs, Meal Moths, Grain Mites, Cheese Mites, Carpet Beetles, Fleas, Brown Dog Ticks

FOR USE IN

Residences, Institutions, Public Buildings, Hospitals, Hotels, Clubs, Restaurants, Stores, Markets, Theatres, Parks & Municipalities

NET CONTENTS: _____ GALLONS



Industrial Soap Company

2930 Market Street • St. Louis, Missouri 63103 • (314) 241-6363

21

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Impact Insecticide contains piperonyl butoxide. It is an effective fast acting insecticide for the control of roaches, ants, flies, mosquitoes, and other pests listed on the label.

Impact Insecticide is an excellent insecticide for use as a vapor, fog, or spray in special generators, fogging devices and hand sprayers. Regulate dose in accordance with equipment manufacturers' directions for the particular type of applicator employed. Application should be sufficient to fill the enclosure with the fog, mist or vapor. Do not remain in treated areas, and ventilate the area after treatment is completed. May also be used for outdoor fogging. For best results, do not try to fog outside on windy days.

For most effective results against the active stages of flying, running and crawling insects, use in a good sprayer adjusted to deliver a fine mist.

Treat infested areas thoroughly and whenever possible, keeping doors and windows closed for 10 minutes after spraying. Do not remain in treated areas until you can ventilate the area after treatment is completed.

Flying Insects: For control of flies, mosquitoes, gnats, wasps, hornets and other flying pests listed on the label, direct the spray toward the upper portion of the room and saturate the atmosphere with the mist, using 1 to 2 ounces to 1000 cubic feet of space.

Crawling Insects: To control roaches, waterbugs, silverfish, crickets, spiders, spray infested areas thoroughly and direct the liquid behind baseboards, moldings, cabinets, shelves, sinks, door and window frames, pipes, toward drains and dark corners, and into cracks, crevices, recesses and similar hiding places.

Ant Infestations: Treat shelves, cabinets and storage areas; spray ant trails, baseboards, thresholds and other places of entry. Treat nests liberally.

Fleas & Brown Dog Ticks: Direct the application toward the lower wall portion, baseboards, rugs, carpets and floors of infested areas. Animal quarters, kennels and bedding should also be sprayed.

Clothes Moths & Carpet Beetles: Remove infested articles from storage, treat thoroughly and, if possible, air several hours in direct sunlight. Apply spray liberally in empty chests, closets, bureaus and storages, directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by holding the spray nozzle at least 3 feet away from the fabric and applying the liquid lightly to the seams to avoid the possibility of staining. Treat sides of rugs, carpets and pads, and all exposed and accessible surfaces of overstuffed furniture. Do not overspray if products are made of rubber or rubber coated to prevent expansion or swelling. Repeat treatment as needed on susceptible articles not stored in moth-tight containers.

DIRECTIONS FOR USE

Bedbugs: Apply liberally to top, ends, sides and bottom of mattresses, spraying thoroughly all tufts, seams and folds. Spray springs and frame, directing the liquid into all cracks and lock joints. Treat walls, baseboards, moldings, floors, closets, bedroom furniture, and picture frames, with particular attention to protect bedbug hiding and breeding places.

Home and institutional pantries and food storages frequently become infested with various stored food pests including flour beetles, weevils, cadellies, grain beetles, meal worms, spider beetles, meal moths, skippers, grain and cheese mites. To avoid sources of reinfestation, wormy flour, grain and cereals should be destroyed before treatment. Spray thoroughly all surfaces of shelves, bins, cupboards, cabinets, pantries, lockers and similar storages, with particular attention to cracks, niches, crevices and other hiding places. Control is limited to the exposed stages of these pests.

PRECAUTIONARY STATEMENT HAZARD TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in plants, bakeries, and other food processing plants, wash all equipment with potable water, benches, shelving, etc., where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets and birds, and cover fish aquariums before spraying.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged, stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required as to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum or glass container. Do not store, use, pour or spill near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.