

**\$10<sup>50</sup>**

**20 LBS. NET WT.**

TREATS 8,000 SQ. FT.

**A PELLEDED PRE-EMERGENCE WEED KILLER**

**FOR NORTHERN TURF GRASSES**

# **CRABGRASS PREVENTER**

**WITH BENEFIN**

**SELECTIVELY CONTROLS**

**CRABGRASS and OTHER GRASSY WEEDS**

**AS THEY SPROUT**

**ACTIVE INGREDIENT:**

N-butyl-N-ethyl- $\alpha,\alpha,\alpha$ -trifluoro-2,6-  
dinitro-p-toluidine

1.84%

**INERT INGREDIENTS:**

98.16%

EPA Reg. No. 2290-3r

100.00%

**CAUTION: KEEP OUT OF REACH OF  
CHILDREN**

**NOTE: See back panel for additional  
caution statement.**

**SUGGESTED SPREADER SETTINGS**  
(FOR ONE PASS OVER THE TURF)

LAWN BEAUTY	SCOTT	CYCLONE
4 1/2	4	3-1/4 (6 FT. SWATH)

The manufacturer of this product warrants that the product will perform as described on the label. The manufacturer does not warrant that the product will perform as described on the label under all conditions. The manufacturer does not warrant that the product will perform as described on the label under all conditions.

P-1-5-75

**PRE-EMERGENCE**

**CRABGRASS PREVENTER**

**WITH BENEFIN**

**FOR NORTHERN TURF GRASSES**

CONVENIENT and ECONOMICAL to use on established turf to control these weeds from seeds before they germinate:

- |                                |                              |
|--------------------------------|------------------------------|
| Smooth Crabgrass               | Water Grass (Barnyard Grass) |
| Hairy Crabgrass                | Yellow Foxtail               |
| Silver Crabgrass (Goose Grass) | Green Foxtail                |
| Annual Bluegrass (Poa Annua)   |                              |

**SAFE** to use on these grass varieties:

- |                              |                    |
|------------------------------|--------------------|
| Perennial Kentucky Bluegrass | Zoysia Grass       |
| Fescue                       | Perennial Ryegrass |

**DIRECTIONS**

Apply the contents of this bag, 20 lbs. on 8,000 sq. ft. of lawn. Do not skip or lap the application. Use a spreader for even application.

**TO CONTROL CRABGRASS IN COOL SEASON GRASSES**

Apply in late winter, or early Spring, before weed seeds germinate.

**TO CONTROL ANNUAL BLUEGRASS IN COOL SEASON GRASSES**

Apply between July 15th and September 15th prior to annual blue grass seed germination.

DELAY RE-SEEDING for 90 to 120 days after application.

**PRECAUTIONS:**

Apply CRABGRASS PREVENTER with Benefin to turf prior to weed seed germination. It will not control established weeds. At the rate recommended, this product may thin established annual bluegrass and the fine fescues. DO NOT apply this product in the Spring to grasses planted the previous Fall. CRABGRASS PREVENTER with Benefin should not be applied to BENTGRASS TURF.

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

Harmful if swallowed.

Avoid contact with skin or clothing. Wash thoroughly after handling.

Do not breathe dust.

Avoid contact with eyes. Causes eye irritation. In case of contact, flush for 15 minutes with water.

Do not contaminate feedstuffs or feed.

This product is toxic to fish. Do not contaminate any body of water by run off, direct application, cleaning of equipment, or disposal of waste.

Destroy bag when empty. Do not reuse.

Apply this product only as specified on the label.

21

**WARRANTY:** The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. All statements made concerning this product apply only when used as directed.

**20 LBS. NET WT.**

**TREATS 8  
A PELLETED PRE-EMERGENT  
FOR NORTHERN**

# **CRABGRASS PREVENTION**

**WITH  
SELECTIVE  
CRABGRASS and  
AS THE**

*For information  
call 1-800-4-A-GARD*

**ACTIVE INGREDIENT:**

N-butyl-N-ethyl-a,a,a, -trifluoro-2,6-  
dinitro-p-toluidine

**INERT INGREDIENTS:**

EPA Reg. No. 2290-36

9  
10

**SUGGESTED SPREADER SETTINGS**  
(FOR ONE PASS OVER THE TURF)

LAWN BEAUTY	SCOTT	CYCLONE
4 1/2	4	3-1/4 (6 FT. SWATH)

The age, condition of spreader, speed of operation and roughness of lawn will cause variations in the rate applied. These suggested spreader settings are for your guidance only.

*Feb-14-1975*

**PRE-EMERGENCE**

**CRABGRASS PREVENTER**

**WITH BENEFIN**

**FOR NORTHERN TURF GRASSES**

CONVENIENT and ECONOMICAL to use on established turf to control these weeds from seeds before they germinate:

- |                                       |                                     |
|---------------------------------------|-------------------------------------|
| <u>Smooth Crabgrass</u>               | <u>Water Grass (Barnyard Grass)</u> |
| <u>Hairy Crabgrass</u>                | <u>Yellow Foxtail</u>               |
| <u>Silver Crabgrass (Goose Grass)</u> | <u>Green Foxtail</u>                |
| <u>Annual Bluegrass (Poa Annua)</u>   |                                     |

SAFE to use on these grass varieties:

- |                              |                    |
|------------------------------|--------------------|
| Perennial Kentucky Bluegrass | Zoysia Grass       |
| Fescue                       | Perennial Ryegrass |

**DIRECTIONS**

Apply the contents of this bag, 20 lbs., on 8,000 sq. ft. of lawn. Do not skip or lap the application. Use a spreader for even application.

TO CONTROL CRABGRASS IN COOL SEASON GRASSES:

Apply in late winter, or early Spring, before weed seeds germinate.

TO CONTROL ANNUAL BLUEGRASS IN COOL SEASON GRASSES:

Apply between July 15th and September 15th prior to annual bluegrass seed germination.

DELAY RE-SEEDING for 90 to 120 days after application

**PRECAUTIONS**

Apply CRABGRASS PREVENTER with Benefin to turf prior to weed seed germination. It will not control established weeds. If the rate recommended for prevention is used, the product will not harm the grass. Do not apply to fine fescue. Do not apply to the product if the grass is dormant.

Smooth Crabgrass

Water Grass (Barnyard Grass)

Hairy Crabgrass

Yellow Foxtail

Silver Crabgrass (Goose Grass)

Green Foxtail

Annual Bluegrass (Poa Annua)

SAFE to use on these grass varieties:

Perennial Kentucky Bluegrass

Zoysia Grass

Fescue

Perennial Ryegrass

## DIRECTIONS

Apply the contents of this bag, 20 lbs., on 8,000 sq. ft. of lawn. Do not skip or lap the application. Use a spreader for even application.

TO CONTROL CRABGRASS IN COOL SEASON GRASSES:

Apply in late winter, or early Spring, before weed seeds germinate.

TO CONTROL ANNUAL BLUEGRASS IN COOL SEASON GRASSES:

Apply between July 15th and September 15th prior to annual bluegrass seed germination.

DELAY RE-SEEDING for 90 to 120 days after application.

### PRECAUTIONS:

Apply CRABGRASS PREVENTER with Benefin to turf prior to weed seed germination. It will not control established weeds. At the rate recommended, this product may thin established annual bluegrass and the fine fescues. DO NOT apply this product in the Spring to grasses planted the previous Fall. CRABGRASS PREVENTER with Benefin should not be applied to BENTGRASS TURF.

### CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed.

Avoid contact with skin or clothing. Wash thoroughly after handling.

Do not breathe dust.

Avoid contact with eyes. Causes eye irritation. In case of eye contact, flush for 15 minutes with water.

Do not contaminate foodstuffs, or feeds.

This product is toxic to fish. Do not contaminate any body of water by run-off, direct application, cleaning of equipment, or disposal of wastes.

Destroy bag when empty. Do not re-use.

Apply this product only as specified on the label

WARRANTY: The manufacturer makes no warranties, expressed or implied, concerning this product or its use which extend beyond the description on the label. All statements made concerning the product apply only when used as directed.