

25 LBS. NET
TREATS 25,000 SQ. FT.



DURSBAN*
LAWN INSECTICIDE
GRANULES
FOR PROFESSIONAL USE ONLY
CONTROLS

CHINCH BUGS, SOD WEBWORMS (Lawn Moths)
ANTS, CRICKETS, BROWN DOG TICKS,
CUTWORMS, EARWIGS, SOWBUGS (Pillbugs),
HYPERODES (Turfgrass) WEEVILS**

INFESTING TURF AREAS

ACTIVE INGREDIENT:

Chlorpyrifos (0,0-diethyl 0-(3,5,6-
trichloro-2-pyridyl) phosphorothioate) 2.32%

INERT INGREDIENT 97.68%


100.00%

EPA Reg. No. 2290-38

CAUTION: Keep out of reach
of children

*DURSBAN® Trademark of The Dow Chemical Company
U.S. Patent No. 3,244,586

NOTE: See back panel for additional
caution statement



Manufactured For
The TERRE Co.
OF NEW JERSEY, INC.
SADDLE BROOK, N. J. 07662

CYCLONE

3¼

The age, condition of spreader, speed of operation and roughness of lawn will cause variations in the rate applied. These suggested spreader settings are for your guidance only.

DURSBAN*
LAWN INSECTICIDE
GRANULES
CONTROLS

CHINCH BUGS, SOD WEBWORMS (Lawn Moths)
ANTS, CRICKETS, BROWN DOG TICKS,
CUTWORMS, EARWIGS, SOWBUGS (Pillbugs),
HYPERODES (Turfgrass) WEEVILS**

INFESTING TURF AREAS

DIRECTIONS FOR USE:

When insects are present, apply the contents of this bag evenly on 25,000 sq. ft. of turf.

The first brood of CHINCH BUGS arrive about June 15th; the second brood about August 15th. They continue feeding until the weather cools in Mid-October. Apply DURSBAN LAWN INSECTICIDE GRANULES on dry grass. Brush the granules off the grass blades after. For MAXIMUM CONTROL, water the turf thoroughly AFTER application. This is especially necessary if Chinch Bugs are feeding deep in a heavy thatched turf. Repeat as needed.

SOD WEBWORMS (Lawn Moths) become active in the Spring and are full grown by June. A complete life cycle takes only 21 to 28 days. Begin control treatment in May. To drive insects upward, water turf BEFORE treating. Repeat whenever insects are present at the same rate as for Chinch Bugs.

ANTS, CRICKETS, BROWN DOG TICKS, CUTWORMS, EARWIGS, SOWBUGS (Pillbugs): Apply DURSBAN LAWN INSECTICIDE GRANULES whenever these insects are present. Use at the same rate as for Chinch

LES on dry grass. Brush the granules on the grass blades after. For MAXIMUM CONTROL, water the turf thoroughly AFTER application. This is especially necessary if Chinch Bugs are feeding deep in a heavy thatched turf. Repeat as needed.

SOD WEBWORMS (Lawn Moths) become active in the Spring and are full grown by June. A complete life cycle takes only 21 to 28 days. Begin control treatment in May. To drive insects upward, water turf BEFORE treating. Repeat whenever insects are present at the same rate as for Chinch Bugs.

ANTS, CRICKETS, BROWN DOG TICKS, CUTWORMS, EARWIGS, SOW-BUGS (Pillbugs): Apply DURSBAN LAWN INSECTICIDE GRANULES whenever these insects are present. Use at the same rate as for Chinch Bugs.

****To control HYPERODES (Turfgrass) WEEVILS - Use at the rate of 2 lbs. per 1,000 sq. ft. (the contents of this bag on 12,500 sq. ft.). Treat suspected problem areas in Mid-April and again in Mid-May. Water the turf thoroughly AFTER treatment for best results. Consult your local Agricultural Extension Service Specialist for the best time to treat in your area.**

CAUTION: Keep out of reach of children

Keep children and pets off treated areas until this material is washed into the soil and grass is dry.

May be harmful if swallowed.

Do not take internally.

Avoid eye contact. Flush contaminated eyes with plenty of water and get medical attention if irritation persists.

Wash hands thoroughly after handling.

Wash contaminated clothing before re-use.

Keep away from food, feedstuffs and domestic water supplies.

This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

NOTE TO PHYSICIAN: Active ingredient is a cholinesterase inhibitor. Treat Symptomatically. Atropine is an antidote.