

PETROKEM CORP., 59 SPRUCE STREET, PATERSON, N.J. 07509

MAIN PANEL

SUPER CONCENTRATED QUICK DISSOLVING
STABILIZED GRANULAR SWIMMING POOL CHLORINATOR

SUPER CONCENTRATED
QUICK DISSOLVING
STABILIZED GRANULAR
SWIMMING POOL CHLORINATOR

Protects against bacteria and algae
Stabilized for extended chlorine life
Slow dissolving
Totally soluble

Active Ingredient:

Sodium Dichloro-s-Triazinetrione dihydrate	99%
Inert Ingredients	1%
Available Chlorine	55%

KEEP OUT OF REACH OF CHILDREN

DANGER

See First Aid Statement and
Additional Precautions on Side Panels

NET WT.

ACCEPTED
with COMMENTS
in EPA Letter Dated

OCT 3 1983

Under the Fungicide, Insecticide,
Fungicide, and Rodenticide Act
as amended by the pesticide
registration EPA Reg. No.

2292-52

PETROKEM CORP., 59 SPRUCE STREET, PATERSON, N.J. 07509

SIDE PANEL

SUPER CONCENTRATED QUICK DISSOLVING
STABILIZED GRANULAR SWIMMING POOL CHLORINATOR

Scatter directly over the surface of the pool

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Chlorinating Swimming Pool Granules containing 55% available chlorine are designed to dissolve quickly and completely. Granules control growth of algae and effectively kill many bacteria thus helping to keep the pool sanitary.

Scatter directly over the surface of the pool. Each ounce of product will provide approximately 0.4 ppm of available chlorine in 10,000 gallons of water.

START UP

In a clean pool with no visible algae, bring chlorine residual to 1.0-1.5 ppm as follows:

1. Add approx. 3 oz. of Chlorinating Swimming Pool Granules for each 10,000 gallons of water.
2. Test for chlorine residual, using a suitable test kit.
3. If chlorine residual is below 1.0 ppm, continue to add Chlorinating Swimming Pool Granules at a rate of 1 oz. per 10,000 gallons until this level is reached.

The day after your chlorine residual reaches 1.0-1.5 ppm, use cyanuric acid (e.g. Conditioner and Stabilizer) to stabilize your pool. Follow label directions. Adjust pH to the ideal range of 7.2-7.6.

REGULAR CARE

Add approx. 3 oz. of Chlorinating Swimming Pool Granules for each 10,000 gallons every other day, or as needed to maintain your chlorine residual from 1.0-1.5 ppm.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area or bury in a safe place.

2292-1

PETROKEM CORP., 59 SPRUCE STREET, PATERSON, N.J. 07509

SIDE PANEL. SUPER CONCENTRATED QUICK DISSOLVING STABILIZED
GRANULAR SWIMMING POOL CHLORINATOR

ENVIRONMENTAL HAZARD:

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance contact the regional office of EPA.

ADDITIONAL POOL CARE RECOMMENDATIONS:

pH - Maintaining pH in the ideal range of 7.2-7.6 is extremely important to the efficacy of your chlorine and swimming comfort. Test for pH often with a suitable test kit. Adjust pH as necessary, using products such as pH Minus or pH Plus.

SUPERCHLORINATION - Superchlorination with a calcium hypochlorite product such as Burn Away Shock Treatment and Super Chlorinator is recommended to burn out the organic material your filter can't handle and keep your water sparkling clear. Use as directed on the label, especially during excessive heat, when bathing loads are high, when water becomes dull looking or hazy, when there is a "chlorine" like smell or excessive eye irritation or after heavy rains.

SHOCK TREATMENT - If Algae appear, shock treat your pool with a calcium hypochlorite product such as Burn Away Shock Treatment and Super Chlorinator. Follow label directions. An alternate method is to add 1 1/2 lbs. of Super Concentrated Quick Dissolving Stabilized Granular Swimming Pool Chlorinator for each 10,000 gallons of water. Pool should not be used until chlorine residual is from 1.0-3.0 ppm.

TO DETERMINE POOL CAPACITY:

Rectangular Pools: Multiply length x width x average depth x 7.5 = pool capacity (U.S. gallons) Round pools: Multiply radius (1/2 diameter) x radius x average depth x 21.5 = pool capacity (U.S. gallons).

PetroKem Corp.
Paterson, N.J. 07509

EPA Reg. #2292-
EPA Est. #2292-NJ-1

Item No.

PETROKEM CORP., 59 SPRUCE STREET, PATERSON, N.J. 07509

2792.63

SIDE PANEL

SUPER CONCENTRATED QUICK DISSOLVING
STABILIZED GRANULAR SWIMMING POOL
CHLORINATOR

PAGE 1

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Do not handle with bare hands. Wear goggles or face shield and use rubber gloves or only thoroughly clean, dry utensils when handling. Irritating to nose and throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse.

FIRST AID: (PRACTICAL TREATMENT)

If swallowed: Feed large amounts of milk and/or water and induce vomiting. Call a physician immediately.

If on Skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

If in eyes: Flush with cold water for at least 15 minutes. Get immediate medical attention.

If inhaled: Remove person to fresh air. Get immediate medical attention.

CHEMICAL HAZARDS

DANGER: Strong oxidizing agent. Use only clean, dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter or other chemicals (including other pool chemicals) or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. Avoid any contact with flaming or burning material, such as lighted cigarette. Do not use in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g. calcium hypochlorite). Such may cause fire or explosion. Do not come in contact with plastic pool linings or metal objects. Do not throw directly into pool.

PAGE 2


229233

PETROKEM CORP., 59 SPRUCE STREET, PATERSON, N.J. 07509

SIDE PANEL

SUPER CONCENTRATED QUICK DISSOLVING
STABILIZED GRANULAR SWIMMING POOL CHLORINATOR

EMERGENCY HANDLING: In case of contamination or decomposition, do not reseal container. If possible, isolate container in open and well-ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area or bury in a safe place.

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDE REGISTRATION REGISTRATION DIVISION, WASHINGTON, D.C. 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE Under the Federal Insecticide, Fungicide, and Rodenticide Act	NAME OF PESTICIDE PRODUCT	
	(Faint text describing the product name and details)	
NAME AND ADDRESS OF REGISTRANT		
<input type="checkbox"/> (Faint text)		
<input type="checkbox"/> (Faint text)		
<input type="checkbox"/> (Faint text)		
NOTE: Changes in labeling formula, offering, or substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.		
Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, in his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE