



PETROKEM CORP., 59 SPRUCE STREET, PATERSON, N.J. 07509

MAIN PANEL QUICK DISSOLVING SWIMMING POOL CHLORINATING TABLETS

QUICK DISSOLVING
SWIMMING POOL
CHLORINATING TABLETS

Controls growth of algae
Effectively kills many bacteria
Keeps pool in a sanitary condition

Active Ingredient:

Calcium Hypochlorite 65%
Inert Ingredients 35%
Available Chlorine 65%

KEEP OUT OF REACH OF CHILDREN
DANGER

See First Aid Statement and
Additional Precautions on Side Panels

NET WT.

ACCEPTED
with COMMENTS
in EPA Letter dated:

OCT 3 1983

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

27722-5V

PETROKEM CORP., 59 SPRUCE STREET, PATERSON, N.J. 07509

SIDE PANEL QUICK DISSOLVING SWIMMING POOL CHLORINATING
TABLETS

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Quick Dissolving Swimming Pool Chlorinating Tablets, containing 65% available chlorine, are designed to dissolve slowly (up to 4 hours) and provide a steady source of available chlorine in swimming pools. Tablets control growth of algae and effectively kill many bacteria, thus helping to keep the pool in a sanitary condition. Four tablets weigh approximately 1 ounce. One standard U.S. measuring cup equals (approx.) 10 oz. of tablets.

READ THE PRECAUTIONARY STATEMENTS BEFORE USE.

INITIAL CHLORINATION

For initial chlorination of any pool water, add 1 oz. (4 tablets) for each 1,000 gallons. Allow 4 hours for the tablets to dissolve and then test the chlorine residual with pool test kit. If below 1.0 ppm (parts per million), repeat this dosage until 1.0 ppm is obtained. Pool should not be entered until chlorine residual reads 1.0-3.0 ppm.

ROUTINE CHLORINATION DOSAGE

Subsequently, add 3-4 oz. of tablets per 5,000 gallons daily or as often as needed to maintain 1.0 ppm, whether the pool is in use or not. Use a test kit frequently to determine chlorine residual. If any chlorine residual is present, it is possible to increase the residual in pool water by 1.0 ppm by using 1 oz. of tablets per 5,000 gallons of water. For best results, use a dissolving basket, a floating container, or add the tablets to a plastic leaf strainer in the surface skimmer. Do not permit tablets to contact steel or plastic pool linings. Do not throw tablets directly into pool.

MAINTENANCE OF pH

Maintaining pH in the ideal range of 7.2-7.6 is extremely important to the efficacy of your chlorine and swimming comfort. Test for pH often with a suitable test kit. Adjust pH as necessary, using products such as pH Minus or pH Plus.

STABILIZED POOLS

If a cyanuric acid stabilizer and conditioner is used to stabilize available chlorine, follow label directions for that product. Always maintain the chlorine residual at 1.0-1.5 ppm as determined by test kit. Add 3 oz. of tablets per 10,000 gallons every other day or as often as needed to

7214
PETROKEM CORP., 59 SPRUCE STREET, PATERSON, N.J. 07509

SIDE PANEL QUICK DISSOLVING SWIMMING POOL,
CHLORINATING TABLETS

PAGE 1

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Do not handle with bare hands. Wear goggles or face shield and use rubber gloves on only thoroughly clean, dry utensils when handling. Irritating to nose and throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse.

FIRST AID: (PRACTICAL TREATMENT)

If Swallowed: Give bread soaked in milk followed by large amounts of water. If person is conscious and vomiting, place face down with head lower than hips. Get immediate medical attention.

If on Skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

If in Eyes: Flush with cold water for at least 15 minutes. Get immediate medical attention.

If Inhaled: Remove person to fresh air. Get immediate medical attention.

CHEMICAL HAZARDS

DANGER: Strong oxidizing agent. Mix only into water. Contamination may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion. Avoid any contact with flame or burning materials, such as a lighted cigarette. Do not contaminate with moisture, garbage, dirt, organic matter, chemicals, including other pool chemicals, pool chlorinating compounds, household products, cyanuric acid pool stabilizers, soap products, paint products, solvents, acids, vinegar, beverages, oils, pine oil, dirty rags, or any other foreign matter. Do not use moist or damp utensils

ENVIRONMENTAL HAZARD

This product is toxic to fish. Do not contaminate lakes, ponds, or streams by cleaning of equipment or disposal of wastes.

BEST DOCUMENT AVAILABLE

PETROKEM CORP., 59 SPRUCE STREET, PATERSON, N.J. 07509

SIDE PANEL QUICK DISSOLVING SWIMMING POOL CHLORINATING TABLETS

maintain 1.0-1.5 ppm chlorine residual. To control algae during the pool season, superchlorinate every two weeks at the rate of 1 oz. of tablets per 1,000 gallons of water when the average afternoon temperature is below 80°F and once every week when the temperature is above 80°F. Pool should not be entered until chlorine residual reads 1.0-3.0 ppm.

SHOCK TREATMENT OR SUPERCHLORINATION

If algae develops, shock treat or superchlorinate the pool water by adding 1 oz. (4 tablets) for each 500 gallons of water. Allow 4 hours for the tablets to dissolve and repeat if necessary. Thoroughly clean pool by scrubbing surface of algae growth. Then vacuum and cycle through filter.

TO DETERMINE POOL CAPACITY

Rectangular Pools: Multiply length x width x average depth x 7.5= pool capacity (U.S. gallons). Round pools: Multiply radius (1/2 diameter) x radius x average depth x 23.5= pool capacity (U.S. gallons).

STORAGE AND DISPOSAL

Keep product dry in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area or bury in a safe place.

EMERGENCY HANDLING

In case of contamination or decomposition, do not reseal container. If possible, isolate container in open and well-ventilated area. Flood with large volumes of water.

PetroKem Corp.
Paterson, N.J. 07509

EPA Reg. #2292-
EPA Est. #2292-NJ-1

Item No.

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (HH 567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREГИSTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i>	NAME OF PESTICIDE PRODUCT	
	[Faint handwritten text in product name field]	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
[Faint handwritten address text]		
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p>		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE
[Handwritten signature]		[Faint handwritten date]