PETROKEM CORP., 59 SPRUCE STREET, PATERSON, N.J. 07509

MAIN PANEL

BURN AWAY SHOCK TREATMENT AND SUPER CHLORINATOR FOR SWIMMING POOLS

BURN AWAY SHOCK TREATMENT AND SUPER CHLORINATOR FOR SWIMMING POOLS

Controls Algae Kills Bacteria Destroys Organic Contaminants

Active Ingredient:	
Calcium Hypochlorite	65%
Inert Ingredients	35%
Available Chlorine	£ E 4

KEEP OUT OF REACH OF CHILDREN DANGER

See First Aid Statement and Additional Precautions on Side Fanels

NET WT.

with COMMENTS in EPA Letter Dated:

OCT 3 1983

Under the Post of Insecticida, Fungacide and by the beat he amender for the presunds regular Lunder LPA Roy No.

2792-45

PETROKEM CORP., 59 SPRUCE STREET, PATERSON, N.J. 07509

PAGE 1

BURN AWAY SHOCK TREATMENT AND SUPER CHLORINATOR FOR SWIMMING POOLS

DIRECTIONS FOR POOL USE

It is a violation of federal law to use this product in a maker inconsistent with its labeling.

Burn Away Shock Treatment and Super Chlorinator, with 65% available chlorine, is designed to dissolve quickly and provide a ready source of available chlorine in swimming pools. Used according to directions, Burn Away controls algae, kills bacteria and destroys organic contaminants. If any chlorine residual is present, adding 1 oz. of Burn Away per 3,000 gallons will increase the residual by approximately part per million (ppm).

ALWAYS ADJUST PH BETWEEN 7.2 AND 7.4 PRIOR TO USING BURN AWAY.

SUPERCHLORINATION OF STABILIZED POOLS

For pools stabilized with cyanuric acid, periodic superchlorination is necessary to provide sufficient free available chlorine to control algae, destroy unfiltered organic contaminants, minimize odors and keep your water sparkling clear.

Superchlorinate by broadcasting over a large area, mainly in the deep end of the pool, 1 oz. per 1,000 gallons of water. Superchlorinate every 14 days when the temperature of the water is below 80°F. Treatment every 7 days is recommended when the temperature is higher, bathing loads are heavy, pool water appears dull or hazy, an unpleasant chlorine-like smell is present, excessive eye irritation occurs or after heavy rains. Pool should not be entered until the chlorine residual is 1.0-3.0 ppm.

SHOCK TREATMENT FOR CONTROL OF ALGAE

If algae develops, with resulting green color and slimy feeling, shock treatment is necessary.

Broadcast Burn Away over a large area of the pool surface mainly at the deep end, at the rate of 2 oz. of Burn Away per 1,000 gailons of water. If the pool sides or bottom develop algae spots, direct Burn Away as close to the argae as possible. Note: Prolonged contact with pool surfaces may cause staining or bleacking. Immediately after treatment, thoroughly clean pool by scrubbing surface of algae growth, vacuum and cycle through filter. If necessary, repeat the treatment. Pool should not be entered until the chlorine residual is 1.0-3.0 ppm.

BEUT DUCUMENT AVAILAN --

1272 85

PROBLEM COPP., 59 SPRUCE STREET, PATERSON, N.J.

STDE PANIS

BURN AWAY SHOCK TREATMENT AND SUPER CHLORINATOR FOR SWIMMING POOLS

PAGE 1

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Do not handle with bare hands. Wear goggles or face shield and use rubber gloves or only thoroughly clean, dry utensils when handling. Irritating to nose and throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse.

FIRST AID: (PRACTICAL TREATMENT)

If Swallowed: Give bread soaked in milk followed by large amounts of water. If person is conscious and vomiting, place face down with head lower than hips. Get immediate medical attention.

If on Skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

If in Eyes: Flush with cold water for at least 15 minutes. Get immediate medical attention.

If Inhaled: Remove person to fresh air. Get immediate medical attention.

CHEMICAL HAZARDS

DANGER: Strong oxidizing agent. Mix only into water. Contamination may start a chemical reaction with generation of heat, liberation of hazardous gasses, and possible fire and explosion. Avoid any contact with flame or burning materials, such as a lighted cigarette. Do not contaminate with moisture, garbage, dirt, organic matter, chemicals, including other pool chemicals, pool chlorinating compounds, household products, cyanuric acid pool stabilizers, soap products, paint products, solvents, acids, vinegar, beverages, oils, pine oil, dirty rags, or any other foreign matter. Do not use moist or damp utensils.

ENVIRONMENTAL HAZARD

This product is toxic to fish. Do not contaminate lakes, pondu, or streams by cleaning of equipment or disposal of wastes.

PetroKem Corp. Paterson, N.J. 07509 EPA Est. #2292-NJ-1

EPA Reg. #2292

TEM NO. STST DOCUMENT AVAILABLE

2746.89

PETROKEM CORP., 59 SPRUCE STREET, PATERSON, N.J. 07509

BURN AWAY SHOCK TREATMENT AND SUPER SIDE PANEL CHLORINATOR FOR SWIMMING POOLS

PAGE 2

START UP

For initial chlorination of pool water, add 1 oz. Burn Away per 1,000 gallons of pool water. Allow 5 minutes to disperse and then test the chlorine residual with a pool test kit. If below 1.0 ppm, repeat this dosage until 1.0 ppm is obtained. Pool should not be entered until chlorine residual is 1.0-3.0 ppm.

WINTERIZING

65

While the water is still clear and clean, prepare for long periods of disuse by gradually applying 6 oz. Burn Away per 1,000 gallons of water. Run the filter until completely dispersed. Cover the pool with a plastic pool cover and prepare the heater, pump and filter components for winter by following manufacturers' directions. When the pool cover is removed in the spring, follow "START UP" directions.

STORAGE AND DISPOSAL

Keep product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area or bury in a safe place. EMERGENCY HANDLING: In case of contamination or decomposition, do not reseal container. If possible, isolate container in open and well-ventilated area. Flood with-large volumes of water.

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (IIH-567) TERM OF ISSUANCE MASHINGTON, E.C. 2746 HAME OF PESTICIDE PRODUCT NOTICE OF PESTICIDE: | HEGISTHATION | REREGISTRATION of a win Shore the month of over For the southern a contraction process to Under the Federal Insecticide. Fundicade and Rodenticide Act, as one udeds NAME AND ADDRESS OF REGISTRANT (Include 7/F code) Finds to a Comparation of st. O. Brot Div. Hance Stud 1810: July AT 17500 NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. FPA reportation number. On the basis of information furnished by the registrant, the above named posticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is reformed herewith. Registration is in no way to be construed as an indursement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

ENE VIOUS EN TION MAY BE USED UNTIL SUPPLY IS ERHAUSTED.

EPA For 8570-4 (Rev. 5.74)