ARTE TO PHOSE 1 4 6						
U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WS-567)	2292-93 TERM OF MOUNHOE	APR 3 1985				
MOTICE OF PESTICIDE: REGISTRATION REREGISTRATION (Under the Federal Insecticide, Fundicide, and Rodenticide Act, as amended)	Enviro-Tab-R	EV				
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)	<u></u>					
Potrokem Corporation P.O. Bo: 2155 59 Spruce Street Paterson, NJ 07509	DEST AV	MINI CAT				
NCTE: Changes in labeling formula differing in substance is submitted to and accepted by the Registration Division prior product always refer to the above U.S. EPA registration numbers.	or to use of the label in commerc	n with this registration must ? see. In any correspondence on this				
On the onsis of information furnished by the registrent, the the Federal Insecticide, Fungicide, and Rodenticide Act.	above named posticide in hereb	by Registered/Reregistered under				
A copy of the labeling accepted in connection with this Re	gistration/Reregistration is retu	urned herewith.				
icide in accordance with the Act. The acceptance of any market is not to be construed as giving the registrant a right to by others. This product is conditionally read as a second actionally read as a second actional action and action acti	o exclusive use of the same or to gistered in accordanc required for registra)(5) when the Agency	to its use if it has been covered e with FIFRA sec. tion/reregistration				
2. Add the phrase "EPA Registra you release the product for shipment		our label before				
3. Submit five (5) copies of your release the product for shipment. Redescription of final printed labeling	efer to the A-79 Encl	-				
A copy of your proposed label with this registration with the under the conditions in the attachment to	rstanding that you wi	ll comply with				
	1196	unch				
and the second s	A DA CURCITIO					
· ·	Product Manager (32) Disinfectants Branch					
	Registration Division	(TS-167C)				
Enclosure		·				
		4				
ATTACHMENT IS APPLICABLE		•				
ATTACHMENT IS APPLICABLE	-	DAYE				

1

ATTROUGHT TO THE REGISTRATION HOTICS

NAME OF PRODUCTS	Enviro-Tab-R				
EPA Registration	No. 2292-93	Date	APR 3	. }	

This registration is being issued with the understanding that the derivative of symmetric acid which is contained in this product is under scrutiny for potential adverse effects to humans. There may be some regulatory actions directed against all registered products containing this chanical as an active ingredient at some time in the future.

PETROKEM CORP., 59 SPRUCE STREET, PATERSON, N.J. 07509

MAIN PANEL ENVIRO-TAB-R MINI ORGANIC CHLORING TABLETS CHLORMATING

ENVIRO-TAB-R

MINI ORGANIC CHLORINE TABLETS CHLORINATING CHLORNETING

For use in Microphor and other Chlorinators that use Organic Chlorine Tablets as the Chlorinating Agent for the Sanitary Treatment of Effluent aboard Railroads prior to Discharge on the Railroad Right-of-Way and in Smaller Size Marine Sanitation Devices used aboard Marine Vessels.

Meets Chemical Requirements of the Association of American Railroads Standards and the U.S.C.G. for Direct Discharge of Wastewater.

ACTIVE INGREDIENT:

Trichloro-s-triazinetrione 99% INERT INGREDIENTS 18 Available Chlorine 898

COMMENTS EPA Letter Dated

KEEP OUT OF REACH OF CHILDREN

APR 3 1985

Under the Federal Insecticide,

Puncicide, and Rodenticide Act amended, for the pesticide

tered under EPA Reg. No.

DANGER

See First Aid Statement and Additiona Precautions on Side Panel

NET WT.

^{*} Microphor® is a registered trade mark of Microphor Inc.

SIDE PANEL ENVIRO-TAB-R MINI ORGANIC CHLORING TABLETS

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ THE PRECAUTIONARY STATEMENTS BEFORE USE.

Enviro-Tab-R is a slow dissolving chlorine tablet for the treatment of sewage effluent and other applications where a continuous source of chlorine is required.

Enviro-Tab-R is specifically formulated to treat effluent discharged on the railroad right-of-way from approved sewerage plants used on engines, passenger cars, crew cars, and cabooses. Enviro-Tab-R is also recommended for use aboard marine vessels to treat effluent directly discharged overboard from smaller size marine sanitation devices.

Place at least 8 oz. of Enviro-Tab-R Mini Organic Chlorine Tablets into the chlorinator tube. Check the chlorinator tube periodically and maintain at least 8 oz. of tablets at all times.

The chlorinating chamber must have an open discharge and be designed so that the effluent stream is in contact with the chloring tablets.

CHLORINATING

は 発音 のまる を対し

1

Follow the instructions of the Manufacturer of the Sanitation Device to determine the number of tablets required to process your wastewater.

The delivery rate of chlorine is determined by the flow of wastewater through the chlorinator and the amount of tablets in the feed tubes. As the wastewater flow increases, the water level in the chlorinator rises immersing more tablets. When the wastewater level decreases, fewer tablets come into contact with the wastewater. Chlorine is released because the tablets slowly dissolve as they are immersed in the wastewater. Since the amount of chlorine liberated is a function of the number of tablets in contact with the wastewater, the initial concentration of chlorine is constant regardless of the wastewater level in the chlorinator.

PETROKEM CORP., 59 SPRUCE STREET, PATERSON, N.J. 07509

SIDE PANEL CONTINUED

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or safety glasses and rubber gloves when handling this product. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

PRACTICAL TREATMENT (FIRST AID)

IF CONTACT WITH EYES OCCURS, flush with cold water for at least 15 minutes. Get medical attention. IF CONTACT WITH SKIN, brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. IF SWALLOWED, feed bread scaked in milk, followed by olive oil or cooking oil. DO NOT induce vomiting. Call a physician immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds or public waterways unless in accordance with a NPDES permit. For guidance, contact the regional office of the U.S. Environmental Protection Agency.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water. Use clean dry utensils. Do not add this product to any dispensing devise containing remnents of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals will start a chemical reaction and generate heat, chlorine gas (and possible fire and explosion). In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood area with large volumes of water, if necessary.

PETROKEM CORP., 59 SPRUCE STREET, PATERSON, N.J. 07509

SIDE PANEL CONTINUED

STORAGE AND DISPOSAL

Keep this product dry in a tightly closed container, when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all materials before discarding this container. To not reuse empty container but place in trash collection. Do not contaminate food or feed by storage or disposal, or cleaning of equipment.

PetroKem Corp.

Paterson, NJ 07509

EPA Reg. 2292-

EPA Est. 2292-NJ-1