

ATTACHMENT TO THE REGISTRATION NOTICE

NAME OF PRODUCT: Enviro-Tab-5

EPA Registration No. 2292-94

Date APR 3 1985

This registration is being issued with the understanding that the derivative of cyanuric acid which is contained in this product is under scrutiny for potential adverse effects to humans. There may be some regulatory actions directed against all registered products containing this chemical as an active ingredient at some time in the future.

315
R-19

PETROKEM CORP., 59 SPRUCE STREET, PATERSON, N.J. 07509

MAIN PANEL ENVIRO-TAB-S CONCENTRATED ~~CHLORINE~~ TABLETS
CHLORINATING

ENVIRO-TAB-S
CONCENTRATED ~~CHLORINE~~ TABLETS
CHLORINATING

For use in Sanuril®* and other sanitation devices that use calcium hypochlorite as the chlorinating agent.

Meets U.S.C.G. chemical requirements for direct overboard discharge marine sanitation devices.

ACTIVE INGREDIENT:

Calcium Hypochlorite	65%
INERT INGREDIENTS	35%
Available Chlorine	65%

KEEP OUT OF REACH OF CHILDREN

DANGER

See First Aid Statement and Additional Precautions on Side Panel

NET WT.

*Sanuril® is a registered trade mark of Eltech Systems Corp.

ACCEPTED
with COMMENTS
EPA Letter Dated

APR 3 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended by the pesticide
registration amendments of 1972,
registered under EPA Reg. No.

2292-94

SIDE PANEL ENVIRO-TAB-S CONCENTRATED ~~CHLORINE~~ TABLETS
CHLORINATION

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ THE PRECAUTIONARY STATEMENTS BEFORE USE.

Enviro-Tab-S is a slow dissolving ^{CHLORINATING} ~~chlorine~~ tablet for the treatment of sewage effluent

The number of tubes filled with tablets, and the size of the weir plate are determined by the average daily flow rate range and the amount of chlorine required. For example, to treat 20,000 gallons of wastewater: 6 tablets (1.4 Lbs.) will provide 6 ppm available chlorine.

Follow the instructions of the Manufacturer of the Marine Sanitation Device to determine the number of tablets required to process your wastewater.

The delivery rate of chlorine is determined by the flow of wastewater through the chlorinator and the amount of tablets in the feed tubes. As the wastewater flow increases, the water level in the chlorinator rises immersing more tablets. When the wastewater level decreases fewer tablets come into contact with the wastewater. Chlorine is released because the tablets slowly dissolve as they are immersed in the wastewater. Since the amount of chlorine liberated is a function of the number of tablets in contact with the wastewater, the initial concentration of chlorine is constant regardless of the wastewater level in the chlorinator.

SIDE PANEL CONTINUED

PRECAUTIONARY STATEMENTS:
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or safety glasses and rubber gloves when handling this product. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

PRACTICAL TREATMENT (FIRST AID)

IF CONTACT WITH EYES OCCURS, flush with cold water for at least 15 minutes. Get medical attention. IF CONTACT WITH SKIN, brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. IF SWALLOWED, feed bread soaked in milk, followed by olive oil or cooking oil. DO NOT induce vomiting. Call a physician immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds or public waterways unless in accordance with a NPDES permit. For guidance, contact the regional office of the U.S. Environmental Protection Agency.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals will start a chemical reaction and generate heat, chlorine gas (and possible fire and explosion). In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood area with large volumes of water, if necessary.

5 of 5A

PETROKEM CORP., 59 SPRUCE STREET, PATERSON, N.J. 07701

SIDE PANEL CONTINUED

STORAGE AND DISPOSAL

Keep this product dry in a tightly closed container, when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all materials before discarding this container. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage or disposal, or cleaning of equipment.

PetroKem Corp.

Paterson, NJ 07509

EPA Reg. 2292-

EPA Est. 2292-NJ-1

PM 32
38906-5

APR 4 1985

Glyco Incorporated
Greenwich Office Park 1
51 Weaver Street
P. O. Box 700
Greenwich, CT. 06836-0700

Gentlemen:

Subject: Glycoserve Lad
EPA Registration No. 38906-5
Additional brand name request on
additional use labels


The additional uses under the following additional brand names respectively.

"Glycoserve RD, for use as a preservative of room deodorizers"

"Glycoserve R, for use as a preservative of industrial and household water base paints".

This information has been made a part of the records for this registration and stamped copies of the label is enclosed for your records.

Sincerely,



J. A. E. Castillo
Product Manager #32
Disinfectants Branch
Registration Division (TS-767c)

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

TERM OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

Enviro-Tab-S

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Petrokem Corporation
P.O. Box 2155
59 Spruce Street
Parson, NJ 07509

BEST AVAILABLE COPY

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 2292-94 to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

A copy of your proposed label with our acceptance stamp is included with this registration with the understanding that you will comply with the conditions in the attachment to the registration notice.

A. E. Castillo
A. E. Castillo
Product Manager (32)
Disinfectants Branch
Registration Division (TS-267C)

Enclosure

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

2 of 5

ATTACHMENT TO THE REGISTRATION NOTICE

NAME OF PRODUCT: Enviro-Tab-5

EPA Registration No. 2292-94

Date APR 3 1985

This registration is being issued with the understanding that the derivative of cyanuric acid which is contained in this product is under scrutiny for potential adverse effects to humans. There may be some regulatory actions directed against all registered products containing this chemical as an active ingredient at some time in the future.

PETROKEM CORP., 59 SPRUCE STREET, PATERSON, N.J. 07509

MAIN PANEL ENVIRO-TAB-S CONCENTRATED ~~CHLORINE~~ TABLETS
CHLORINATING

ENVIRO-TAB-S
CONCENTRATED ~~CHLORINE~~ TABLETS
CHLORINATING

For use in Sanuril®* and other sanitation devices that use calcium hypochlorite as the chlorinating agent.

Meets U.S.C.G. chemical requirements for direct overboard discharge marine sanitation devices.

ACTIVE INGREDIENT:

Calcium Hypochlorite 65%

INERT INGREDIENTS 35%

Available Chlorine 65%

KEEP OUT OF REACH OF CHILDREN

DANGER

See First Aid Statement and Additional
Precautions on Side Panel

NET WT.

*Sanuril® is a registered trade mark of Eltech Systems Corp.

ACCEPTED
with COMMENTS
in EPA Letter Datab

APR 3 1985

Under the Federal Insecticide,
Fungicide and Rodenticide Act
as amended for the pesticide
registered under EPA Reg. No.

2292-94

PETROKEM CORP., 59 SPRUCE STREET, PATERSON, N.J. 07509

SIDE PANEL ENVIRO-TAB-S CONCENTRATED ~~CHLORINE~~ TABLETS
CHLORINATION

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ THE PRECAUTIONARY STATEMENTS BEFORE USE..

Enviro-Tab-S is a slow dissolving ^{CHLORINATING} ~~chlorine~~ tablet for the treatment of sewage effluent.

The number of tubes filled with tablets, and the size of the weir plate are determined by the average daily flow rate range and the amount of chlorine required. For example, to treat 20,000 gallons of wastewater 6 tablets (1.4 Lbs.) will provide 6 ppm available chlorine.

Follow the instructions of the Manufacturer of the Airine Sanitation Device to determine the number of tablets required to process your wastewater.

The delivery rate of chlorine is determined by the flow of wastewater through the chlorinator and the amount of tablets in the feed tubes. As the wastewater flow increases, the water level in the chlorinator rises immersing more tablets. When the wastewater level decreases, fewer tablets come into contact with the wastewater. Chlorine is released because the tablets slowly dissolve as they are immersed in the wastewater. Since the amount of chlorine liberated is a function of the number of tablets in contact with the wastewater, the initial concentration of chlorine is constant regardless of the wastewater level in the chlorinator.

SIDE PANEL CONTINUED

PRECAUTIONARY STATEMENT:
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or safety glasses and rubber gloves when handling this product. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

PRACTICAL TREATMENT (FIRST AID)

IF CONTACT WITH EYES OCCURS, flush with cold water for at least 15 minutes. Get medical attention. IF CONTACT WITH SKIN, brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. IF SWALLOWED, feed bread soaked in milk, followed by olive oil or cooking oil. DO NOT induce vomiting. Call a physician immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds or public waterways unless in accordance with a NPDES permit. For guidance, contact the regional office of the U.S. Environmental Protection Agency.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals will start a chemical reaction and generate heat, chlorine gas (and possible fire and explosion). In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood area with large volumes of water, if necessary.

PETROKEM CORP., 59 SPRUCE STREET, PATERSON, N.J. 07509

SIDE PANEL CONTINUED

STORAGE AND DISPOSAL

Keep this product dry in a tightly closed container, when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all materials before discarding this container. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage or disposal, or cleaning of equipment.

PetroKem Corp.

Paterson, NJ 07509

EPA Reg. 2292-

EPA Est. 2292-NJ-1