

CONCENTRATED SWIMMING POOL ALGAECIDE

ACTIVE INGREDIENTS:

n-Alkyl (60% C14, 39% C16, 5% C12, 5% C18)

(dimethyl tenzyl ammonium chlorides)

n-Alkyl (68% C12, 32% C14)

(dimethyl ethylbenzyl ammonium chlorides)

15%

100%

mfg by

National Chemical Laboratories

Not Contints 1 Gallen

10TH & CALLOWHILL STREETS PHILADELPHIA, PA. 19123

ΔΗ

AUG 8 1975

ACCEPTED

EPA REG. NO. 2296-72

EPA EST. NO. 2296-PA-1

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2296-72

DANGER

Keep out of reach of children. See back panel for first aid and additional precautionary statements.

min

*CONCENTRATED SWIMMING POOL ALGAECIDE - KEEPS POOL WATER CLEAR AND FREE OF VISIBLE ALGAE - CONTROLS ALGAE SLIMES.

When this product is used as directed, it will kill and prevent development of Chlorella pyrenoidosa (green) Phormidium inundatum (black algae), Phormidium retzii (Square D algae), Lyngba versicolor (blue-green) and other swimming pool algae.

This product is compatible with most commonly used swimming pool chemicals, but should not be mixed with coap or other cleaners, or premixed with other water-treating chemicals. Product works best when added by itself directly to pool water. At use dilution it is non-corrosive to inanimate surfaces.

DIRECTIONS FOR USE

nitial Dose: Use 1 gallon to 50,000 gallons of water.

aintenance Dose: Use 1 quart to 50,000 gallons of water.

Initial dose is used when filling pool at beginning of swimming season. If pool has visible algae growth, treat with initial dose. Vacuum pool after 24 hours to remove algae débris. If visible algae are still present or re-appear, repeat this treatment procedure as necessary. When pool is free of visible algae, use the recommended maintenance dose.

Maintenance dose should be added at 3-5 day intervals. If high temporatures prevail or pool has unusually heavy use, add maintenance dose more frequently.

If make-up water is added at the rate of more than 10% per week of pool capacity, add 1 quart of product to each 10,000 gallons of

fresh make-up water sided per week.

When swimming season is over, add 1 gallon of product to 50,000 gallons of water in treating water left in pool. This dose helps provide a measure of control of aligne growth during the winter months. This treatment will also help the servicing of the pool before it is returned to use the following season.

DANGER

Keep out of Reach of Children. Corrosive — causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

FISH AND/OR WILDLIFE PRECAUTIONS

This product is toxic to fish. Treated effluent should not be discharged where it will drain into takes, streams, ponds or public waters. Apply this product only as specified on this label.

Rinse empty container thoroughly with water and discard. Do not reuse empty drum. Return to Drum Reconditioner or destroy by perforating or crushing and burning in a safe place away from water supplies.

NOTE TO PHYSICIAN

bable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and vulsion may be needed.

ACCEPTED WITH COMMENTS