

(FRONT PANEL)

TERCICIDE
HEAVY DUTY CLEANER DISINFECTANT

*Pseudomonacidal *Staphylocidal *Fungicide *Sanitizer *Deodorizer
*Mildewstat

Powerful heavy duty cleaner, disinfectant, sanitizer, fungicide, mold and mildewstat, designed specifically for hospitals, nursing homes, veterinary establishments, schools, offices, industrial plants, food processing plants, and all other applications where powerful cleaning and good housekeeping are of prime importance.

Active Ingredients:

n-alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₈ , 5% C ₁₂) dimethyl benzyl ammonium chlorides.....	0.8%
n-alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides.....	0.8%

Inert Ingredients:

Detergents, Builders, Na₄ EDTA and Water..... 98.4%

EPA REG. NO. 2296-78

EPA EST. NO. 2296-PA-1

for sale to, use and storage by service personnel only

KEEP OUT OF REACH OF CHILDREN

DANGER

see back panel for additional precautionary and first aid statements

manufactured by:
NATIONAL CHEMICAL LABORATORIES of PA., Inc.
Philadelphia, PA. 19123

CONTENT GALLONS

ACCEPTED

NOV 15 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2296-78

(BACK PANEL)

Powerful heavy duty cleaner, disinfectant, and deodorizer formulated to disinfect inanimate hard surfaces such as walls, floors, operating rooms, patient care areas food service areas, nurseries, restrooms, industrial and institutional facilities, food processing plants and all other areas where heavy duty cleaning, disinfecting, and deodorizing are of prime importance. Efficacy tests demonstrate its effectiveness in the presence of organic soils such as 5% blood serum.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

Disinfection: For hard surfaces such as walls, floors, and table tops - add 4 1/2 oz per gallon of water. At this dilution it is an effective disinfectant against Salmonella choleraesuis, Staphylococcus aureus, Escheria coli and the pathogenic fungi Trichophyton mentogrophytes. For hospital disinfection - use 6 oz. per gallon of water for additional effectiveness against Pseudomonas aeruginosa. For heavily soiled areas preclean with the required dilution. To disinfect apply fresh solution to precleaned area or lightly soiled areas and keep wet for 10 minutes then allow to dry. Prepare a fresh solution for each use.

Sanitization: Use 8 oz. per 5 gallons of water for 200 ppm active quaternary solution to sanitize previously cleaned and rinsed nonporous food contact surfaces. For large areas such as tanks, chopping blocks, counters, tables, etc., thoroughly wet the surfaces for at least 1 minute with the 200 ppm dilution. For small items such as glasses, dishes, pots, pans, and eating utensils immerse completely in the 200 ppm solution for 1 minute. Sanitize food contact surfaces must be rinsed with potable water prior to reuse. This heavy duty cleaner disinfectant is an effective sanitizer when used in hot, cold, soft, or hard water up to 500 ppm hardness.

Mold and Mildewstat: To prevent and control mold and mildew on hard nonporous surfaces, clean surface then thoroughly wet with a 4 1/2 oz. per gallon dilution and allow to air dry. Repeat application using a fresh solution when mildew growth reappears.

PRECAUTIONARY STATEMENTS

hazard to humans and domestic animals

DANGER


Keep Out Of Reach Of Children. Causes severe eye and skin damage. Do not get in eyes, skin, or on clothing. Harmful if swallowed. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Remove and wash contaminated clothing.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.



31
10

STORAGE AND DISPOSAL

Do Not Contaminate Water, Food, Or Feed By Storage Or Disposal.

Storage: Store in a dry place between 50°F and 120°F.

Pesticide Disposal: Pesticide wastes are acutely hazardous.

Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of according to label instructions contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Do not reuse empty container. Triple rinse empty container with water. Rinse metal drum, then offer for reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by State or Local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated or, if allowed by local authorities, by burning. If burned, stay out of smoke.

