


PHI 2-20-11



* Kills Salmonella and Staphylococcus
** Virucidal

LEMON-QUAT

DISINFECTANT CLEANER

EPA REG. NO. 2296-107
EPA EST. NO. 2296-PA-1

ACTIVE INGREDIENT:	PERCENT
Alkyl (C14, 58%; C16, 28%; C12, 14%)	
Dimethyl Benzyl Ammonium chloride	2.00
INERT INGREDIENTS:	98.00
TOTAL INGREDIENTS:	100.00%

* Effective at 5 oz. /gal. against Salmonella choleraesuis ATCC 10708, and Staphylococcus aureus ATCC 6538 when tested by the A.O.A.C. use dilution Test Method for precleaned, hard, non-porous surfaces, on inanimate environmental surfaces.
** Effective virucide at 5 oz./gal. for influenza, Type A, Brazil, on inanimate environmental surfaces.

KEEP OUT OF REACH OF CHILDREN

NET CONTS. : 1 GAL

CAUTION

(See side panel for additional precautionary statements) / FOR INDUSTRIAL AND COMMERCIAL USE ONLY

mfg. by:

National Chemical Laboratories

401 N. 10TH STREET
PHILADELPHIA, PA. 19123
(215) 922-1200 • 1-800-628-2436

of PA, Inc.

BEST AVAILABLE COPY

CLEANER—DISINFECTANT—DEODORIZER

Used for cleaning and disinfecting hard, non-porous, inanimate environmental surfaces (glass, metal, glazed porcelain, linoleum, tile, smooth leather, vinyl, enameled and finished wood surfaces) on walls, floors, appliances and furnishings. Excellent wettability improves the penetration of the use solution into areas that otherwise might not be reached. Effective against a wide variety of gram-positive and gram-negative bacteria. It is an excellent deodorant, effective in controlling odors that are bacterial in origin. Has a pleasant lemon odor. Use solutions are non-staining and non-corrosive to plastic, vinyl, synthetics, enamel, tile and most common metals.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Prepare fresh use solutions daily. Do not reuse solutions. Discard solutions when they become visibly soiled. For disinfection, thoroughly wet the surfaces to be treated. Surfaces must remain moist for at least 10 minutes to assure proper germicidal action.

CLEANING:

To Clean and Deodorize or to Pre-clean Prior to Disinfection. Depending on the soil level of the area to be cleaned use 12 to 16 oz. per gallon of water.

DISINFECTING:

INDUSTRIAL AREAS, BARBER SHOPS, RESTROOMS, RESTAURANTS, FOOD AND MEAT PROCESSING PLANTS (NON-FOOD PROCESSING AREAS), OTHER NON-MEDICAL USES: Pre-clean surfaces. Then, disinfect with a solution of 4 oz. in 1 1/3 gallons of water (1 part to 4 1/3 parts water). Alternatively, clean and disinfect in one operation using 10oz. per 1 1/2 gallons of water. (1 part to 18 parts water.)

FOR DEODORIZING GARBAGE CANS, GARBAGE TRUCKS, INDUSTRIAL WASTE RECEPTACLES, AND GARBAGE HANDLING EQUIPMENT: It is important to pre-clean for the product to perform properly. Apply a wetting concentration of 16 oz. per gallon of water (1 part to 7 parts water).

FOR MILDEW CONTROL: Use 5 oz. per gallon of water (1 part to 24 parts water) Repeat treatment every seven days, or when new growth appears.

PRECAUTIONARY STATEMENTS: Hazard to humans and domestic animals CAUTION:

Do not get in eyes, skin or on clothing. Harmful if swallowed. Avoid contamination of food. Avoid breathing spray mist. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes and call a physician immediately. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of water, avoid alcohol. Call a physician immediately. Do not induce vomiting.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public water unless in accordance with a NPDES permits. Do not contaminate water by cleaning of equipment. Or by disposing of wastes.

STORAGE AND DISPOSAL

Do Not Contaminate Water, Food, Or Feed By Storage Or Disposal.

Storage: Store in a dry place between 50°F and 120°F.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Do not reuse empty container. Triple rinse empty container with water. Rinse metal drum, then offer for conditioning or puncture and dispose of in a sanitary landfill, or by other procedure approved by State or Local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated or, if allowed by local authorities, by burning. If burned, stay out of smoke.

RECEIVED
NOV 1 1992
2296-107

LQ-0235