

PINE-OUAT

ISINFECTANT CLEANER

*Kills Pseudomonas, Salmonella and Staphylococcus ** Virucidal

ACTIVE INGREDIENTS:

PERCENT

Pine Oil

Alkyl (C14, 58%; C16, 28%; C12, 14%) Dimethyl Benzyl Ammonium Chlorides .. 1.97

INERT INGREDIENTS: ..

TOTAL INGREDIENTS:

*Effective at 6 oz./gal, against Pseudomonas aeruginosa PRD-10, Salmonella choleraesuis ATCC 10708, and Staphylococcus aureus ATCC 6538 when tested by the A.O.A.C. Use Dilution Test Method for precleaned, hard, non-porous

*Effective virucide at 6 oz./gal, for influenza virus, Type A, Brazil, Herpes Simplex Type 2 on inanimate environmental surfaces.

KEEP OUT OF REACH OF CHILDREN DANGER:

Mfg. by

(See side panel for additional precautions and First Aid Statement) FOR INDUSTRIAL, COMMERCIAL OR MEDICAL USE ONLY

tiaboratories of PA. Inc.

401 North 10th Street PHILADELPHIA, PA. 19123

MAY 23 1996

Net Contents: 5 gallons / 18.93 Liters

EPA REG. NO. 2296-108

EPA EST. NO. 2296-PA-1

Under the Federal La Rodenticide Act as pesticide registered fi

CLEANER-DISINFECTANT-DEODORIZER

Used for cleaning and disinfecting hard, non-porus, inanimate environmental surfaces (glass, metal, glazed porcelain, linoleum, tile, smooth leather, vinvl. enameled and finished wood surfaces) on walls, floors, appliances and furnishings. Effective against a wide variety of grampositive and gram-negative bacteria. It is an excellent deodorant, effective in controlling odors that are bacterial in origin. Use solutions are non-staining to plastic, vinyl, synthetics, enamel, tile and most common metals. Pleasant pine odor.

USE DIRECTIONS: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Prepare fresh use solutions daily. Do not reuse solutions. Discard solutions when they become visibly soiled. For disinfection, thoroughly wet the surfaces to be treated. Surfaces must remain moist for at least 10 minutes to assure proper germicidal action.

DISINFECTING:

HOSPITALS, VETERINARY CLINICS, NURSING HOMES: Use

7 1/2 oz. pergallon of water (1 part to 16 parts water) for one-step cleaning and disinfection of areas with light to medium soil loads. For heavily soiled areas, preclean as described above and then disinfect at 6 oz. per gallon (1 part to 20 parts water).

INDUSTRIAL AREAS, BARBER SHOPS, RESTROOMS, RES-TAURANTS, FOOD AND MEAT PROCESSING PLANTS (NON-FOOD PROCESSING AREAS), OTHER NONMEDICAL USES: Preclean surfaces. Then, disinfect with a solution of 4 oz. in a gallon of water (1 part to 32 parts water). Alternatively, clean and disinfect

in one operation using 7 1/2 oz. per gallon of water. FOR DEODORIZING GARBAGE CANS, GARBAGE TRUCKS, IN-DUSTRIAL WASTE RECEPTACLES, AND GARBAGE HANDLING EQUIPMENT: It is important to preclean for the product to perform properly. Apply a wetting concentration of 16 oz. per gallon of water. FOR MILDEW CONTROL: Follow directions for hospital disinfection. Repeat treatment every seven days, or when new growth appears.

PRECAUTIONARY STATEMENTS

Hazard to humans and domestic animals

DANGER

Keep Out Of Reach Of Children, Corrosive. Causes severe eye and skin damage. Do not get in eyes, skin, or on clothing. Harmful if swallowed. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Remove and wash contaminated clothing.
STATEMENT OF PRACTICAL TREATMENT

in case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink promptly a large quantity of water, do not induce vomiting, avoid alcohol. Get Medical Attention. NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.
ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public water unless in accordance with a NPDES permits.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame. STORAGE AND DISPOSAL

Do Not Contaminate Water, Food Or Feed By Storage Or Disposal. Storage: Store in a dry place between 50°F and 120°F.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of according to label instructions contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

at the nearest EPA Regional Office for guidance.

Environmental Hazards: Do not discharge effluent containing this product into takes, streams, ponds, estuaries, oceans or other waters unlessifi accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact notice the EPA.

Container Disposal: Do not reuse emphysicant allow.

Container Disposal: Do not reuse empty container. Triple ringe empty container with water. Rinse metal drum, then offer for reconditioning or puncture and dispenses in a sanitary landfill, or by other procedures approved by State or local authorities.

Plastic containers may be disposed of in a sanitary landfill, igoinegaled, or if allowed by local authorities, by burning. If burned, stay out of smoke.

PO-0237.