

**DIRECTIONS FOR USE:**

**Household**

For disinfection and deodorization of floors, walls and inanimate hard surfaces. For schools, homes, Leona's Rooms, Garbage Pans, Sink Tops, Corridors, Classrooms, Offices and Shower Stalls. Apply solution with mop or cloth. Sanitize with 1 ounce to 4 gallons of water. Disinfect with 3 ounces to 5 gallons of water. Kills staphylococcus aureus and Salmonella choleraesuis. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.

**Hospitals**

For floors, walls and other hard surfaces. In Nursing Homes, Institutions, as well as Sink Tops, Garbage Pails, Telephones and other items use 3 1/2 ounces per 5 gallons of water. Apply with mop, brush, or sponge. At this level effective against Pseudomonas aeruginosa PR-10. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.

**Food Processing Equipment**

For sanitization of previously cleaned food processing equipment and food utensils dilute 1 ounce per 4 gallons of water to provide 200 ppm of active ingredients. At this level, No Potable Water Rinse is required.

**Dairies**


For sanitization of equipment such as tanks, lines, pans, and milk cans, dilute 1 ounce per 4 gallons of water. Apply solution containing 1 ounce to 4 gallons of water. No Potable Water Rinse Required. Follow recommendations of local Health Dept.

**Restaurant and Bar Rinse**

For sanitization of silverware, glassware, and utensils wash with solution containing 1 ounce per 4 gallons of water. No Potable Water Rinse Required.

For sanitization of previously cleaned hard inanimate, hard surfaces dilute 3 ounces per 5 gallons of water to provide 200 ppm of active ingredients. At this level, No Potable Water Rinse Required.

THE HAAG LABORATORIES, INC., BLUE ISLAND, ILLINOIS



DISINFECTANT      DEODORIZER      SANITIZER

**ACTIVE INGREDIENTS:**

n-Alkyl (60% C<sub>12</sub>, 30% C<sub>14</sub>, 5% C<sub>16</sub>, 5% C<sub>18</sub>)  
dimethyl benzyl ammonium chlorides  
n-Alkyl (63% C<sub>12</sub>, 32% C<sub>14</sub>) dimethyl  
ethylbenzyl ammonium chlorides

**INERT INGREDIENTS:** ..... 90

QAT 1000 is a strong irritant. Do not breathe before using.      10

**DANGER**

Keep Out of Reach of Children


See label precautions and first aid on side panel

EPA REG. NO. 2311-11 -

EPA EST NO. 023111L01

SOLD BY

**THE HAAG LABORATORIES, INC.**  
**140th STREET & SEELEY AVENUE**  
**(P. O. BOX 117)**  
**BLUE ISLAND, ILLINOIS 60406**



**Cold Disinfection**

For disinfection of previously cleaned surgical instruments, dental tools and dental equipment, simply submerge instruments into solution containing 1 1/2 ounces per gallon of water for 10 minutes

**FOR ROOM FOGGING**

**DIRECTIONS:**

To minimize the danger of cross-contamination from environmental surfaces apply solution as a fog as described below, before applying standard routine terminal cleaning and disinfecting practices. 1. Remove all human, animal, and plant life from room. 2. Open closet doors and drawers. 3. Set up 34" revolving platform in center of room. 4. Mount Jet FOG-MASTER TRI-JET MODEL 620B or other fogging device delivering equivalent spray at 3 RPM. 5. Fill sprayer reservoir with 1.5 oz. to 1 gallon of water to produce 1150 ppm active ingredients. 6. Set sprayer mechanism to deliver 1 gallon of solution. 7. Fog for 15 minutes for an average 2100 cu. ft. room. For different room sizes, vary spray time proportionately to ensure complete wetting of exposed surfaces. 8. Wait 2 hours before entering room after treatment. 9. Rinse fogging equipment thoroughly with clean water following use.

**DANGER**

QAT 1000 is a strong irritant. Do not breathe before using. Closed cover eye contact with solution may irritate eyes, nose or clothing. Avoid contact with skin. Avoid contact with food. Avoid contamination of food.

**FIRST AID**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contact water clothing before reuse. If swallowed, drink milk, non-alcoholic, plain solution, or if these are not available, drink large quantities of water. Call a physician.

**NOTE TO PHYSICIAN**

QAT 1000 is a strong irritant. Do not breathe before using. In case of contact with the eye of solution, call a physician. In case of contact with respiratory tract, call a physician. In case of contact with skin, call a physician. In case of contact with clothing, call a physician. In case of contact with food, call a physician.