

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

For sanitizing and disinfecting floors, walls and inanimate hard surfaces, apply solution with a mop or cloth. Sanitize with 1 oz. to 4 gals. of water. Disinfect with 3 oz. to 5 gals. of water. Kills Staphylococcus aureus and Salmonella choleraesuis. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.

HOSPITALS

For floors, walls and other hard surfaces. In Nursing Homes, Institutions, as well as Sink Toos, Garbage Pails, Telephone and Restrooms, use 3.5 oz. per 5 gals. of water. Apply with cloth, mop or sponge. At this level effective against Pseudomonas aeruginosa PRD-10. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.

FOOD PROCESSING EQUIPMENT

For sanitization of previously cleaned food processing equipment and food utensils, dilute 1 oz. per 4 gals. of water to provide 200 ppm of active constituents. At this level, NO POTABLE WATER RINSE is required.

DAIRIES

To sanitize dairy equipment such as tanks, pipes, and milk cans, first clean and rinse the equipment thoroughly. Then apply sanitizing solution containing 1 oz. to 4 gals. of water (200 ppm). At this level, NO POTABLE WATER RINSE is required. Follow recommendations of local Health Board.

RESTAURANT AND BAR RINSE

Dishes, glasses, silverware, cooking utensils, wash with soap or synthetic detergent; rinse thoroughly and immerse in a sanitizing solution containing 1 oz. to 4 gals. of water. NO TERMINAL POTABLE WATER RINSE IS REQUIRED.

This product when used on environmental inanimate, hard surfaces at 3.5 oz per 5 gals. of water is effective against Influenza A2, Herpes Simplex, Adenovirus type 5 and Vaccinia Viruses.

COLD DISINFECTION

For disinfection of previously cleaned surgical instruments, barber tools and dental equipment, 1.5 oz. per gal. of water. Simply submerge instruments in solutions for 10 minutes.

FOR ROOM FOGGING

DIRECTIONS:

To minimize the danger of cross-contamination from environmental surfaces apply solution as a fog as described below, before applying standard routine terminal cleaning and disinfecting practices. 1. Remove all human, animal and plant life from the room. 2. Open closet doors and drawers. 3. Set up 34" revolving platform in center of room. 4. Mount Jet FOG-MASTER TR-JET MODEL 8208 OR OTHER FOGGING device conveniently equivalent spray at 3 RPM. 5. Fill sprayer reservoir with 1.5 ounces to 1 gallon of water to produce 1150 ppm active ingredients. 6. Set sprayer mechanism to deliver 1 gallon of solution. 7. Fog for 15 minutes for an average 2100 cu. ft. room. For different room sizes, vary spray time proportionately to ensure complete wetting of exposed surfaces. 8. Wait 2 hours before entering room after treatment. 9. Rinse fogging equipment thoroughly with clear water following use.

NET CONTENTS U.S. GALLON(S)

QAT 1000

Disinfectant Deodorizer Sanitizer

ACTIVE INGREDIENTS:

- n-alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chloride.....5%
- n-alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chloride.....5%
- INERT INGREDIENTS.....90%
- TOTAL.....100%

EPA Reg. No. 2311-11- EPA Est. No. 2311-8-01

KEEP OUT OF REACH OF CHILDREN DANGER See side panel for additional precautions and product treatment statements.

Manufactured by: THE HAAG LABORATORIES, INC. 1415 W. 37th Street Chicago, Illinois 60609 (312) 239-1300

STORAGE AND DEGREASING ROOM FOGGING

DIRECTIONS:

To minimize the danger of cross-contamination, remove all decayed fruit and thoroughly clean the room to be using standard terminal cleaning and disinfecting practices on all accessible surfaces. 1. Evacuate the room. 2. Logged remove all plant and animal life, food products, food contact equipment, and food containers. 3. Close all windows within the room to be fogged. 4. Seal all outside screens, doors, and windows to ensure the fog stays in the room. 5. Calculate the volume of the room to be fogged. For each 2100 cubic feet of volume use 1 oz. of QAT 1000, 3 oz. of Dimethylene glycol additive, and 3 oz. of water (4:1:10 ppm active ingredients). 6. Put the mixture in the fogging trigger. Locate the trigger where the material delivered will be circulated within the room by the room air handler. 7. With the room air handling system operating begin fogging the room using a rate that will take 45 minutes to 1 hour to discharge the complete volume required. DO NOT operate a humidity system while fogging. 8. Wait 2 hours before entering the room after treatment. 9. Rinse fogging equipment thoroughly with clear water following use.

PRECAUTIONARY STATEMENTS

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

DANGER: KEEP OUT OF REACH OF CHILDREN. CORROSIVE. Causes severe eye damage. Do not get in eyes, skin or on clothing. Harmful if swallowed. Wear goggles or face shield and rubber gloves when handling. Remove and wash contaminated clothing.

STATEMENT OF PRACTICAL TREATMENT - In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before re-entrance. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN - Probable mucosal damage may contraindicate the use of gastric lavage. Measure circulatory shock, respiratory depression and convulsion may be needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Store only in original container. Do not reuse empty container. Keep the product under proper storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide mixture or residue is a violation of federal law. If these wastes cannot be disposed of by use according to instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Report at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL - (Larger than 1 gal.) - Triple rinse (or equivalent). Then offer for recycling, reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state authorities. In addition, plastic containers may be disposed of by incineration, or if allowed by state authorities, by burning. If burned, stay out of smoke. (1 gal. and smaller) - Do not reuse empty container and put in trash.

ACCEPTED

MAR 07 1987

U.S. Environmental Protection Agency, Chicago, Illinois 60609

BEST AVAILABLE COPY