

QAT 160

**CLEANER
DEODORIZER**

**DISINFECTANT
FUNGICIDE**

ACTIVE INGREDIENTS.

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides	0.8%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	0.8%
Sodium Metasilicate	2.4%
Tetrasodium ethylenediamine tetraacetate	1.0%
INERT INGREDIENTS:	95.0%
	100.0%

DANGER


Keep Out of Reach of Children

See other precautions and first aid on side panel.

EPA REG. NO. 2311-12 -

EPA EST NO. 02311L01

SOLD BY
THE HAAG LABORATORIES, INC.
140th STREET & SEELY AVENUE
(P. O. BOX 110)
BLUE ISLAND, ILLINOIS 60409



A heavy duty cleaner and disinfectant designed for general purpose use where heavy duty cleaning and sanitizing is of prime importance. When used as directed, will remove most household dirt and grime in a single, simple application. When used for industrial cleaning, follow the use directions shown on the left side panel. For use on walls, floors, table tops, in industrial plants, offices, motels, schools, and homes.

Not recommended for Pseudomonas aeruginosa.

For sanitization of previously cleaned food processing equipment or food contact items limit the active quaternaries to 200 ppm (8 ounces per 5 gallons of water). Rinse required at this level with Potable water.

DANGER

Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Do not reuse empty container. Rinse thoroughly with water before discarding or returning to drum conditioner.

ACCEPTED

APR 20 1970

UNDER THE FEDERAL INSECTICIDE,
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC PESTICIDE REGISTRY
BY ORDER NO. Q347-11

Comments

DIRECTIONS FOR MANUAL OPERATION

FOR SMOKE AND ODOR CONTROL — Press the valve twice for the average size room (10' x 14' x 8'). If possible, remove source of odor.

TO REDUCE AIRBORNE BACTERIA — In an average size room (10' x 14' x 8'), close doors and windows, fill room with mist, (approximately 15 sprays). Repeat application several times daily. This will temporarily reduce the number of airborne bacteria.

DIRECTIONS FOR AUTOMATIC DISPENSER OPERATION

For effective operation of the OZIMATIC Dispenser, it should be placed about 7 feet from the floor and in a location where air flow from windows and doors will carry the suspended particles into the area that is to be treated.

FOR SMOKE AND ODOR CONTROL — Insert can in OZIMATIC II Dispenser, which will spray automatically every 15 minutes.

TO REDUCE AIRBORNE BACTERIA — Close doors and windows, fill room (10' x 14' x 8') with mist manually (approximately 15 sprays). Keep room closed 15 minutes. Place container of OZIUM into the OZIMATIC II Dispenser. A measured amount of OZIUM will spray into the room at 15 minute intervals to reduce the level of airborne bacteria.

ACTIVE INGREDIENTS: Isopropyl Alcohol — 22.7%; Triethylene Glycol — 4.4%; Propylene Glycol — 4.4%; Essential Oils — 3.5%. **INERT INGREDIENT:** (Dichlorodifluoromethane) — 65%.

CAUTION: Contents under pressure! Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

E.P.A. EST. 33590-MA-1 • E.P.A. No. 2347-11

DISTRIBUTED BY WOODLETS, INC., BUFFALO, N.Y. 14213

WOODLETS

3000 metered sprays

OZIUM
Glycolized
air sanitizer


Specified for use in:
Hospitals
Schools
Factories
Offices
Hotels
Public Buildings

**REDUCES
AIRBORNE BACTERIA**

CAUTION: KEEP OUT OF REACH OF CHILDREN
See back panel for additional cautions

Net Weight 8 oz. (226.8 grams)

ACCEPTED WITH COMMENTS



SAFARI

Bouquet Fragrance

Air Sanitizer

Deodorizer

ACCEPTED

APR 23 1976

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
EPA ECONOMIC POISON
EPA REG. NO. 2831-47

AN EFFECTIVE SURFACE DISINFECTANT FOR:

- ☆ the Tubercle bacillus
- ☆ Staphylococci
- ☆ Streptococci
- ☆ Salmonella
- ☆ Pseudomonas
- ☆ Influenza A: virus (Hong Kong)

Net Wt. 1 lb. 0.5 oz.

USES:

HOSPITAL SPRAY DISINFECTANT kills influenza A₁ virus, the T. B. Bacillus, deadly Staphylococci, Streptococci, Salmonella, Trichophyton interdigitale (the athlete's foot fungus) and other germs on environmental surfaces. Spray regularly to eliminate most germs from bedsteads, bed springs, bed rails, bedside tables, bathroom basins, toilet seats, shower stalls, bathtubs, telephones, door handles, light switches, plumbing and plumbing fixtures, window blinds, empty hampers, waste receptacles, floor walls, closets, sides of doors for disinfection—places where germs may be a problem. The aerosol spray penetrates areas hard to reach with non-propelled liquid disinfectants.

FRESHEN ROOMS AND MIRRORS. Use in basements, closets, laundry rooms, summer cottages, boats, storage areas, shower stalls. Excellent for preventing mold and mildew on mattresses, pillows, shower curtains, painted surfaces, tiled walls, curtains and similar surfaces. For mildew control follow directions for disinfection. Application should be repeated once a week or when new growth appears on hard surfaces. Surfaces should be cleaned prior to application.

ELIMINATE ODORS. Spray in the air to eliminate cooking, bathroom and smoke odors. This disinfectant kills many germs that can cause odors. When used as a surface disinfectant, this disinfectant kills odor-causing germs in empty garbage cans, diaper pails, sick rooms, pet areas, places where odor-causing germs are a problem.

DIRECTIONS:

TO DISINFECT: Hold can upright, 6" to 8" from surface. Spray surface 2 to 3 seconds until covered with fine mist. Let dry on surface. Avoid spraying lacquered or shellacked surfaces.

TO DEODORIZE: Hold can upright and spray into center of room 1 to 2 seconds.

WARNING: FLAMMABLE. Contents under pressure. Do not puncture. Do not use near fire, sparks or open flame. Exposure to temperature above 130°F may cause bursting. Never throw container into fire or incinerator. Minimize inhalation. Avoid contact with food and food utensils. Avoid spraying in eyes. If eye contact occurs, flush with water.

ACTIVE INGREDIENTS:

Alkyl (C ₁₁ , 58%; C ₁₀ , 28%; C ₁₂ , 14%)	
dimethyl benzyl ammonium chloride	0.25%
Essential oils	0.50%
Isopropanol	43.22%

Total Active 43.97%

*INERT INGREDIENTS 56.03%

*Contains sodium nitrite

EPA Reg. No. 2831-47

EPA Est. 2831-LA-1