

DIRECTIONS FOR USE

Disinfection

Use at 2 ounces per gallon. This product will be effective against *Pseudomonas aeruginosa* PRD 10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use with a cloth or mop and apply to walls, floors and other hard surfaces.

Sanitization

If used for sanitization of dishes, clean food equipment or food contact items, limit to 100 active quaternaries to 200 ppm (2.8 ounces per 5 gallons). **NO RINSE REQUIRED AT THIS LEVEL.**

For heavy soil or dirt, a higher concentration is recommended.

This product is also effective against bacteria on hard surfaces at 2 ounces per gallon. It is effective against *Enteric*, *Ag.*, *Hay*, *S. aureus*, *Adenovirus type 2*, and *Mycobacterium*.

PHENOL COEFFICIENTS

Guaranteed	Minimum
<i>S. aureus</i>	42
<i>S. typhosa</i>	27

Do not reuse empty container. Rinse thoroughly with water before discarding or returning to drum conditioner.

Net Contents: 1 U.S. Gallons

BEST DOCUMENT AVAILABLE



CLEANER
DEODORIZER

DISINFECTANT
FUNGICIDE

DESIGNED FOR HOSPITAL AND INSTITUTIONAL USE

ACTIVE INGREDIENTS:

Alkyl (69) C ₁₂ -30 C ₁₅ -5 C ₁₅ -5 C ₁₂ -5	
d methyl benzyl ammonium chloride	2.25
Alkyl (68) C ₁₂ -22 C ₁₂ -10 C ₁₂ -10	
ethyl benzyl ammonium chloride	2.25
Sodium Chloride	3.00

INERT INGREDIENTS:

92.50
100.0

DANGER

Keep Out of Reach of Children

See other precautions and first aid on side panel.

EPA REG. NO. 2311-13 -

EPA EST NO. 023111L01

SOLD BY

THE HAAG LABORATORIES, INC.
140th STREET & SEELEY AVENUE
(P. O. BOX 117)
BLUE ISLAND, ILLINOIS 60406

ACCEPTED

NOV 19 1975

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTRATION
EPA REG. NO. 2311-13

A cleaner, disinfectant, and institutional use, such as, and schools where house importance in controlling cross-infection from environment. The assurance you need is directed. For use on floors, pails, telephones, rest rooms. Effective against *Salmonella choleraesuis* and *Shigella*. Also effective against pathogenic interdigitale.

When used for sanitization of processing equipment and active quaternaries to 200 ppm. Potable Water Rinse is required.

DANGER

Keep Out of Reach of Children. Severe eye and skin damage. Avoid contact with skin or on clothing. Do not handle concentrate. Hazardous contamination of food.

FIRST AID

In case of contact, immerse with plenty of water for eyes, call a physician. Contaminated clothing by milk, egg whites, get it off. If not available, drink large amounts of water. Call physician.

BEST DOCUMENT AVAILABLE

DIRECTIONS FOR USE

Disinfection

Use at 2 ounces per gallon. This product will be effective against *Pseudomonas aeruginosa* PRD 10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use with a cloth or mop and apply to walls, floors and other hard surfaces.

Sanitization

If used for sanitization of previously cleaned food equipment or food contact items, limit the level of active quaternaries to 200 ppm. (2.8 ounces per 5 gallons). **NO RINSE REQUIRED AT THIS LEVEL.**

For heavy soil or organic matter, a pre-cleaning step is recommended.

This product when used on environmental, inanimate, hard surfaces at 2 ounces per gallon of water, is effective against Influenza A₂, Herpes Simplex, Adenovirus type 2, and Vaccinia viruses.

PHENOL COEFFICIENTS

Guaranteed	Minimum
<i>S. aureus</i>	42
<i>S. typhosa</i>	27

Do not reuse empty container. Rinse thoroughly with water before discarding or returning to drum conditioner.

Net Contents: 1 U.S. Gallons

QAT

CLEANER
DEODORIZER

DESIGNED FOR HOSPITAL AND

ACTIVE INGREDIENTS:

n-Alkyl (60% C₁₂, 30% C₁₄, 5% C₁₅, 5% dimethyl benzyl ammonium chloride)

n-Alkyl (68% C₁₂, 32% C₁₄) dimethyl ethylbenzyl ammonium chloride

Sodium Carbonate

INERT INGREDIENTS:

DANG

Keep Out of Reach

See other precautions and

EPA REG. NO. 2311-13

EPA EST NO. 023111L01

SOLD

THE HAAG LABORATORIES

140th STREET & S

(P. O. BOX 100)

BLUE ISLAND, ILLINOIS