

100-17-1
Sep-30-1971

2342-61

FASCO CHLORDANE LIQUID-8 is a water emulsifiable insecticide concentrate containing 73.1% Chlordane by weight or 8 pounds per gallon. This product is a contact and stomach poison with residual action and is designed for use in conventional sprayers or in low gallonage sprayers.

DIRECTIONS

Use contrary to these directions may cause serious plant, crop or personal injury, excessive residues, unsatisfactory control or other unintended consequences.

BEANS, CELERY, CABBAGE, ONIONS, POTATOES, PEPPERS—Against Mole Crickets, apply 4 pints per acre to soil as broadcast spray before planting these crops.

SOIL BORNE INSECTS—Against Wireworms and Southern Corn Rootworms attacking Corn or Sweet Corn apply 1½ pints per acre in the row at or before planting or 2 pints applied broadcast and immediately worked into the upper 3 to 4 inches of soil.

Against White-Fringed Beetle on Corn, Irish Potatoes, Sweet Potatoes, and Tomatoes use 2 Pints per acre in-the-row before or at planting or 5 pints broadcast followed by double disking before planting.

Against White Grubs in Irish Potato and use 5 pints per acre broadcast and work into the soil before planting.

Against Wireworms in Sweet Potato and use 4 to 6 Pints per acre pre-planting, broadcast, 4 to 6 inches deep by double disking.

TOBACCO—(For use in transplanting water) Against wireworms, use ¼ Pint per 50 gallons of water. Add directly to tank while filling with water. Apply around stem as plant is transplanted. Use 250 gallons per acre and see that soil is wet to surface. Keep well stirred.

LAWNS AND GREENS—Against Grasshoppers, Mole Crickets, Armyworms, Sod Webworms, Lygus Bugs, Chiggers, Ants, Crickets and certain other pests, use 4 to 5 Fl. Oz. per 5,000 Sq. Ft. in sufficient water for coverage. Repeat as needed. Keep Children and Pets off the treated areas until the insecticide has been washed into the soil and the treated areas have dried completely.

Do not use in commercial food preparation areas or in edible products areas of food processing plants.

NET CONTENTS
GALLONS



PRODUCT
NO. 633

CHLORDANE LIQUID-8

WARNING

Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing spray mist. In case of contact with the skin, wash with soap and water. Avoid contamination of feed and foodstuffs. Keep out of the reach of children.

Do not use on food plants after the edible parts begin to form. Do not feed forage crops treated with this product to dairy animals or animals being fattened for slaughter.

Toxic to fish and wildlife. Do not contaminate any body of water nor apply to any area not listed on the label.

Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment or disposal of wastes.

CONDITIONS OF SALE

All statements concerning the use of this product apply only when used as directed.

The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.

ACTIVE INGREDIENTS	BY WT.
Technical Chlordane	73.1%
(Equivalent to 43.9% Octachloro-4,7-Methanotetrahydroindane and 29.2% related compounds)	
Petroleum Distillate	20.9%
INERT INGREDIENTS	6.0%
TOTAL — 100.0%	

CONTAINS 8 POUNDS ACTUAL
CHLORDANE PER GALLON
USDA Reg. No. 2342-61

WARNING:

Keep Out of the Reach of Children.
See this label for additional cautions.

DRAFT 1

71-6294

Manufactured by **FLORIDA AGRICULTURAL SUPPLY COMPANY**, Jacksonville, Florida, U.S.A.



PRODUCT
NO. 633

CHLORDANE LIQUID-8

WARNING

Contact with skin can cause toxic symptoms. Wash immediately. In case of contact with the skin, wash thoroughly. Avoid contamination of feed and foodstuffs for children.

Do not use on plants after the edible parts begin to form. Do not use on plants treated with this product to dairy animals for slaughter.

Do not contaminate any body of water or areas listed on the label.

Do not use on areas that may be killed. Do not contaminate water or disposal of wastes.

CONDITIONS OF SALE

When using the use of this product apply only when

No warranties, expressed or implied, concerning this product, which extend beyond the description on the label, are made.

71-6294

ACTIVE INGREDIENTS	BY WT.
Technical Chlordane (Equivalent to 43.9% Octachloro-4,7- Methanotetrahydroindane and 29.2% related compounds)	73.1%
Petroleum Distillate	20.9%
INERT INGREDIENTS	6.0%
TOTAL	100.0%

CONTAINS 8 POUNDS ACTUAL
CHLORDANE PER GALLON
USDA Reg. No. 2342-61

WARNING:

Keep Out of the Reach of Children.
See this label for additional cautions.

NOTE—The U. S. Food and Drug Administration has set tolerances for pesticide residues. Crops having residues in excess of their permitted tolerances should NOT be marketed and to do so may violate State law and will violate Federal law when sold in interstate commerce. Such crops should not be marketed without removal of such excess residues.

HOUSEHOLD INSECTS—Against Roaches, Water Bugs, Ants, Silverfish and Brown Dog Ticks, use 1½ Measuring Tablespoons per quart of water, 3 fluid ounces per gallon of water, or 1 pint per six gallons. Stir while mixing. Apply as coarse wet spray or with a paint brush on a "spot" basis to cracks, surfaces, or other areas where these insects have been seen resting, running or hiding. Repeat only as necessary for effective control. Do not apply to finished surfaces or to other materials that might be damaged by a water base spray.

For Silverfish treat behind shelving, baseboards, in book cases and storage areas.

For Brown Dog Ticks treat repeatedly around baseboards, window and door frames, wall cracks, sleeping quarters of pets and localized areas of floors or floor covering. Do not treat pets or other animals with this product. Use fresh bedding after treatment.

AGAINST ANTS in buildings treat trails and areas around window sills, window frames, water pipes, heat ducts, baseboards and other points of entry as often as needed for control. Find nests outside and treat them.

TERMITES—Apply a 1% Chlordane Emulsion (1.3 Fl. Oz. Chlordane Liquid-8 in 1 Gal. water or 6.6. Fl. Oz. Chlordane Liquid-8 in 5 Gals. water) as follows:

SLAB-TYPE CONSTRUCTION—Apply 1 Gal. per 10 Sq. Ft. as an over-all pre-construction treatment, under the slab and under attached porches. Apply 2 Gals. per 5 lineal feet to critical areas under the slab as pre-construction treatment such as along the inside of foundation walls and around utility entrances and interior partition foundation walls. Apply 2 Gals. per 5 lineal feet along the outside of the foundation using a trench to the depth of the foundation.

CRAWL-SPACE HOUSES AND HOMES WITH BASEMENT—Apply 2 Gals. per 5 lineal feet as a trenching application to critical areas under the house, such as along the inside of foundation walls, and around piers and utility entrances. If trench is deeper than 15-18 inches, apply 4 Gals. per 5 lineal feet. Apply 2 Gals. per 5 lineal feet in a trench along the outside of foundation walls, including entrance platforms and porches where the foundation is not more than 15-18 inches deep. If over 15-18 inches deep but not over 30 inches deep, apply 4 Gals. per 5 lineal feet of trench. Trench should be 30 inches deep for buildings with deep foundations. Apply 5 Gals. per 5 lineal Ft. of trench. Apply 1 Gal. per 10 Sq. Ft. of soil surface as a pre-construction treatment where the attached porches, entrance platforms, utility entrances, etc., have covering slab or fill of ground. Do not re-use container. Destroy when empty.

FLORIDA AGRICULTURAL SUPPLY COMPANY, Jacksonville, Florida, U.S.A.