

FASCO Fume EDB-40 contains 40% Ethylene Dibromide in a volatile solution especially formulated for the use against nematodes (root knot, meadow, and certain other types).

DIRECTIONS

Use contrary to these directions may cause serious plant, crop or personal injury, excessive residues, unsatisfactory control or other unintended consequences. Study the entire label before use. Fields to be treated should first be disked or plowed and worked for planting, allowing time for crop remains to decompose prior to fumigation. The soil at time of application should be warm, tillable, and have a moderate to high moisture content.

APPLICATION — Apply FASCO Fume EDB-40 with a gravity flow or other fumigant applicator attached behind the plow sole during plowing or behind a chisel plow after plowing and land preparation is complete. Apply at a depth of 6 to 8 inches. "Seal in" by disking followed by dragging or rolling immediately after treatment to compact soil.

Waiting Period — Allow an interval of 10 to 14 days between application and planting without disturbing the soil, if the soil is moist and above 50 F. However, if rates per acre exceed 15 Gals., or if soil temperature is 40° to 50 F, wait three weeks or longer. Heavy soils require more time for aeration. In case of waterlogging of soil by heavy rains after treatment, disk land to allow aeration but not sooner than 7 days after application.

FURROW OR ROW APPLICATION FOR ROW CROPS (Tobacco, Cucumbers, Melons, Tomatoes, Peppers, Eggplant, Summer Squash, Okra, Strawberries, Lima Beans, Carrots, Sweet Potatoes, Cotton, Lettuce, Sweet Corn, Broccoli, and Cauliflower) — For most row crops it is usually necessary to apply only one narrow stream 6 to 8 inches deep in the planting drill, as discussed above. Use 6 to 8 Fluid Ounces per 100 Row Feet. (This amounts to 6 to 8 Gals. per acre on 42 inch rows or 3.5 to 4 Gals. per acre on 6 Ft. rows.) The rate of flow can be adjusted before use by measuring the time in seconds necessary to move 100 feet and setting the outlet valve to deliver 6 to 8 fluid ounces in that length of time.

DRAFT H 71-5466

NET CONTENTS
GALLONS

 **FASCO**

PRODUCT
NO. 719

SPECIAL LABEL

FUME EDB-40

ACTIVE INGREDIENTS:

Ethylene Dibromide

By Wt.

40.0%

INERT INGREDIENTS:

60.0%

TOTAL — 100.0%

WARNING: Keep Out of the Reach of Children

Read entire label for additional warnings.

ONE GALLON CONTAINS 3.475 POUNDS OF ACTUAL ETHYLENE DIBROMIDE.

NOTE: Do not store at temperatures below freezing as such low temperatures may harm this product. If subjected to cold below 23°F, warm to 50°F and mix thoroughly before use.

© Trade Marks Reg. U.S. Patent Office
USDA Reg. No. 2342-180

BROADCAST INJECTION (Complete Coverage) — For Seedbeds and for land to be planted in ornamental nursery plants (such as Gardenias, Boxwood). Use 15 to 20 Gals. per acre for the plantings of these crops where complete coverage is desirable and 20 Gals. for seedbeds, nurseries.

Manufactured by **FLORIDA AGRICULTURAL SUPPLY COMPANY**, Jacksonville, Florida, U.S.A

Space the chisels or delivery tubes 6 to 10 inches apart and adjust to inject the fumigant at a depth of 6 to 8 inches.

NOTE — When a greater volume per acre of liquid is desired, dilute with an equal part of mineral spirits and use twice the volumes given.

NOTE — Nematodes can be brought back into treated areas on plow tools, infested transplants, crop remains, manure or irrigation water.

Tomatoes and tobacco may suffer growth inhibition and/or stand reduction when planted in fumigated soil containing high amounts of ammoniacal nitrogen. To lessen this hazard, reduce by one-half or more the pre-planting or planting-time application of ammoniacal or natural organic nitrogen. The balance may be applied as side dressing later if needed.

WARNING

Harmful by skin contact, swallowing or inhalation. Wash clothing and air shoes thoroughly before re-use. Do not breathe vapor. Do not get in eyes, mouth, or on clothing or skin. In case of contact immediately remove clothing, including shoes, and flush skin or eyes with plenty of water for at least 15 minutes. For eyes, get medical attention. Wash clothing and air shoes thoroughly before re-use. If illness results from inhalation, remove to fresh air and call a physician. If swallowed, call a physician. Induce vomiting by giving an emetic such as 2 tablespoonfuls of salt in a glass of water.

Do not store near seeds, plants, fertilizers or other pesticidal chemicals as injury or contamination may occur. Not for use or storage in or around the home.

CONDITIONS OF SALE

All statements concerning the use of this product apply only when used as directed.

The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.

4-2-71
2342-180