

FASCO

Net Contents
_____ Gallons

PARATHION EMULSION-4

Product
No. 854


| ACTIVE INGREDIENTS | BY WT. |
|-------------------------------------------------------------|--------|
| Parathion (O,O-diethyl O-p-nitrophenyl thiophosphate) ----- | 43.6% |
| INERT INGREDIENTS ----- | 56.4% |
| Total -- | 100.0% |

CONTAINS 4 POUNDS ACTUAL PARATHION PER GALLON

Protect Against Freezing as Freezing Temperatures Will Break the Emulsion

USDA REG. NO. 2342-363

ACCEPTED



FASCO PARATHION EMULSION-4 is an aqueous emulsion that contains 4 pounds of technical Parathion per gallon. This concentrate is for use as an insecticidal spray after dilution with water.

DIRECTIONS

Use contrary to these directions may cause serious plant, crop or personal injury, excessive residue. Unsatisfactory control or other unintended consequences.

IRISH POTATOES AND TOMATOES - Against Aphids, Leafhoppers, Spinythorax Leaf Miner, Flea Beetles and Colorado Potato Beetles - apply 1 pint per acre (not over 32 fl. oz. for Tomatoes or potatoes) in regular spray applications, as frequently as needed but not within 14 days of harvesting, or 5 days for potatoes.

Cabbage, Celery, Eggplant, Carrots - Against Aphids, use 1/2 pt. per acre in 50-100 gallons of water. Do not exceed 1 pint per acre nor apply within 21 days before harvesting. For carrots, do not exceed 1 pint per acre nor apply within 14 days of harvest. For eggplant, do not exceed 1 pint per acre nor apply within 10 days of harvest.

MAIZE, CUCUMBER, SQUASH - Against Aphids, Flea Beetles and Leafhoppers - 1/2 pt. per acre (not over 1 pint) in 100 gal. water, or 1 pint per acre in 50-100 gal. water, applied later than 5-7 days before harvest; 1 pint per acre in 50-100 gal. water, applied 10-14 days before harvest.

CITRUS - Against Lemps, Scale, Citrus Red Scale, Citrus Green Scale, Citrus Black Scale, Citrus White Scale, Citrus Brown Scale, Citrus Yellow Scale, Citrus Red Scale, Citrus Green Scale, Citrus Black Scale, Citrus White Scale, Citrus Brown Scale, Citrus Yellow Scale - use 1/3 to 2/3 pint per 100 sq. ft. of surface (1-2/3 to 3 p. per acre), not over 1 pint per acre, and wet all portions of the tree and leaves with spray. Do not apply within 14 days of harvesting, or 3 days before harvest.

TOMACCO - Against Aphids and Flea Beetles, use 1/2 pint per acre in 50 to 100 gal. of water. Do not apply to tobacco within 5 days of picking or 14 days of cutting. For tobacco should use plants where application is made within 30 days of cutting. Avoid phytotoxic injury. In contact with the skin or other parts of the body, wash with soap and water.

NOTE: The U.S. Dept. of Agriculture has not tested this product for use on other crops. Having results in mind, it is not recommended for use on other crops.

may violate State law and will violate Federal law when sold in interstate commerce. Such crops should not be marketed without removal of such excess residues.

CONTAINER DISPOSAL

Do NOT re-use the container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies. **GLASS CONTAINERS** - Break the container and bury the pieces at least 18 inches deep in an isolated location away from water supplies. **FIVE-GALLON, THIRTY-GALLON DRUMS:** Pour the following mixture into the empty container: 5-gallon drums - 2 Quarts water, 1/2 cup caustic soda (household lye) 2 tablespoonfuls detergent. 30-gallon drums - 3 gallons water, 1 pound caustic soda (household lye), 1/2 cup detergent. Rotate container carefully until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away from water supplies. (Caution: Handle caustic soda (household lye) with extreme care. Do not get on skin, in eyes, or on clothing. Read and carefully follow the precautions on the package.) Punch holes in the top and the bottom of the container, crush the container and bury deeply in an isolated area. If the above rinse method cannot be used - Punch holes in the top of the container and burn in a hot fire until all of the paint has been completely burned off the container. Extreme caution should be exercised to insure that the containers are completely empty and that persons stay well away from the smoke and fumes. Do not attempt to burn more than five containers at one time.

WARNING

Keep all persons out of the operating area or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticides and volatile residues have dissipated. Do not keep poisons where feed is handled or stored. Avoid contamination of feed and feedstuffs. Do not allow to drift onto pastures where livestock feed or into houses. Do not use on forage crops for dairy cattle or animals being finished for slaughter. Do not use on forage or pasture crops for meat animals within 30 days of grazing or harvest.

DANGER

Poisonous by skin contact, inhalation, or swallowing. Rapidly absorbable on contact. Repeated exposure may, without symptoms, be indicated by headaches. Do not get in eyes, on skin or on clothing. If in eyes, remove contact lenses, if worn, and flush with copious quantities of freshly drawn protective fluids. (See note, copy, etc.). Do not try and remove glass fragments. Flush thoroughly with copious amounts of water from watering or a skin. Rubbing is strictly off a small amount of glass. Wash clothing thoroughly with copious amounts of water before reuse. In case of contact, immediately remove contaminated clothing and wash skin thoroughly with copious amounts of water. For more information, contact: U.S. DEPT. OF AGRICULTURE, Research and Development Administration, Washington, D.C. 20250. For more information, contact: U.S. DEPT. OF AGRICULTURE, Research and Development Administration, Washington, D.C. 20250. For more information, contact: U.S. DEPT. OF AGRICULTURE, Research and Development Administration, Washington, D.C. 20250. For more information, contact: U.S. DEPT. OF AGRICULTURE, Research and Development Administration, Washington, D.C. 20250.

DANGER TO FISH AND WILDLIFE

This product is poisonous to fish and wildlife. Keep out of lakes, streams and ponds. Apply this product only as specified on this label. Follow directions for container disposal as given on this label.

FIRST AID TREATMENT

ATROPINE IS AN ANTIDOTE - CONSULT PHYSICIAN FOR EMERGENCY SUPPLY. CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED PARATHION POISONING.

If symptoms or signs of poisoning include blurred vision, abdominal cramps and tightness in the chest, don't wait for a doctor but give two atropine tablets, (each 1/100 gr.) at once. Remove patient immediately from the area where parathion is present. Remove contaminated clothing and wash the skin clean with plenty of soap and water to remove all traces of parathion. If swallowed, induce vomiting by giving warm salty or soapy water. Have victim lie down and keep quiet after vomiting has stopped. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

PHYSICIAN'S NOTE - Warning symptoms include weakness, headache, tightness in the chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT - Give atropine, preferably by injection, grains 1/100 two or three tablets at once and parenterally or orally every hour as required up to 30 tablets, or until pupils dilate. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood tests.

CONDITIONS OF SALE

All statements concerning the use of this product apply only when used as directed.

The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.

MANUFACTURED BY FIDCO A.A. CHEMICAL SUPPLY COMPANY
JACKSONVILLE, FLORIDA, U.S.A.

B-1 E-1