

NET CONTENTS
GALLONS



PRODUCT
NO. 3-0880-9

FASCO Parathion Emulsion-8 is an aqueous emulsion containing 3 pounds of Active Parathion per gallon. This concentrate is designed for use as an insecticide against further dilution with water. Use contrary to these directions may cause serious plant, crop or personal injury, excess residue, unsatisfactory control or other unintended consequences.

DIRECTIONS FOR USE

This product is designed to be applied by trained operators using all types of plane or power ground equipment. Read precautionary statements before using.

Add the concentrate to the spray tank while filling with water, and mix thoroughly either by means of a tank agitator or pump by pass.

GALLONAGE For ground applicators, the dosage of the product needed for control of insects and weeds should be mixed with sufficient water to cover the area. 50-150 gallons of water. For aerial application, use specified dosage of the product needed per acre in a 16 gallons of water.

IRISH POTATOES AND TOMATOES Against Aphids, Leafhopper, Serpentine Leaf Miner, Flea Beetle, and Colorado Potato Beetle, apply 1 1/2 to 2 1/2 oz. per acre (not over 16 fl. oz.) in sufficient water for coverage at 100-150 day intervals as needed.

Against Southern Potato Wireworm, in potato land prior to planting apply two (2) fl. oz. per acre and spray in sufficient water for coverage of the day's working soil. Thoroughly mix immediately into the soil and to a depth of 2-3 inches where there is good soil temperature. The wireworms should disappear in the soil.

Keep plants moist and animals out of treated areas for at least 48 hours.

CABBAGE CELERY PEPPER CARROTS Against Aphids, use 1 1/2 to 2 1/2 oz. per acre as needed in sufficient water for coverage. Do not apply within 10 days of harvesting cabbage or 15 days for celery, pepper or carrot. When more than 1 1/2 oz. per acre is used, do not apply within 21 days of harvest. Do not use treated carrot tops for food or feed.

MELONS CUCUMBER SQUASH Against Aphids, Melonworm, and Fleaworm, use 1 1/2 to 2 1/2 oz. per acre. Not over 16 fl. oz. per 100 gallons water in sufficient water for coverage. Do not use on melons after 7 days before harvest, 15 days for squash and cucumbers. Do not use on melons and cucumbers if injured or cut.

CITRUS Against Purple Scale, Florida Red Scale, Cottony Cushion Scale, and Citrus Aphid, use 1 1/2 to 2 1/2 oz. in combination with 0.75% lime emulsion per 100 gal. tank. Use 1 1/2 to 2 1/2 oz. in combination with 8 to 10 lbs. of Wettable Sulfur per 100 gal. tank. Do not use on citrus within 14 days of harvest, not more than three times per year. Do not use for food. Should use 3-5 oz. per acre. If used, do not harvest crop within 30 days of treatment.

TOBACCO Against Aphids, and Flea Beetles, use 1 1/2 pint (4 fl. oz.) per acre in 50 to 100 gallons of water. Do not apply to tobacco within 5 days of pruning or 15 days of cutting. Handlers should wear gloves when applications are made within 30 days of cutting. Avoid plant use resulting in contact with the skin of those persons engaged in cutting or pruning the crop.

CONTAINER DISPOSAL

Do NOT reuse the container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies.

GLASS CONTAINERS Break the container and bury the pieces at least 18 inches deep in an isolated location away from water supplies.

FIVE-GALLON THIRTY-GALLON DRUMS:

Four the following mixture in the empty container: 5 gallon drums - 2 quarts water, 1/2 quart water (household lye), 2 tablespoon lye detergent.

30 gallon drums - 2 gallon water, 1 pound caustic soda (household lye), 1/2 cup detergent.

Rotate container carefully until all inner surfaces are thoroughly wet. Bury the entire container at least 18 inches deep in an isolated area away from water supplies.

Caution: Handle caustic soda, household lye, with extreme care. Do not get in eyes, on face, or on clothing. Read and carefully follow the instructions on the package.

Punch holes in the top and bottom of the container, crush the container and bury deeply in an isolated area.

If the above method cannot be used, punch holes in the top of the container and burn it until the entire top of the point has been completely burned off the container. Extreme caution should be exercised to insure that the container is completely empty, and that personnel are away from the burning flames.

Do not attempt to reuse the container at one time.

CONDITIONS OF SALE

All statements, claims, or uses of this product apply only when used in accordance with the directions. No warranty, expressed or implied, covering the product or its use, which extend beyond the directions on the label, shall be made or given.

NOTE: Product quality may be affected by temperature, will break the emulsion.

DRAFT



DANGER—POISON—PRECAUTIONS

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.

POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

Manufactured by
KERR-MCGEE CHEMICAL CORP.
Jacksonville, Florida, U.S.A.
General Offices: Oklahoma City, Oklahoma

S T O P

POIS
See Side
for Anti
Preca

P

ACT
Par
thio
INER

DANGER—POISON—PRECAUTIONS 

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed

POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)

POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Brds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

Manufactured by
KERR-MCGEE CHEMICAL CORP.
Jacksonville, Florida, U.S.A.
General Offices: Oklahoma City, Oklahoma



STOP - READ LABEL BEFORE USING!

POISON

See Side Panels
for Antidote &
Precautions



DANGER

Keep Out of
Reach of
Children

PARATHION EMULSION-8

ACTIVE INGREDIENTS

Parathion (O,O-Diethyl O-p-nitrophenyl thiophosphate)

INERT INGREDIENTS

BY WT.

80.00%

20.00%

TOTAL — 100.00%

R Trade Mark Reg. U.S. Patent Office

CONTAINS 8 POUNDS ACTUAL PARATHION PER GALLON

NOT FOR HOME USE

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear waterproof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor can not come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

EPA Reg. No. 7342-353

July 23-1971

7342-353

573

Par
rapi
all
with
me
pro
die.
Sor
son
cra
poi
bre
ing
and

Cal
tal
has
scri
if t
resq
ant
if s
suc
yon
or
to
Ne
cer
and
In
eve
lea
ma
ent

BEFORE USING!

DANGER

Keep Out of Reach of Children

July 23-1971

MULSION-8

BY WT.

80.00%

20.00%

TOTAL — 100.00%

Office

THION PER GALLON

USE

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands if you feel sick in any way. STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

EPA Reg. No. 7342-353

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote: administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 20 minutes intervals until signs of atropinization appear. 2 PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

POST TREATED AREA

Consult your State Agricultural Extension Service Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

See side panel for proper disposal.

CROP USE DIRECTIONS

Use only according to label directions.

NET CONTENTS
50 POUNDS

SEVIN* DUST-7½

PRODUCT
No. 20-769761

FASCO Sevin* Dust-7½ is an insecticidal dust for use against certain insects attacking field and vegetable crops as described below.

DIRECTIONS

Pesticide products used contrary to directions may cause serious plant or personal injury.

SWEET CORN — Against Corn Earworms, use at rate of 24 to 26 lbs. per acre (no more). Begin dusting when first silks appear and repeat at 2 to 3 day intervals until silks are withered. May be applied up to harvest, at rates directed, without exceeding residue tolerances. Application of this product to the tassel region of corn during the pollen shed period will seriously reduce bee populations.

POTATO, TOMATO, EGGPLANT, PEPPER — Against Colorado Potato Beetle, Flea Beetles, and Leaf hoppers apply 10 to 13 lbs. per acre when insects appear. Repeat at 7 to 10 day intervals. Against Tomato Fruitworm, Fall Armyworm, Tomato Hornworm, European Corn Borer, Lygus Bugs and Stink Bugs apply 13 to 26 lbs. (no more) per acre when insects appear. Repeat at 7 to 10 day intervals.

CABBAGE, BROCCOLI, BRUSSELS SPROUTS, CAULIFLOWER, and KOHLRABI — Against Corn earworm, Armyworm, Cabbage Caterpillar, Flea Beetle, and Harlequin Bug, apply 13 to 26 lbs. (no more) per acre when insects appear. Repeat at 7 to 10 day intervals. Do not apply later than 3 days before harvest.

PASTURE, FORAGE GRASSES, CLOVER, ALFALFA — Against Thrips, Armyworms, Grasshoppers, and Stink Bugs, apply 13 to 20 lbs. (no more) per acre when insects appear. Repeat 7 to 14 days later if necessary. May be applied up to harvest at rates directed, without exceeding residue tolerances.

DRAFT H

72-9347

ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl N-methyl-carbamate)

BY WT.

7.5%

INERT INGREDIENTS

92.5%

TOTAL — 100.0%

U. S. Pat. No. 2,903,478 R Trade Marks Reg. U. S. Patent Office

*Sevin, Trade Mark of UCC for 1-naphthyl N-methylcarbamate.

CAUTION: Keep out of the reach of children. See Side Panel for Additional Cautions.

NOTE — The U.S. Food and Drug Administration has set tolerances for pesticide residues. Crops having residues in excess of their permitted tolerances should not be marketed and to do so may violate State law and will violate Federal law when sold in interstate commerce. Such crops should not be marketed without removal of such excess residues.

COTTON — Against early season pests such as THRIPS, FLEA BEETLES, and COTTON FLEAHOPPER, use 7 to 14 (not over 33) lbs. per acre every 5 to 7 days as needed beginning when insects increase to injurious numbers.

Against mid-season and late-season BOLL WEEVIL, COTTON BOLLWORM, FALL ARMYWORM, COTTON LEAF PERFORATOR, LEAF HOPPERS, LYGUS BUGS, and LEAF ROLLERS, use 14 to 28 (not over 33) lbs. per acre, the

amount depending on plant size and severity of infestation. Applications for BOLL WEEVIL should be made every 5 to 7 days as long as control is necessary. Against PINK BOLLWORM, use 20 to 33 (not over 33) lbs. per acre, the amount depending on size of cotton and degree of infestation. Apply every 5 to 7 days as needed.

Against GRASSHOPPERS, use 7 to 20 (not over 33) lbs. per acre applied on appearance of insects and their feeding damage. Highest dosage should be used against mature grasshoppers. APHIDS are usually suppressed by a regular Sevin Schedule.

SEVIN may be applied after the bolls open. Allow 7 days before grazing or harvesting crop residue for feed or bedding for dairy or meat animals.

BEE CAUTION

For protection of honey bees avoid use, if possible, during periods when honey bees are visiting the crop. When necessary to use during such periods, warn beekeepers well in advance to locate hives at a safe distance until 1 week after application.

CAUTION

HARMFUL IF SWALLOWED OR INHALED. Do not take internally. Avoid breathing dust. Avoid prolonged or repeated contact with skin. Wash thoroughly after handling. Change contaminated clothing daily. Avoid contamination of feed and foodstuffs.

CONDITIONS OF SALE

All statements concerning the use of this product apply only when used as directed.

The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.

E. P. A. Reg. No. 2342-468

SPECIAL NOTE: DO NOT USE THIS PRODUCT ON LIVESTOCK OR POULTRY.

Manufactured by



KERR-MCGEE CHEMICAL CORP.

Jacksonville, Florida, U.S.A.

General Office, Oklahoma City, Oklahoma

FORM 100

ACCEPTED

7/25/72

UNIVERSITY OF CALIFORNIA

2342-468



Net Contents
25 Pounds

PARIS GREEN AEROGRAN-5

Product
No. 2470

FASCO Paris Green Aerogran-5 is a special granular insecticide for application by aeroplane or ground operated machines against larvae of certain **Aedes**, **Psorophora** and **Anopheles** mosquitoes and is intended for use primarily by trained employees of Mosquito Control Districts, by other Public Health Personnel and custom applicator concerns.

DIRECTIONS

Use contrary to these directions may result in injury to persons or to animals, in unsatisfactory control or in other unintended consequences. Against Mosquito Larvae under "general flood" conditions, apply 15 lbs. uniformly per acre of breeding area water. For small, heavily infested "pot-holes" increase the rate depending upon larval population density. Repeat as needed. Use flagmen in marshes to insure even distribution.

WARNING

May be fatal if swallowed! Avoid contact with skin, eyes, or clothing. Wash thoroughly after use. Avoid breathing dust or granules. For ap-


WARNING: Keep out of the reach of children.
See side panels for additional cautions.

plication by hand wear gloves adequate to prevent skin contact. Apply downwind to avoid skin contact. Wash hands before eating or smoking. Do not graze livestock on treated areas.

CONDITIONS OF SALE

All statements concerning the use of this product apply only when used as directed.

The manufacturer makes no warranties, expressed or implied, concerning the product or its use, which extend beyond the description on the label. Read all directions carefully.



ACTIVE INGREDIENTS:	By Wt.
Copper Aceto-Arsenite <small>(Including copper as metallic 1.335% arsenic as metallic, 2.21% arsenic in water soluble form, not more than 0.30%)</small>	5.0%
Petroleum Oil	35.0%
INERT INGREDIENTS:	60.0%
TOTAL	100.0%

® Trade Marks Reg. U. S. Patent Office

USDA Reg. No. 2342-502

DRAFT C

87/180

Manufactured by **FLORIDA AGRICULTURAL SUPPLY COMPANY**, Jacksonville, Florida, U.S.A.

FORM 100

NET CONTENTS
25 POUNDS

SEVIN* DUST-5

PRODUCT
No. 20-769642

FASCO SEVIN DUST-5 is an insecticidal dust for use against certain insects attacking vegetables, Forage crops, Tobacco, Dogs, and Cats as directed below.

DIRECTIONS

Use contrary to these directions may cause serious plant, crop or personal injury, excessive residues, unsatisfactory control or other unintended consequences.

BEANS — Against Mexican Bean Beetle and Leafhoppers, dust thoroughly with 20 pounds per acre every 7 to 10 days or as needed, beginning when insects first appear. Against Lygus and Stink bugs, apply 40 pounds (no more) per acre every 7 to 10 days or as needed. In home garden, apply 1 to 2 oz. per 50 row feet. May be applied up to harvest, at rates directed, without exceeding residue tolerances.

CUCUMBER, SUMMER SQUASH — Against Striped and Spotted Cucumber Beetles, Squash Bugs, Flea Beetles, Pickleworm and Melonworm, dust thoroughly with 20 pounds (no more) per acre every 7 to 10 days, beginning when insects first appear. In home garden, apply 1 oz. per 50 row feet. May be applied up to harvest, at rates directed, without exceeding residue tolerances.

TOMATO, EGGPLANT, PEPPER — Against Tomato Fruitworm, Fall Armyworm, and Flea Beetles, dust thoroughly with 20 to 40 pounds per acre every 7 to 10 days, beginning when insects first appear. Against Tomato Hornworm, European Corn Borer, and Stink bugs, dust thoroughly with 40 to 80 lbs. per acre (no more than 80 lbs. per acre) every 7 to 10 days. In home garden, apply 1 to 2 oz. per 50 row feet. May be applied up to day of harvest, at rates directed, without exceeding residue tolerances.

POTATO — Against Colorado Potato Beetle, Leafhoppers, and Flea Beetles, dust thoroughly with 20 pounds per acre every 7 to 10 days. Against Lygus bugs, apply 40 pounds (no more) per acre every 7 to 10 days or as needed. In home garden, apply 1 to 2 oz. per 50 row feet. May be applied as foliage application up to harvest, at rates directed without exceeding residue tolerances.

SWEET CORN — Against corn earworms, use at rate of 35 to 40 lbs. per acre (no more). Apply to silks as soon as they appear. Make 3 to 4 applications at 2-3 day intervals as infestation warrants. Re-apply immediately after rain. In home gardens, apply 1 to 2 ozs. per 50 row feet. May be applied up to harvest, at rates directed, without exceeding residue tolerances.

Application of this product to the tassel region of corn during the pollen shed period will seriously reduce bee population.

BEETS (Roots), BROCCOLI, BRUSSELS SPROUTS, CABBAGE, CAULIFLOWER, HEAD LETTUCE, HORSE RADISH, KOHLRABI, PARSNIPS, RADISH, RUTABAGA, SALSIFY (Roots), TURNIPS (Roots) — Against Corn Earworm, Armyworm, Imported Cabbageworm, Flea Beetle and Harlequin bug, apply 20 to 40 lbs. (no more) per acre when insects appear. Repeat at 7 to 10 day intervals. Do not apply later than 3 days before harvest.

PASTURE FORAGE GRASSES, CLOVER, ALFALFA, COWPEAS, PEANUTS, SOYBEANS — Against Thrips, Armyworms, Grasshoppers, and Stink bugs,

ACCEPTED

8/24/72

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER
ED UNDER NO. 2342-516

ACTIVE INGREDIENT:

CARBARYL (1-Naphthyl)
N-Methylcarbamate

By Wt.

5.00%

INERT INGREDIENTS

95.00%

TOTAL — 100.00%

*SEVIN, Trademark of UCC for 1 NAPHTHYL N-METHYLCARBAMATE

CAUTION: Keep Out of the Reach of Children. See Additional Cautions on this label.

apply 20 to 30 lbs. (no more) per acre when insects appear. Repeat 7 to 14 days later if necessary. May be applied up to harvest at rates directed, without exceeding residue tolerances.

BEETS (Tops), COLLARDS, CHINESE CABBAGE, DANDELION, ENDIVE (Escarole), KALE, LEAF LETTUCE, MUSTARD GREENS, PARSLEY, SALSIFY (Tops), SPINACH, SWISS CHARD, TURNIPS (Tops) — Against Flea Beetle, Corn Earworm, Armyworm, Cabbage Caterpillar, apply 20 to 40 lbs. (no more) per acre when insects appear. Repeat at 7 to 10 day intervals. Do not apply later than 14 days before harvest.

TOBACCO — In plant beds: Against Tobacco Flea Beetle apply 1 to 2 pounds per 100 square yards when plants appear. Repeat as needed at 10 to 14 day intervals and just before transplanting.

In fields: Against Hornworms and Tobacco Flea Beetles apply 15 to 25 pounds broadcast per acre depending on the size of plants. Good coverage is essential. Use the highest dosage only on large plants and repeat as needed. Heavier applications may cause plant injury. Do not use on Shade Tobacco in combination with parathion.

Note: If late applications are necessary, treat immediately after priming rather than before priming. Treated fields may be entered immediately after dust has settled. Some phytotoxicity may occur on tender foliage in the presence of rain or high humidity of several days duration following application.

DOGS AND CATS — Against Brown Dog Tick and Fleas, rub in skin and apply in sleeping quarters weekly. Do not treat kittens under 4 weeks old. Do not treat puppies under 4 weeks old.

NOTICE — The U. S. Food and Drug Administration has set tolerances for pesticide residues. Crops having residues in excess of their permitted tolerances should Not be marketed and to do so may violate State Law and will violate Federal Law when sold in interstate commerce. Such crops should not be marketed without removal of such excess residue.

Do not use this product on poultry.

CAUTION — HARMFUL IF SWALLOWED OR INHALED. Do Not take internally. Avoid Breathing of Dust. Skin Contact May Be Harmful. Avoid Contact. Wash hands before eating. Take shower or bath after work. Wear regular long sleeved work clothing — Change to clean clothes daily. Avoid contamination of feed and foodstuffs.

Note for Physicians: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

KEEP OUT OF REACH OF CHILDREN AND ANIMALS.

CONTAINER DISPOSAL

Do not reuse container. Destroy when empty.

BEE PRECAUTION — This product is highly toxic to bees exposed to direct treatment or residue on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

CONDITIONS OF SALE

All statements concerning the use of this product apply only when used as directed.

The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.

E.P.A. Reg. No. 2342-516

DRAFT A

72-9607

Manufactured by



KERR-MCGEE CHEMICAL CORP.

Jacksonville, Florida, U.S.A.

General Office, Oklahoma City, Oklahoma