


DANGER—POISON—PRECAUTIONS

READ LABEL BEFORE USING



POISONOUS IF SWALLOWED

This product is a KILLER of fish and wildlife. Do not spray or drift on water.



POISONOUS BY SKIN CONTACT

Parathion is toxic if touched by hands or spilled or painted on skin, in eyes or on clothing. It seeps through clothes.



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated area. Do not apply when wind is likely to blow.

NOTE TO PHYSICIAN

Antidote: atropine, atropine sulfate in dosage of 1-2 to 4 mg. Repeat every 30 minutes until early signs of atropine poisoning appear. Repeat at 5 to 10 mg. if necessary. Atropine sulfate 1 mg. per kg. body weight of patient. Atropine sulfate 1 mg. per kg. body weight of patient. Atropine sulfate 1 mg. per kg. body weight of patient.

POST-TREATED AREA

CONTAINER DISPOSAL

See Antidote and Precautions on this label



Keep Out of Reach of Children

NET CONTENTS: 50 POUNDS

PRODUCT NO. 20 758811

PARA-BAMATE DUST 2-6

ACTIVE INGREDIENTS

Parathion (O,O diethyl O p nitrophenyl thiophosphate) 2.00  
Zineb (Zinc Ethylene Bisdithiocarbamate) 6.00  
(Equivalent to Zinc expressed as Metallic 1.42)

INERT INGREDIENTS

BY WT.

2.00

6.00

92.00

TOTAL

100.00%

FASCO Para Bamate Dust 2-6

Formulation containing Zineb and Parathion for use against certain plant and animal pests.

DIRECTIONS

Apply to plants, trees, shrubs, etc. as a preventive or curative measure. Apply to plants, trees, shrubs, etc. as a preventive or curative measure. Apply to plants, trees, shrubs, etc. as a preventive or curative measure.

Apply to plants, trees, shrubs, etc. as a preventive or curative measure. Apply to plants, trees, shrubs, etc. as a preventive or curative measure.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- 1) Wear water proof pants, rubber boots or rubber overalls. 2) Wear safety goggles. 3) Wear cap or respirator approved by the U.S. Bureau of Mines for parathion protection. 4) Wear heavy duty natural rubber gloves.


WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands if you feel sick in any way. STOP work and get help right away. Call a doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower using soap and water. Wash only clean clothes when leaving work. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and later replaced according to instructions included with respirator.



CONDITIONS OF SALE

WARNING

This product is highly toxic. It is a powerful insecticide and should be used with extreme care. It is a powerful insecticide and should be used with extreme care.

First Aid Treatment: If swallowed, give water. If inhaled, get fresh air. If on skin, wash with soap and water.

FIRST AID TREATMENT

If breathing has stopped, give artificial respiration.

If swallowed, give water.

Keep out of reach of children.