



EPA-PE

SEVIN DUST 7½-40

FASCO Sevin Dust 7½-40
is a highly effective, granular
insecticide used for control of
cotton bollworms.

DIRECTIONS FOR USE

DO NOT USE ON COTTON CROPS. DO NOT USE ON COTTON CROPS OR OTHER CROPS THAT ARE SENSITIVE TO CARBARYL.

COTTON Apply to cotton as follows:
BEETLE BOLLWORM 14 pounds per acre every 10 to 14 days as soon as beetles appear until the cotton begins to bloom.

APHIDS 14 pounds per acre of Sevin Dust on cotton bollworm, beetles and aphids. If aphids are present, spray cotton with a strong stream of water to dislodge aphids from the plant. If aphids are still present, spray cotton with Sevin Dust.

ACTIVE INGREDIENTS:	BY WEIGHT
Carbaryl (1-Naphthyl N-Methylcarbamate)	7.5
Sulfur	40.0
Other inert ingredients	52.5

INERT INGREDIENTS:

See label for complete analysis.

CAUTION! HARMFUL IF SWALLOWED OR INHALED.

KEEP OUT OF REACH OF CHILDREN

Do not apply after bolts open. Do not graze treated fields or feed cotton trash to dairy animals or meat animals.

CONTAINER DISPOSAL

Do not reuse the empty container. Destroy container when empty by burying with wastes or by burning (Stay out of smoke and fumes).

Note for Physicians: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidote.

BEE CAUTION: This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

CONDITIONS OF SALE: All statements concerning the use of this product apply only when used as directed. The manufacturer makes no warranties expressed or implied concerning this product or its use which extend beyond the description on the label. Read all directions carefully.



MANUFACTURED BY
KERR-MCGEE CHEMICAL CORP.
OKLAHOMA CITY, OKLAHOMA