



POISONOUS BY SKIN CONTACT

POISONOUS BY SKIN CONTACT

See side panels for Antidote & Precautions

POISONOUS IF BREATHED

POISONOUS TO FISH AND WILDLIFE

See side panels for Antidote & Precautions

Manufactured by **KERR-MCGEE CHEMICAL CORP.**
Jacksonville, Florida, U.S.A.
General Offices: Oklahoma City, Oklahoma

POISON

See Side Panels
for Antidote &
Precautions



NET CONTENTS 4 GALLONS

Keep Out of
Reach of
Children

PRODUCT NO. 2075262

METHYL PARATHION LIQUID-4

ACTIVE INGREDIENTS:	BY WT.
O,O Dimethyl O-p Nitrophenyl Thiophosphate	45.8%
Aromatic Petroleum Derivative Solvents	37.8%
INERT INGREDIENTS	16.4
	TOTAL 100.0%

CONTAINS FOUR POUNDS METHYL PARATHION PER GALLON

E.P.A. Reg. No. 42471
P. Trade Marks Reg. U.S. Patent Off.

NOT FOR HOME USE

WARNING — FLAMMABLE! KEEP AWAY FROM HEAT OR OPEN FLAME.

**ALWAYS WEAR THE FOLLOWING
PROTECTIVE EQUIPMENT AND CLOTHING**

Wear a long-sleeved shirt and long pants. Wear shoes with socks. Wear gloves. Wear a hat. Wear eye protection. Wear a respirator.

WORK SAFETY RULES

Read and understand the entire label before use. Do not use if you are pregnant or nursing.

Do not use in areas where children or pets are present. Do not use in areas where food is stored.

Do not use in areas where people are present. Do not use in areas where food is stored.

Do not use in areas where people are present. Do not use in areas where food is stored.

Do not use in areas where people are present. Do not use in areas where food is stored.

Do not use in areas where people are present. Do not use in areas where food is stored.

Do not use in areas where people are present. Do not use in areas where food is stored.

Do not use in areas where people are present. Do not use in areas where food is stored.

Do not use in areas where people are present. Do not use in areas where food is stored.

IN CASE OF EMERGENCY

In case of fire, use water to extinguish. Do not use dry chemical extinguishers.

In case of spill, use absorbent material to clean up. Do not use water.

In case of contact with skin, wash with soap and water. Do not use solvents.

In case of contact with eyes, flush with water for 15 minutes. Do not use eye drops.

FIRST AID TREATMENT

In case of inhalation, move to fresh air. Do not use mouth-to-mouth resuscitation.

In case of ingestion, do not induce vomiting. Do not use milk or water.

In case of contact with skin, wash with soap and water. Do not use solvents.

In case of contact with eyes, flush with water for 15 minutes. Do not use eye drops.

In case of contact with skin, wash with soap and water. Do not use solvents.

In case of contact with eyes, flush with water for 15 minutes. Do not use eye drops.

In case of contact with skin, wash with soap and water. Do not use solvents.

BEE CAUTION This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

NOTE TO PHYSICIAN

This product is highly toxic to bees. Do not use in areas where bees are present.

This product is highly toxic to bees. Do not use in areas where bees are present.

This product is highly toxic to bees. Do not use in areas where bees are present.

This product is highly toxic to bees. Do not use in areas where bees are present.

This product is highly toxic to bees. Do not use in areas where bees are present.

This product is highly toxic to bees. Do not use in areas where bees are present.

POST TREATED AREA

Do not use in areas where bees are present. Do not use in areas where food is stored.

CONTAINER DISPOSAL

Do not use in areas where bees are present. Do not use in areas where food is stored.

CROP USE DIRECTIONS

Do not use in areas where bees are present. Do not use in areas where food is stored.

ACCEPTED

4/2/53
1-449-477

FASCO

FASCO Methyl Parathion Liquid-4 is a water emulsifiable insecticidal concentrate for application in water base sprays against certain insects as directed below.

DIRECTIONS

Use contrary to these directions may cause serious plant crop or personal injury, excessive residues, unsatisfactory control or other unintended consequences. For best results premix with a small amount of water and mix well before addition to spray tank.

USE IN POWER-OPERATED GROUND SPRAYERS — Use specified dosage of the spray concentrate in 5-10 gallons of water (low volume) to 50-100 gallons (high volume) per acre.

USE IN AERIAL APPLICATION — Use specified dosage of the spray concentrate in 3-10 gallons of water per acre.

COTTON — Against Aphids, Boll Weevil, Spider Mites, Cotton Fleahopper and Thrips. Use $\frac{1}{2}$ to 1 Pint per acre in sufficient spray for thorough coverage. Begin spraying when insects first appear, repeat every 3 to 7 days until controlled. Workers entering fields within 24 hours of treatment should wear protective clothing. Do not hand pick or harvest within 7 days of application.

ALFALFA & VETCH — Against Spotted Alfalfa Aphid. Use $\frac{3}{4}$ Pint per acre in sufficient spray for thorough coverage. Use when aphids become numerous and repeat as needed. Do not apply within 15 days of harvest or pasturing.

SMALL GRAIN (Barley, Oats, Wheat, Rye) — Against Green bug (Aphids) use as for Alfalfa above. Do not apply after grain heads begin to form.

SOYBEANS — Against Stink Bugs, Mexican Bean Beetle, Velvet Bean Caterpillar and Loopers, use 1 Pint per acre in sufficient water for thorough coverage. Do not apply more than 2 applications per growing season. Do not apply within 20 days of harvest or grazing.

Begin application when insects first appear, repeat as needed. Do not apply within 20 days of harvest.

NOTE The U.S. Food and Drug Administration has set tolerances for pesticide residues. Crops having residues in excess of their permitted tolerances should not be marketed and to do so may violate State law and will violate Federal law when sold in interstate commerce. Such crops should not be marketed without removal of such excess residues.

CONTAINER DISPOSAL

Do NOT reuse the container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies.

FIVE-GALLON, THIRTY-GALLON, AND FIFTY-FIVE GALLON DRUMS: Pour the following mixture into the empty container: **5-gallon drums** — 2 quarts water, $\frac{1}{2}$ cup caustic soda, household lye; **2 table-spoons** detergent.

DANGER TO FISH AND WILDLIFE

This product is toxic to wildlife. Birds and other wildlife in treated areas may be harmed. Apply this product only as directed on this label. Keep out of streams, lakes, and ponds. Do not apply when weather conditions favor drift of this product from areas treated. For equipment and disposal of wastes by curving permit crop lands away from water supplies.

CONDITIONS OF SALE

All statements concerning the use of this product apply only when used as directed.

The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.

PAET 1

72-114

ACCEPTED

JAN 1 1973