



NET CONTENTS
50 POUNDS

SEVIN*[®]-COPPER-SUL DUST 5-3.4-82

PRODUCT
NO. 2495

FASCO SEVIN-COPPER-SUL DUST 5-3.4-82 is a combination insecticide-fungicide dust containing SEVIN insecticide, Copper, and Sulphur for use on peanuts as described below.

DIRECTIONS

PEANUTS — Against Spotted Cucumber Beetle (Southern Corn Rootworm), Thrips, Velvet Bean Caterpillar, Corn Earworm (Bollworm), Armyworm, Leafhoppers, and Leafspot apply 20 lbs. per acre when insects or disease first appear. Repeat at 7-to 10-day intervals as needed. Do not exceed 30 lbs. per acre. May be applied up to day of harvest.

If this product is used in accordance with label directions, the above crop may be grazed or harvested for use as feed for dairy and meat animals without resulting in residues in milk or meat.

NOTE — The U.S. Food and Drug Administration has set tolerances for pesticide residues. Crops having residues in excess of their permitted tolerances should not be marketed and to do so may violate State law and will violate Federal law when sold in interstate commerce. Such crops should not be marketed without removal of such excess residue.

CAUTION

HARMFUL IF SWALLOWED OR INHALED. Do not Breathe Dust. Do not take internally. **Skin con-**

CAUTION: Keep Out of the Reach of Children. See side panels for additional cautions.

For protection of bees avoid use, if possible, during periods when honey bees are visiting the crops. When necessary to use during such periods, warn bee keepers well in advance to locate hives at a safe distance until one week after application.

ACTIVE INGREDIENTS:	By Wt.
Carbaryl (1-naphthyl N-Methylcarbamate)	5.00%
Copper (Derived from Brown Copper Oxide)	3.40%
Sulphur	82.00%
INERT INGREDIENTS	9.60%
<hr/>	
Total	100.00%

Wet Test: Not less than 90% through a 325 mesh sieve

U.S. Patent No. 2,903,473

*Sevin Trade Mark of UCI for 1-naphthyl-N-methylcarbamate

USDA Reg. No. 244-543

LOT

tact May Be Harmful. Avoid unnecessary contact. Wash Hands Before Eating. Take Shower or Bath After Work. Wear Regular Long Sleeved Work Clothing. Change to Clean Clothing Daily.

Note for Physician: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

Avoid contamination of foodstuffs. Avoid contamination of feed, feeding troughs, and watering receptacles. Sulphur may burn foliage when temperature is high. Do not make sulphur applications at such times.

Do not apply when weather conditions favor drift of dust from crop areas treated.

DANGER TO FISH AND WILDLIFE

This product is poisonous to fish and wildlife. Keep out of lakes, streams and ponds. Do not apply when weather conditions favor drift of this product from areas treated. Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes, or by burning. (Keep out of smoke).

CONDITIONS OF SALE

All statements concerning the use of this product apply only when used as directed. The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.