

**POISONOUS IF BREATHED**

Breathing vapors, spray mist or dust may be fatal.

**POISONOUS TO FISH AND WILDLIFE**

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated area. Do not apply when runoff is likely to occur.

NET CONTENTS 50 POUNDS

PRODUCT NO. 20-759961

# PARATHION-SEVIN\* DUST 1-10

**ACTIVE INGREDIENTS:**

Carbaryl (1-naphthyl N-methylcarbamate)  
Parathion (O,O-diethyl O-p-nitrophenyl thiophosphate)

**INERT INGREDIENTS**

**BY WT.**

10.00%

1.00%

89.00%

**TOTAL — 100.00%**

\*Trade Mark of Union Carbide Corporation for the active ingredient carbaryl insecticide

U.S. Pat. Nos. 2,993,473; 3,009,455

E.P.A. REG. NO. 2342-566

**NOTE TO PHYSICIAN**

Antidote: administer atropine sulfate in large doses, TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

**POST TREATED AREA**

Consult your State Agricultural Extension Service or Experiment Station regarding post-treatment areas.

**CONTAINER DISPOSAL**

**DO NOT REUSE THE CONTAINER.** Completely empty the contents and bury the unused material at least 18 inches deep in an isolated location away from water supplies. Burn all empty bags, their drums, cartons and tin boxes completely, and do not reuse them.

## VERY CLOSE DIRECTIONS

FASCO PARATHION SEVIN DUST 1-10 is an insecticidal dust for use against certain insects attacking economic crops as directed below.

**DIRECTIONS**

Use contrary to these directions may cause serious plant crop or personal injury, excessive residues, unsatisfactory control or other unintended consequences.

**BEANS:** -Against Mexican Bean Beetle, Aphids, Leaf hopper, Lygus and Stink bugs, dust thoroughly with 15 to 20 pounds (no more) per acre every 7 to 10 days or as needed, beginning when insects first appear. Do not apply within 15 days of harvest.

**TOMATO, EGGPLANT, PEPPER:** -Against Colorado Potato Beetle, Flea Beetle, Aphids, Leaf Miners, Tomato Fruitworm, Fall Armyworm, Tomato Hornworm, Leaf hoppers, European Corn Borer, apply 20 to 25 pounds (no more) per acre when insects appear. Do not apply to Tomatoes within 16 days of harvest, nor to Eggplant or Pepper within 15 days of harvest.

**SWEET CORN:** -Against Corn earworm, use at rate of 15 to 20 pounds per acre (no more). Begin dusting when first silks appear, repeat at 1 to 2 day intervals until silks are withered and brown. Do not apply within 12 days of harvest or cutting for forage. Application of this product to the tassel region of corn during the pollen shed period will seriously reduce bee population.

intervals until silks are withered and brown. Do not apply within 12 days of harvest or cutting for forage. Application of this product to the tassel region of corn during the pollen shed period will seriously reduce bee population.

**WARNING**

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from you, Cooperative Agricultural Extension Service.

Workers entering treated fields within 24 hours should wear protective clothing.


**CONDITIONS OF SALE**

All statements concerning the use of this product apply only when used as directed.

The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.

GRAF D

77-9068



Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

**FIRST AID TREATMENT**

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

**If breathing has stopped,** start artificial respiration immediately and maintain until doctor sees victim.

**If swallowed** and victim is awake, try to induce vomiting quickly, if face is stinging by sticking finger down throat and sipping soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

**In case of contact,** immediately flush eyes or skin with plenty of water for at least 15 minutes. Do not remove contaminated clothing and shoes. See doctor immediately.

Manufactured by **KERR-MCGEE CHEMICAL CORP.** Jacksonville, Florida, U.S.A. General Offices: Oklahoma City, Oklahoma



**NOT FOR HOME USE**