FASCO CCEPTED

Net Contents 50 Pounds

12-6-71 NTOR THE FIRM RAL INS GRANSIL-X®

SUBJECT

Product No. 2457

GRANSIL-X is a granular non-selective weedkiller COMMENTS.

designed to be applied dry to the surface of the ground for control of weeds. The kill of weeds may be slow as the chemical is absorbed through roots of weeds and must be carried to root zone by moisture. It is low in toxicity to man and animals when applied according to directions. The degree of control and duration of effect will vary with the amount of chemical applied, soil type, rainfall, and other conditions.

DIRECTIONS

Before applying, measure area to be treated and select rate per acre desired to get amount needed for treatment Calibrate over a small area and get even coverage with the rate/acre selected. A Seeder or Cranular Herbicide Applicator may be used. 2 1/3 cups of GRANSIL-X per 100 sq. ft. is approximately 400 lbs. broadcast per acre rate.

GFNFRAL WEED CONTROL

To control most weeds for an extended period of line on non-crop land such as Utility, Highway, Pipeline and kairoad Right of Way, Petroleum lank rarms, Lumboryards, Storage Areas, Industrial Plant Sites, and around Farm Buildings, apply 60 to 120 lbs. per acre to control ANNUAL WEEDS and GRASSES such as foxtail, crabgrass, ragweed, and lambs'-quarters.

883166

DRAFT C

CAUTION: Keep out of the reach of children.

EGISAF Non-selective Weedkiller

MAY CAUSE IRRITATION OF EYES, NOSE, THROAT, AND SKIN. Avoid breathing dust. Avoid contact with skin, eyes, and clothing.

IMPORTANT

Do NOT apply on or near desirable trees or other plants, or on other areas where their roots may extend, or in locations where the chemical may be washed or moved into contact with their roots. Do NOT use on lawns, walks, driveways, tennis courts, or similar areas. Do NOT apply near desirable plants. Do NOT contaminate domestic waters. Keep from contact with fertilizers, insecticides, fungicides, and seeds. Thoroughly clean application equipment after use. Do NOT use equipment with which GRANSIL-X has been applied for applying insecticides, fungicides, and fertilizers as plant injury may result.

ACTIVE INGREDIENTS:	By Wt.
Bromacil (5-bromo-3-sec-butyl-6-	
methyluracil) *	4.00%
INERT INGREDIENTS	96.00%

TOTAL — 100.00 %

*U.S. Pat. Pending, E.I. DuPont De Nemours & Company USDA Reg. No. 2342-594

Apply 140 to 240 lbs. per acre to control PEREN-NIAL WEEDS and GRASSES such as <u>Bahia grass</u>, dogfennel, goldenrod, plantain, and wild carrot.

Apply 300 to 600 lbs. per acre to control HARD-TO-KILL PERENNIAL GRASSES such as JOHNSON-GRASS, BERMUDAGRASS, DALLISGRASS, NUT-GRASS, and VASEYGRASS.

Use the higher levels of the dosage rates on adsorptive soils (usually those high in organic matter or carbon). Make application of GRANSIL-X just before or during the period of active growth of weeds.

For best results, vegetation should be cleared before treatment. This reduces fire hazard of dead weeds and aids in getting more even coverage of the area.

CONDITIONS OF SALE

All statements concerning the use of this product apply only when used as directed.

The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.