



FASCO



Net Contents
50 Pounds

PHOSDRIN DUST-2

7-18-72
2342-617

Product
No. 20-761331

FASCO PHOSDRIN DUST-2 is a quick acting insecticide for use against certain insect pests of crops, especially vegetable crops. PHOSDRIN acts and dissipates quickly and therefore can be used on vegetables within a relatively few days of harvesting without excessive residues remaining on the harvested crop. Rates of application and prescribed intervals between last application and harvest must be strictly complied with to avoid excessive residues.

DIRECTIONS

Use contrary to directions may cause serious plant, crop, or personal injury, excessive residues, unsatisfactory control or other unintended consequences.

Use only on crops named below. Begin dusting when pests appear and repeat as often as needed to maintain control. Use sufficient dust for thorough, even plant coverage.

BEANS — Against Aphids, Leafhoppers, Mites, and Grasshoppers, use 13 to 25 lbs. (no more) per acre. Do not treat later than 1 day before harvest.

BEETS (including tops), BRUSSELS SPROUTS, CAULIFLOWER, CELERY, COLLARDS, KALE, MUSTARD GREENS, TURNIPS (including tops) —

Against Aphids, Climbing Cutworms, Imported Cabbage Worms, Leafhoppers, Spider Mites, Cabbage Looper, Salt Marsh Caterpillar, and Grasshoppers use 13 to 25 lbs. (no more) per acre. Do not treat later than 3 days before harvest. (For hard to kill insects including Aphids on BRUSSELS SPROUTS, CAULIFLOWER, CELERY, COLLARDS, and KALE, use 50 lbs. (no more) per acre. Do not treat later than 3 days before harvest for BRUSSELS SPROUTS AND CAULIFLOWER, not later than 5 days for CELERY, or not later than 7 days before harvest for COLLARDS AND KALE when 50 lbs. rate is used).

BROCCOLI, CABBAGE — Against Aphids, Cabbage Looper, Imported Cabbage Worm, Climbing Cutworms, Grasshoppers, and Salt Marsh Caterpillar, use 13 to 25 lbs. (no more) per acre. Do not treat later than 1 day before harvest. (For hard to kill insects including Aphids, use 50 lbs. (no more) per acre. Do not treat later than 3 days before harvest when 50 lbs. rate is used).

CORN (Sweet), CUCUMBERS, EGG PLANT, OKRA, PEAS (including vines), PEPPER, STRAWBERRY, TOMATO — Against Aphids, Climbing Cutworms, Mites, Leafhoppers, Grasshoppers, Cabbage Looper, Salt Marsh Caterpillar, and Strawberry Leafroller, use 13 to 25 lbs. (no more) per acre. Do not treat later than 1 day before harvest for CORN, OKRA, PEAS, STRAWBERRY, OR TOMATO. Do not treat later than 2 days before harvest for CARROT, EGGPLANT, OR PEPPER.

LETTUCE, SPINACH — Against Aphids, Climbing Cutworms, Cabbage Looper, Imported Cabbage Worm, Mites, and Grasshoppers, use 13 to 25 lbs. (no more) per acre. Do not treat later than 2 days before harvest for LETTUCE, or later than 4 days before harvest for SPINACH. (For hard to kill insects including Aphids, use 50 lbs. (no more) per acre. Do not treat later than 4 days before harvest for LETTUCE, or later than 7 days before harvest for SPINACH when 50 lbs. rate is used).

CUCUMBER, CANTALOUPE, SQUASH (Summer), WATERMELONS — Against Aphids, Climbing Cutworms, Cabbage Looper, Mites, and GRASSHOPPERS, use 13 to 25 lbs. (no more) per acre. Do not treat CUCUMBER, CANTALOUPE, SUMMER SQUASH, or WATERMELONS later than 1 day before harvest.

ALFALFA, CLOVER — Against Aphids, Alfalfa Caterpillar, Climbing Cutworms, Mites, and Leafhoppers, use 13 to 25 lbs. (no more) per acre.

Do not treat ALFALFA and CLOVER later than 1 day before harvest.

DRAFT E

72-9348

DANGER: Keep out of the reach of children.



See Antidote statement and other required warnings on this label.

ACTIVE INGREDIENTS:	By Wt.
Alpha isomer of 2-carbomethoxy-1-methylvinyl Dimethyl Phosphate	1.2%*
Related Compounds	0.8%*
INERT INGREDIENTS	98.0%

TOTAL 100.00%

*Equivalent to 2.0% PHOSDRIN ** Insecticide
**Shell Registered Trademark

CONTAINER DISPOSAL

Do NOT re-use the container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies. Burn all empty bags, fiber drums, cartons and/or boxes completely and stay out of smoke.

PRECAUTIONS IN USING

Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Unprotected humans and animals should be kept out of treated fields on the day of treatment. Keep out of the reach of children and domestic animals. Do not contaminate food or feed products. Keep away from heat and open flame. Do not apply with hand equipment.

DANGER

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN, INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO PHOSDRIN POISONING.

Do not swallow or get in eyes, on skin, or on clothing. Do not breathe dust or vapors. Wear clean natural rubber gloves, clean, waterproof protective clothing, and goggles. Replace gloves frequently and destroy used gloves. Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for Phosdrin Insecticide protection. Wash thoroughly with soap and water after handling and before eating or smoking. If the material gets into the eyes, immediately flush with water for at least ten minutes and get medical attention.

In case of contact, remove all contaminated clothing and wash skin with soap and water; wash clothing before re-use. In case of spillage, wash down with large amounts of water. Decontaminate areas and equipment by washing with strong lye solution, then destroy used containers to prevent re-use.

ANTIDOTE AND FIRST AID TREATMENT

ATROPINE IS THE EMERGENCY ANTIDOTE FOR PHOSDRIN INSECTICIDE POISONING. Consult your physician about obtaining an adequate supply of 1/100 grain atropine tablets for emergency use. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water.) NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. **EXTERNAL:** If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes wash immediately with running water for at least ten minutes.

IF WARNING SYMPTOMS APPEAR: (See Warning Symptoms below). Keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport patient immediately to the nearest hospital.

NOTE TO PHYSICIAN

WARNING SYMPTOMS: Symptoms include weakness, headaches, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps. **TREATMENT:** Atropine is the specific therapeutic of choice against parasympathetic nervous stimulation, atropine sulfate should be injected at 10 minute intervals, in doses of 1 to 2 milligrams, until complete atropinization has occurred.

Pralidoxime chloride (2-PAM Chloride) may also be used as an effective antidote in addition to and while maintaining full atropinization. In adults, an initial dose of 1 gram of 2-PAM should be injected, preferably as an infusion in 250 cc of saline over a 15 to 30 minute period. If this is not practical, 2 PAM may be administered slowly by intravenous injection as a 5 percent solution in water over not less than two minutes. After about an hour, a second dose of 1 gram of 2-PAM will be indicated if muscle weakness has not been relieved. For infants and children the dose of 2-PAM is 0.25 grams.

Morphine is an improper treatment. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained as determined by blood test.

DANGER TO FISH AND WILDLIFE

Birds feeding on treated areas may be killed. This product will kill fish and wildlife. Keep out of any body of water. Do not apply when weather conditions favor drift of this product from areas treated.

CONDITIONS OF SALE

All statements concerning the use of this product apply only when used as directed.

The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.

E.P.A. Reg. No. 2342-617

Manufactured by



KERR-MCGEE CHEMICAL CORP.

Jacksonville, Florida, U.S.A.

General Offices, Oklahoma City, Oklahoma