

Jul-5-1977

2347-459



Net Contents
50 Pounds

P-D-Q SHADE PARA THIODAN® ZINEB DUST 1-3-13

Contains 1% Parathion, 3% THIODAN® and 13% Zineb

Product
No. 20-761081

FASCO P-D-Q SHADE PARA THIODAN® ZINEB DUST 1-3-13 contains 1% Parathion insecticide, 3% THIODAN® insecticide, and 13% Zineb fungicide for control of certain insects and diseases attacking shade tobacco. The product is formulated in an inert carrier that is light, fluffy and brown in color.

DIRECTIONS

Use contrary to these directions may result in injury to the foliage, in unsatisfactory control or in other unintended consequences.

SHADE TOBACCO: IN PLANT BEDS, use against Aphids (plant lice), Flea Beetles, and Blue Mold. Apply 1/2-1 pound per 100 Sq. Yds. beginning when plants are the size of a dime, and before Blue Mold is first reported in the area. Dust every 3 days. Do not apply within 5 days before transplanting.

IN FIELD OR SHADE: Against Aphids, Flea Beetles, Cabbage Loopers, Hornworms, begin dusting when pests first appear and apply for uniform coverage of above ground parts. Use 15 to 20 lbs. per acre increasing gradually to 25 lbs. as the plants grow. Repeat at 5 to 7 day intervals. Do not exceed 25 lbs. per acre. Do not apply to tobacco within 5 days of priming or 15 days of cutting. Avoid plant juices coming in contact with the skin while cutting or priming the crop.

SPECIAL NOTE — When workers must handle tobacco within 5 days after application of this product, they should be protected against skin contact by wearing clean, dry, cotton gloves and tightly woven clothing (This product should be applied only by a trained operator.) Do not apply this product with equipment that allows the dust to intimately contact the operator. Do not use on crops other than tobacco.

CONTAINER DISPOSAL

Do NOT re-use the container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies. Burn all empty bags, fiber drums, cartons and/or boxes completely and stay out of smoke. Bury ashes and residues where residual toxic metals (i.e. arsenicals) are concerned.

DANGER

May be fatal if swallowed, inhaled, or absorbed through skin! Rapidly absorbed through skin! Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to parathion poisoning. Do not get in eyes, on skin, or on clothing. Wear natural rubber gloves, goggles and clean water-proof or freshly laundered protective clothing,

DANGER: Keep out of the reach of children.



See Antidote statement and other required warnings on this label.

E.P.A. Reg. No. 2342-659

ACTIVE INGREDIENTS	BY WT.
Parathion (O,O-diethyl O-p-nitrophenyl thiophosphate)	1.00%
*Endosulfan	3.00%
Zineb (zinc ethylene bisdithiocarbamate)	13.00%
INERT INGREDIENTS	83.00%
<small>*Hexachlorohexahydromethano 2,4,3-Benzodioxathiepin Oxide U.S. Patent No. 2,799,685</small>	
Total — 100.00%	

(coveralls, cap, etc.). Destroy and replace gloves frequently. Wash thoroughly with soap and warm water before eating or smoking. Bathe immediately after work and change all clothing. Wash clothing thoroughly with soap and hot water before re-use. In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water. Do not breathe dust or vapor. Wear a wash or respirator or a type passed by the U.S. Bureau of Mines for parathion protection. Airplane pilots should wear full-face canister-type mask. If handled indoors provide mechanical exhaust ventilation. Keep all unprotected persons out of the area or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Do not store near food or feed products. Bury spillage; clean up area with strong lye solution.

FIRST AID TREATMENT

ATROPINE IS AN ANTIDOTE — CONSULT PHYSICIAN FOR

EMERGENCY SUPPLY. • CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED PARATHION POISONING. If symptoms or signs of poisoning include blurred vision, abdominal cramps and tightness in the chest, don't wait for a doctor but give two atropine tablets (each 1/100 gr.) at once. "Consult your physician about obtaining an adequate supply of 1/100 gr. atropine tablets for emergency use."

Remove patient immediately from the area where Parathion is present. Remove contaminated clothing and wash the skin clean with plenty of soap and water to remove all traces of parathion. If swallowed, induce vomiting by giving warm salty or soapy water. Repeat until vomit fluid is clear. Have victim lie down and keep quiet. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PATIENT.

PHYSICIAN'S NOTE — Warning symptoms include weakness, headache, tightness in the chest; blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT — Give atropine, preferably by injection, grains 1/100 two or three tablets at once and parenterally or orally every hour as required up to 30 tablets, or until pupils dilate. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood tests.

DANGER TO FISH AND WILDLIFE

This product is toxic to fish, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water.

Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated.

Do not contaminate water by cleaning of equipment, or disposal of wastes.

Apply this product only as specified on this label.

CONDITIONS OF SALE

All statements concerning the use of this product apply only when used as directed.

The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.

Manufactured by



KERR-MCGEE CHEMICAL CORP.

Jacksonville, Florida, U.S.A.

General Office, Oklahoma City, Oklahoma