



Net Contents
50 Pounds

COPPER-SEVIN* -SUL DUST 3.4-10-82

Product No.
20-768813

FASCO COPPER-SEVIN*-SUL DUST 3.4-10-82 is a combination insecticide-fungicide dust containing Copper, SEVIN insecticide, and Sulphur for use on peanuts as described below.

DIRECTIONS

PEANUTS. — Against Spotted Cucumber Beetle (Southern Corn Rootworm), Thrips, Velvet Bean Caterpillar, Corn Earworm (Bollworm), Armyworm, Leafhoppers, and Leafspot apply 12 lbs. per acre when insects or disease first appear. Repeat at 7 to 10 day intervals as needed. Do not exceed 15 lbs. per acre. May be applied up to day of harvest.

If this product is used in accordance with label directions, the above crop may be grazed or harvested for use as feed for dairy and meat animals without resulting in residues in milk or meat.

NOTE: Crops having residues in excess of their permitted tolerances should not be marketed and to do so may violate State law and will violate Federal law when sold in interstate commerce. Such crops should not be marketed without removal of such excess residues.

ACTIVE INGREDIENTS

Copper (Derived from Brown Copper Oxide)	3.40 %
Carbaryl (1-naphthyl N-Methylcarbamate)	10.00 %
Sulphur	82.00 %
INERT INGREDIENTS	4.60 %

TOTAL — 100.00 %

CAUTION: Keep Out of the Reach of Children.
See additional cautions on this label.

Mesh Test: Not less than 90 % through a 325 mesh screen.

U. S. PATENT NO. 2,903,478

*Sevin, Trade-Mark of Union Carbide Corp. for 1-naphthyl N-methyl carbamate.

E.P.A. Reg. No. 2342-698

CONDITIONS OF SALE

All statements concerning the use of this product apply only when used as directed. The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.

DRAFT B

72-9245

CAUTION

HARMFUL IF SWALLOWED OR INHALED. Do not breathe dust. Do not take internally. Skin contact may be harmful. Avoid contact. Wash hands before eating or smoking. Take shower or bath after work. Wear regular long sleeved work clothing. Change to clean clothing daily. Avoid contamination of foodstuffs. Avoid contamination of feed, feeding troughs, and watering receptacles. Sulphur may burn foliage when temperatures are high. Do not make sulphur applications at such times.

Do not apply when weather conditions favor drift of dust from crop treated areas.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperator Agricultural Extension Service.

CONTAINER DISPOSAL

Do not reuse empty container. Destroy when empty.

NOTE TO PHYSICIAN: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal.

Manufactured by



KERR-MCGEE CHEMICAL CORP.

General Offices Oklahoma City, Oklahoma

Jacksonville, Florida, U.S.A.