FASCO

Net Contents 50 Pounds

ACTIVE INGREDIENTS

GRANSIL SUPER 85 PELLETS

Product No. 3-1:18-1

BY WT. *Bromacil (5-bromo-3-sec-butyl-6-methyluracil) --- 85.00% JUN 20003 INERT INGREDIENTS ----- 15.00%

TOTAL ---- 100.00%

*U.S. Pat. 3,235,357

USDA Reg. No.

CAUTION: Keep Out of the Reach of Children MAY CAUSE IRRITATION OF EYES, NOSE, THROAT, AND SKIN. Avoir preathing dust. Avoid contact with skin, eyes, and clothing.

IMPORTANT

Do NOT apply on or near desirable trees or other plants, or on other areas where their roots may extend or in locations where the chemical may be washed or moved into contact with their roots. Do NOT use on lawns, walks, driveways, tennis courts, or similar areas. Do NOT apply near desirable plants. Do NOT contaminate domestic or irrigation waters. Keep from contact with fertilizers, fungicides, insecticides and seeds. Thoroughly clean application equipment after use. Do NOT use equipment with which GRANSIL SUPER 85 PELLETS have been applied for applying insecticides, fungicides, and fertilizers as plant injury may result. GRANSIL SUPER 85 PELLETS is a granular non-selective weedkiller designed to be applied dry to th urface of the ground for control of weeds. The kill of weeds may be slow as the chemical is absorbed through roots of weeds and must be carried to root zone by moisture. The legree of control and duration of effect will vary with the amount of chemical applied, soil type, rainfall, and other conditions.

DIRECTIONS

Apply GRANSIL SUPER 35 PELLETS just before or during the period of active growth of weeds.

GENERAL WEED CONTROL - To control most weeds for an extended period of time on non-cropland areas such as RAILROADS, HIGHWAY AND PIPELINE RIGHT-OF-WAYS, PETROLEUM TANK FARMS, LUMBERYARDS, STORAGE AREAS, and INDUSTRIAL PLANT SITES. Apply 7 to 12 pounds per acre to control PERENNIAL WEEDS and GRASSES such as smooth brome, Bahiagrass, bluegrass, redtop, purpletop, quackgrass, broomsedge, aster, dandelion, dog fennel, goldenrod, plaintain and wild carrot.

SPECOMA CHARMA

6-20-69 . 2.342 100

DIRECTIONS (Cont'd)

Apply 15 to 30 lbs. per acre to control JOHNSONGRASS; use at the same rate for OTHER MARD-TO-KEET. PERENNIAL WEEDS and GRASSES such as Bermudagrass, Dallisgrass, nutgrass, Vaseygrass, saltgrass, bouncingbet, dogbane, bracken fern and horsetail. Use the higher levels of the dosage ranges on adsorptive soils (usually those high in organic matter or carbon).

CONDITIONS OF SALE

All statements concerning the use of this product apply only when used as directed. The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.

> Manufactured by FLORIDA AGRICULTURAL SUPPLY COMPANY Jacksonville, Florida, U.S.A.

DRAFT A-1