

2-10 Pounds Bags

### DIRECTIONS FOR USE

IMPORTANT: Read these entire Directions and Con-Conditions of Sale before Using FASCO CATTLE "BUTT" BAG.

### LOUSE AND HORN FLY CONTROL:

Suspend FASCO CATTLL "BUTT" BAG in areas frequented by cattle or in gateways or lanes through which the animals pass daily for water, feed or mineral. Bags may also be suspended in loafing sheds or in front of protected mineral feeders. For lactating dairy cows, FASCO CATTLE "BUTT" BAG may be suspended in the exit through which cows leave the milking barn. In all cases, the dust bags should be adjusted so that the bottom of the bag will hang four to six inches below the topline of the cattle.

### INSTALLATION OF FASCO CATTLE "BUTT" BAG:

Suspend the dust bags by inserting rope, chain, or wire through the grommets at the top of the bag and attaching to an overhead structure or by hooking the grommets into hooks fixed to a stationary overhead 2 x 4 at the height recommended for horn fly control. In areas of frequent or heavy rainfall, FASCO CATTLE "BUTT" BAG should be protected from the weather.

Install as many 10 pound FASCO CATTLE "BUTT" BAGS as necessary in lanes or other openings to assure proper dusting of the animals. After the bags are in place, pull the rip cord to allow the insecticide to fall into the bottom of the bag. When dust bags are provided on a free-choice basis, allow one 10-pound FASCO CATTLE "BUTT" BAG per 10 to 20 animals.

# (CATTLE DUST BAG)

FOR CONTROL OF LICE AND HORN FLIES ON BEEF AND DAIRY CATTLE.

\*Contains (R) CO-RAL (or coumaphos)

## **ACTIVE INGREDIENTS**

O,O-Diethyl O- [3-chloro-4-methyl-2oxo-(2H)-1-benzopyran-7-ly] phosphorothioatet **INERT INGREDIENTS** 

**@CO-RAL is Reg. T.M. in United States and Canadian Patent Offices** by Farbenfabriken Bayer A.G., Chemagro Corporation is licensee.

USDA Reg. No. 2342-701

10.5. Patent No. 2,748,146; Canadian Patent No. 523,206

**CAUTION:** Keep out of the reach of children. See additional cautions on this label.

Jun-19-1977-

3-1107-3

Do not hang dust bag over feed, mineral, or water troughs.

CAUTION

**RESTRICTIONS:** 

BY WT.

1.00% 99.00%

# TOTAL — 100.00%

Harmful if inhaled or absorbed through the skin. Do not get in eyes, on skin or on clothing. Do not breathe dust. Wash thoroughly with soap and warm water after handling. Do not contaminate food or feed. Keep out of reach of children. If poisoning occurs obtain prompt medical aid. Prolonged exposure will result in cholinesterase depression.

TO PHYSICIAN: Atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

# CONTAINER DISPOSAL

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke and fumes.

# CONDITIONS OF SALE

All statements concerning the use of this product apply only when used as directed.

The manufacturer makes no warrant ;, expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.

DRAFT E-1 3342-701 71-7188

Jacksonville, Florida, U.S.A.