

NET CONTENT
GALLONS

FASCO

PRODUCT
NO. 20-75994

FASCO ETHYL METHYL PARATHION 6-3 EC is a systemic insecticide for control of sucking insects on a wide range of crops. It is highly effective against aphids, beet beetles, leafhoppers, and other sucking insects. It is also effective against some chewing insects such as grasshoppers and crickets.

DIRECTIONS FOR USE

Apply FASCO to the soil or foliage of the crop. It is absorbed by the plant and moves through the vascular system to the leaves and stems. It is highly effective against sucking insects and some chewing insects.

GALLONAGE - For general use, apply 1.5 to 2.0 gallons per acre. For heavy infestations, apply 2.5 to 3.0 gallons per acre.

For general application, use a broadcast or band application method. For spot applications, use a hand sprayer or backpack sprayer.

VEGETABLES - DO NOT APPLY ETHYL METHYL PARATHION 6-3 EC TO THE FOLLOWING CROPS WITHIN 5 DAYS OF HARVEST:

POTATOES - Do not apply FASCO to potatoes for control of Colorado potato beetle or other insects. Do not apply FASCO to potatoes for control of Colorado potato beetle or other insects.

DO NOT APPLY ETHYL METHYL PARATHION 6-3 EC ON THE FOLLOWING CROPS WITHIN 15 DAYS OF HARVEST:

BEETS - Do not apply FASCO to beets for control of Colorado potato beetle or other insects. Do not apply FASCO to beets for control of Colorado potato beetle or other insects.

CARROTS - Do not apply FASCO to carrots for control of Colorado potato beetle or other insects. Do not apply FASCO to carrots for control of Colorado potato beetle or other insects.

CUCUMBERS - Do not apply FASCO to cucumbers for control of Colorado potato beetle or other insects. Do not apply FASCO to cucumbers for control of Colorado potato beetle or other insects.

ONION - Do not apply FASCO to onions for control of Colorado potato beetle or other insects. Do not apply FASCO to onions for control of Colorado potato beetle or other insects.

PEAS - Do not apply FASCO to peas for control of Colorado potato beetle or other insects. Do not apply FASCO to peas for control of Colorado potato beetle or other insects.

PEPPERS - Do not apply FASCO to peppers for control of Colorado potato beetle or other insects. Do not apply FASCO to peppers for control of Colorado potato beetle or other insects.

SWEET POTATOES - Do not apply FASCO to sweet potatoes for control of Colorado potato beetle or other insects. Do not apply FASCO to sweet potatoes for control of Colorado potato beetle or other insects.

TOMATOES - Do not apply FASCO to tomatoes for control of Colorado potato beetle or other insects. Do not apply FASCO to tomatoes for control of Colorado potato beetle or other insects.

TURNIPS - Do not apply FASCO to turnips for control of Colorado potato beetle or other insects. Do not apply FASCO to turnips for control of Colorado potato beetle or other insects.

DO NOT APPLY ETHYL METHYL PARATHION 6-3 EC ON THE FOLLOWING CROPS WITHIN 21 DAYS OF HARVEST:

BEANS - Green - Do not apply FASCO to green beans for control of Colorado potato beetle or other insects. Do not apply FASCO to green beans for control of Colorado potato beetle or other insects.

CABBAGE AND COLE CROPS - Do not apply FASCO to cabbage and cole crops for control of Colorado potato beetle or other insects. Do not apply FASCO to cabbage and cole crops for control of Colorado potato beetle or other insects.

CELERY - Do not apply FASCO to celery for control of Colorado potato beetle or other insects. Do not apply FASCO to celery for control of Colorado potato beetle or other insects.

COLLARDS, KALE, MUSTARD GREENS AND SPINACH - Do not apply FASCO to collards, kale, mustard greens and spinach for control of Colorado potato beetle or other insects. Do not apply FASCO to collards, kale, mustard greens and spinach for control of Colorado potato beetle or other insects.

LETTUCE - Do not apply FASCO to lettuce for control of Colorado potato beetle or other insects. Do not apply FASCO to lettuce for control of Colorado potato beetle or other insects.

RUTABAGAS - Do not apply FASCO to rutabagas for control of Colorado potato beetle or other insects. Do not apply FASCO to rutabagas for control of Colorado potato beetle or other insects.

FIELD CROPS

DO NOT APPLY ETHYL METHYL PARATHION 6-3 EC ON THE FOLLOWING CROP WITHIN 5 DAYS OF HARVEST:

COTTON - Do not apply FASCO to cotton for control of Colorado potato beetle or other insects. Do not apply FASCO to cotton for control of Colorado potato beetle or other insects.

CAUTION - Do not apply FASCO to cotton for control of Colorado potato beetle or other insects. Do not apply FASCO to cotton for control of Colorado potato beetle or other insects.

DO NOT APPLY ETHYL METHYL PARATHION 6-3 EC ON THE FOLLOWING CROP WITHIN 20 DAYS OF HARVEST OR FORAGE USE:

SOYBEANS - Do not apply FASCO to soybeans for control of Colorado potato beetle or other insects. Do not apply FASCO to soybeans for control of Colorado potato beetle or other insects.



CONDITIONS OF SALE


FASCO is sold as a concentrate and must be diluted before use. It is highly effective against sucking insects and some chewing insects.

FASCO is sold as a concentrate and must be diluted before use. It is highly effective against sucking insects and some chewing insects.

FASCO is sold as a concentrate and must be diluted before use. It is highly effective against sucking insects and some chewing insects.

FASCO is sold as a concentrate and must be diluted before use. It is highly effective against sucking insects and some chewing insects.



DANGER- POISON- PRECAUTIONS 

POISONOUS IF SWALLOWED

POISONOUS BY SKIN CONTACT

POISONOUS IF BREATHED

POISONOUS TO FISH AND WILDLIFE

Manufactured by
KERR-MCGEE CHEMICAL CORP.
Jacksonville, Florida, U.S.A.
General Offices - Oklahoma City, Oklahoma

20-71
243 702

READ LABEL BEFORE USING

ALWAYS WEAR PROTECTIVE EQUIPMENT

See Side Panels
for Antidote &
Precautions

Keep Out of
Reach of
Children

ETHYL METHYL PARATHION 6-3 EC

ACTIVE INGREDIENT
INERT INGREDIENT

BY WT

FERRUGINE CHEMICAL CORP

NOT FOR HOME USE

READ CAREFULLY BEFORE USING:

Keep Out of
Reach of
Children

PARATHION 6-3 EC

BY WT

FOR HOME USE

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING.

When using this product, wear the following protective equipment and clothing: long-sleeved shirt, long pants, shoes, and socks. Do not wear jewelry. Do not eat, drink, or smoke while using this product. Wash hands thoroughly after use.

WORK SAFETY RULES

1. Do not use in confined spaces.

FIRST AID TREATMENT

1. If inhaled, get fresh air immediately.

2. If on skin, wash with soap and water.

3. If in eyes, flush with water for 15 minutes.

4. If swallowed, do not induce vomiting.

KEEP OUT OF REACH OF CHILDREN

See back panel for complete instructions.

Do not use in confined spaces.

Do not use in areas where children or animals play.

Do not use in areas where food is stored.

Do not use in areas where food is prepared.

Do not use in areas where food is served.

Do not use in areas where food is consumed.

Do not use in areas where food is stored.

Do not use in areas where food is prepared.

Do not use in areas where food is served.

Do not use in areas where food is consumed.