



FAS-KIL is a water emulsifiable insecticidal concentrate designed for use against certain insect pests attacking economic crops described on the label.

USE IN POWER-OPERATED GROUND SPRAYERS Use specified dosage of the spray concentrate in 10 gallons of water (low volume) to 50-100 gallons (high volume) per acre.

USE IN AERIAL APPLICATION Use specified dosage of the spray concentrate in 10 gallons of water per acre.

DIRECTIONS FOR USE

Use contrary to these directions may cause serious plant, crop or personal injury, excessive residues, unsatisfactory control or other unintended consequences. For best results premix with a small amount of water and mix well before addition to spray tank.

COTTON: (Early Season) Apply when needed at rate of 1 quart per acre (1 gallon per 4 acres) against overwintered Boll Weevil, Thrips, Cutworms, Cotton Fleahopper and Tarnished Plant Bug. Workers entering treated fields within 24 hours after application should wear protective clothing. **(FRUITING STAGE)** Apply when needed at the rate of 1 1/3 quarts per acre (1 gallon per 3 acres) against Boll Weevil, Cotton Bollworm, Aphids, Spider Mites, Tobacco Budworms, Cotton Fleahoppers, Tarnished Plant Bug, Rapid Plant Bugs, Stink Bugs, Cotton Leafworms and Fall Armyworms. Do not apply within 7 days of hand picking or harvest. Do not graze dairy animals or animals being finished for slaughter in fields treated late in the season.

SOYBEANS: Against Armyworms, Velvetbean Caterpillars, Corn Earworms, blister Beetles, Mexican Bean Beetles, and Stink Bugs, apply 1 1/3 quarts per acre (1 gallon per 3 acres) in sufficient water for good coverage. Make application when insects first appear, repeat as needed. Do not apply more than two applications per growing season. Do not apply within 21 days of harvest. Do not feed treated plants or ensilage made from treated plants to poultry, dairy animals, or animals being finished for slaughter. Do not feed soybean mill trash to livestock or poultry.

DANGER TO BEES: This product is toxic to bees and should not be applied when they are actively visiting the area.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

CONTAINER DISPOSAL

Do not re-use the container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies. **ONE GALLON, FIVE GALLON, THIRTY-GALLON AND FIFTY-FIVE GALLON DRUMS**

Pour the following mixture into the empty container:
 1-gallon and 5-gallon drums - 2 quarts water, 1/2 cup caustic soda (household lye), 2 tablespoonfuls detergent.
 30-gallon drums - 3 gallons water, 1 pound caustic soda (household lye), 1/2 cup detergent.
 55-gallon drums - 5 gallons water, 2 pounds caustic soda (household lye), 1 cup detergent. Rotate container carefully until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated location away from water supplies.

CAUTION: Handle caustic soda (household lye) with extreme care. Do not get on skin, eyes, or on clothing. Read all directions and follow them carefully. Punch holes in top and bottom of the container, crush the container and bury in an isolated area.

If the above rinse solutions cannot be used, punch holes in the top of the container and burn in a hot fire until all the paint has been completely burned off the container. Extreme cautions should be exercised to insure that the containers are completely empty and that persons stay well away from the smoke and fumes. Do not attempt to burn more than five containers at one time.

POST TREATED AREA


Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONDITIONS OF SALE

All statements concerning the use of this product apply only when the product is used as directed. **THERE ARE NO WARRANTIES, INCLUDING MERCHANTABILITY WHICH EXTEND BEYOND THE DESCRIPTION ON THE LABEL.** The manufacturer shall in no event be liable for consequential damages. Read all directions carefully.

STOP! READ THE LABEL

POISON
 See Side Panels
 for Antidote &
 Precautions



POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN
 CALL PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED METHYL PARATHION POISONING

FAS-KIL

COTTON AND SOYBEAN INSECTICIDE SPRAY

ACTIVE INGREDIENTS

O,O dimethyl O-p-nitrophenyl phosphorothioate
 Toxaphene (chlorinated camphene)
 (Chlorine content 67 to 69%)
 Xylene range solvents

INERT INGREDIENTS

† Methyl Parathion

Contains 6 pounds Actual Toxaphene plus 3 pounds Actual Methyl Parathion per gallon

NOT FOR HOME USE

NET CONTENTS GALLONS
 Product No. 20-77971

EPA REG. NO. 101-711



MANUFACTURED BY
KERR-McGEE CHEMICAL CORPORATION
 OKLAHOMA CITY, OKLAHOMA