



# FASCO



Net Contents  
50 Pounds

## TOXAPHENE DUST-10

Product No.  
20-779132

FASCO TOXAPHENE DUST-10 is an insecticidal dust containing Toxaphene as the active ingredient. This product may be applied with ground or airplane equipment.

### DIRECTIONS

Use contrary to these directions may cause serious plant, crop or personal injury, excessive residues, unsatisfactory control, or other unintended consequences.

**TOMATOES** — Against Tomato Fruitworm, Hornworm, Cutworms, Thrips, Leaf Miners and Stink Bugs, use 20 pounds per acre. For Cutworms apply to soil around plants. Do not apply to tomatoes later than 3 days before harvest; remove residues from harvest by washing, wiping or other effective means.

**SWEET CORN** — Against Budworms and Grasshoppers, use 25 to 30 pounds per acre. Make application when insects first appear; repeat at one to two week intervals as needed. Do not feed forage to dairy animals or animals being finished for slaughter.

**BEEF** — Against Armyworms, Cutworms, Green Cutworms and Thrips, use 20-40 pounds per acre. For Cutworms apply to the soil around the plants. Do not apply after insects begin to burrow or after plants are fully grown.

**CABBAGE, CAULIFLOWER** — Against Cabbage Looper, Cabbage Rootfly and Cutworms, use broadcast application at 20-40 pounds per acre. Do not apply after heads or edible parts of cauliflower begin to form. For cabbage, etc., apply after heads begin to form.

**CAUTION: Keep out of reach of children. Read entire label for other cautions.**

E.P.A. Reg. No. 2342-117

ACTIVE INGREDIENT	By WT.
Toxaphene (Technical Chlorinated Camphene)*	10.00%
(Chlorine Content 67% to 69%)	
INERT INGREDIENTS	90.00%

Total 100%

### CONTENTS OF LABEL

All statements concerning the use of this product apply only when used as directed. For more information, contact your nearest FASCO representative concerning this product or for a copy which extends beyond the description on this label. Read the entire label carefully.

www.fasco.com

**NOTE** — Crops having residues in excess of their permitted tolerances should not be marketed and to do so may violate State law and will violate Federal law when sold in interstate commerce. Such crops should not be marketed without removal of such excess residues.

### CAUTION

Harmful if Swallowed! Avoid breathing of dust. Avoid contact with eyes, skin and clothing. Wash thoroughly after using. Avoid contamination of feed and foodstuffs.

Do not use on Toxaphene sensitive plants such as cucurbits, melons, peppers, and turnips. The repeated or heavy use of Toxaphene may cause chlorosis and thickening of the leaves of certain plants such as tomatoes. Do not apply to edible portions of food crops later than 30 days before harvest unless otherwise stated above. Do not use on forage crops to be fed to dairy animals or on crops to be used for animal quarters.

**PRECAUTION** — This product is toxic to fish and birds. Do not apply to water bodies. For more information visit our website.

### CAUTION TO FISH AND WILDLIFE

This product is highly toxic to fish and wildlife. Do not apply to water bodies or to areas adjacent to water bodies. Do not apply to water bodies. Do not apply to water bodies. Do not apply to water bodies.

### CONTAINER DISPOSAL

Do not reuse containers. Destroy containers by burying in water or by burning. Stay well away from smoke and fumes. Bury containers well away from water supplies.

Manufactured by



**KERR-MCGEE CHEMICAL CORP.**

Jacksonville, Florida, U.S.A.

General Offices Oklahoma City, Oklahoma