



FASCO

9130/21

23-12-111

Net Contents
50 Pounds

TOXAPHENE-PARATHION DUST 10-2

Product No.
779531

FASCO TOXAPHENE-PARATHION DUST 10-2 contains Toxaphene and Parathion. Use only as directed and follow cautions and warnings at all times.

DIRECTIONS

Use contrary to these directions may cause serious plant, crop or personal injury, excessive residues, unsatisfactory control or other unintended consequences.

TOMATOES, CELERY, PEPPERS and EGGPLANT: Against Fruitworm, Hornworm, Thrips, Stinkbugs, Aphids, Serpentine Leaf Miner, Flea Beetle and mobile stages of Spider Mites, use at the rate of 20 lbs. per acre. Begin dusting when Aphids first appear and repeat every 3 to 10 days if needed.

Do not apply this dust to Peppers or Eggplant later than 15 days before harvest; 10 days for Tomatoes. Do not use after Celery is half grown or begins to bunch. Remove excess residues from Tomatoes at harvest.

CABBAGE, CAULIFLOWER, BROCCOLI: Against Aphids, Diamond Back Moth Larvae, Imported Cabbageworm and Armyworm use at the rate of 20 (not over 25 lbs.) per acre every 3 to 10 days as needed. Do not use on cauliflower or broccoli after the edible parts begin to form. Do not use on cabbage after heads begin to form.

NOTE — Crops having residues in excess of their permitted tolerances should not be marketed and to do so may violate State law and will violate Federal law when sold in interstate commerce. Such crops should not be marketed without removal of such excess residues.

DANGER

Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. Repeated inhalation or skin contact may without symptoms, progressively increase susceptibility to parathion poisoning. Do not get in eyes, on skin, or on clothing. Wear natural rubber gloves, goggles, and clean water proof or freshly laundered protective clothing (coveralls, cap, etc.) Destroy and replace gloves frequently. Wash thoroughly with soap and warm water before eating or smoking. Bathe immediately after work and change all clothing. Wash clothing thoroughly with soap and hot water before re-use. (In case of contact immediately remove contaminated clothing and wash skin thoroughly with soap and water. Do not breathe dust or vapor. Wear a major protective respirator of a type passed by the U.S. Bureau of Mines for Parathion protection. Airplane pilots should wear full face canister type

DANGER: Keep out of the reach of children.



See Antidote statement and other required warnings on this label.

ACTIVE INGREDIENTS	BY WT.
Parathion (O, O-diethyl O-p-nitrophenyl thiophosphate)	2.00%
Toxaphene (Chlorinated Camphene)* (Chlorine Content 67% to 69%)	10.00%
INERT INGREDIENTS	88.00%
TOTAL	100.00%

* EPA Reg. No. 144, 741

mask. If handled indoors provide mechanical exhaust ventilation. Keep all unprotected persons out of the area or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticides and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. To protect fish and wildlife, do not contaminate streams, lakes or ponds with this product. Do not store near food or feed products. Bury spilled clean up area with strong eye solution.

CONTAINER DISPOSAL

Do NOT re-use the container. Completely empty the contents and bury the residue chemical at least 18 inches deep in an isolated location away from water supplies. Burn all empty bags, fiber drums, cartons and/or boxes completely and stay out of smoke and fumes. Bury ashes and residues where residual toxic metals (i.e. arsenicals) are concerned.

FIRST AID TREATMENT

CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED

PARATHION POISONING.

If symptoms or signs of poisoning include blurred vision, abdominal cramps and tightness in the chest, don't wait for a doctor but give two atropine tablets (each 1 100 gr.) at once. Consult your physician about obtaining an adequate supply of 1 100 gr. atropine tablets for emergency use. 2-PAM is also antidotal.

Remove patient immediately from the area where parathion is present. Remove contaminated clothing and wash the skin clean with plenty of soap and water to remove all traces of parathion. If swallowed, induce vomiting by giving warm salty or soapy water. Have patient lie down and keep quiet. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PATIENT.**

PHYSICIAN'S NOTE — Warning symptoms include weakness, headache, tightness in the chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT — Give atropine, preferably by injection, grains 1 100 two or three tablets at once and parenterally or orally every hour as required up to 30 tablets or until pupils dilate. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been established by blood tests.

DANGER TO FISH AND WILDLIFE

This product will kill fish and wildlife. Keep out of any body of water. Birds feeding on treated areas may be killed. Do not apply when weather conditions favor drift from areas treated. Do not apply where run off is likely to occur. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on this label.

CONDITIONS OF SALE

All statements concerning the use of this product apply only when used as directed. The manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.