

DIRECTIONS: Fore fungicide is in wettable powder form to be mixed with water for spray application as follows:

Turf Diseases: Dollar Spot, Fusarium Blight, Copper Spot, Slime Molds: In a protective program in spring, use 4 ozs. in 10 gal. water per 1,000 sq. ft. (Use 6 ozs. for Dollar Spot.) Repeat every 14 days. When conditions favor disease development, use 6 ozs. and repeat every 7 days. **Helminthosporium Melting Out, Rhizoctonia Brown Patch, Rust:** Use 4 ozs. as above every 7 to 14 days (every 7 days for Brown Patch). **Pythium:** Use 6 ozs. per 750 square feet of turf. Repeat every 5 days.

Do not graze treated areas. Do not feed clippings to livestock.

Ornamental Diseases: Mix 1½ level tablespoons per gal. water and spray thoroughly as follows: **Black Spot** on roses: Begin spraying when plants are well leafed out and apply every 7-10 days throughout the season. **Petal Blight** on camellias and azaleas: Spray 2 to 3 times weekly while flowers are opening and in bloom. Apply also to the soil and litter around plants while they are in bloom. **Botrytis Petal Spot** on chrysanthemums: Spray twice weekly during blooming season.

CAUTION: Harmful if swallowed. May cause irritation of nose, throat, eyes and skin. Do not breathe dust or spray mist. In case of skin contact, wash with water; for eyes, wash copiously with water and get medical attention.

DO NOT REUSE CONTAINER. DESTROY WHEN EMPTY.

IMPORTANT: Keep away from fire sparks. Store in a cool, dry place. Do not allow to become wet or over-heated in storage. This may bring on chemical changes which will impair the fungicidal effectiveness of FORE and may also generate flammable vapors. Keep container closed when not in use.

CONDITIONS OF SALE: All statements concerning the use of this product apply only when used as directed. The manufacturer makes no warranties expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.

*FORE is manufactured by and is a trademark of Rohm and Haas Co. U.S. Patents 2,504,404, 2,974,156 and Patent Pending.

ACCEPTED

10/25/72
2342-762

UNDER THE FEDERAL INSECTICIDE,
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO.



POSITIVE PESTICIDES

FORE* Fungicide

CONTROLS Black Spot, Brown Patch,
Petal Blight, Rust, Molds

ACTIVE INGREDIENT

A co-ordinator product of zinc ion and manganese ethylene bisdithiocarbamate	80%
In which the ingredients are	
Manganese++	16%
Zinc++	2%
Ethylene bisdithiocarbamate ion (C ₂ H ₂ N ₂ S ₂)	62%
INERT INGREDIENTS	20%

CAUTION: Keep out of reach of children.
See back panel for additional cautions.

Net Contents 6 Ounces

Product No. 735692 • Draft B • EPA Reg. No. 2342-762

Manufactured for Kerr-McGee Chemical Corp

Jacksonville, Florida U.S.A. • General Offices Oklahoma City Oklahoma



ACCEPTED
 10/25/72
 2342-762
 UNDER THE FEDERAL INSECTICIDE,
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTERED
 UNDER NO.



POSITIVE PESTICIDES

FORE* Fungicide

CONTROLS Black Spot, Brown Patch,
 Petal Blight, Rust, Molds

ACTIVE INGREDIENT	
A coordination product of zinc ion and manganese ethylene bisdithiocarbamate	80%
In which the ingredients are	
Manganese++	16%
Zinc++	2%
Ethylene bisdithiocarbamate ion (C ₂ H ₂ N ₂ S ₂)	62%
INERT INGREDIENTS 20%	

CAUTION: Keep out of reach of children.
 See back panel for additional cautions.
Net Contents 6 Ounces

DIRECTIONS: Fore fungicide is in wettable powder form to be mixed with water for spray application as follows:

Turf Diseases: Dollar Spot, Fusarium Blight, Copper Spot, Slime Molds: In a protective program in spring, use 4 ozs. in 10 gal. water per 1,000 sq. ft. (Use 6 ozs. for Dollar Spot.) Repeat every 14 days. When conditions favor disease development, use 6 ozs. and repeat every 7 days.
Helminthosporium Melting Out, Rhizoctonia Brown Patch, Rust: Use 4 ozs. as above every 7 to 14 days (every 7 days for Brown Patch).
Pythium: Use 6 ozs. per 750 square feet of turf. Repeat every 5 days.

Do not graze treated areas. Do not feed clippings to livestock.

Ornamental Diseases: Mix 1½ level tablespoons per gal. water and spray thoroughly as follows:
Black Spot on roses: Begin spraying when plants are well leafed out and apply every 7-10 days throughout the season.
Petal Blight on camellias and azaleas: Spray 2 to 3 times weekly while flowers are opening and in bloom. Apply also to the soil and litter around plants while they are in bloom.
Botrytis Petal Spot on chrysanthemums: Spray twice weekly during blooming season.

CAUTION: Harmful if swallowed. May cause irritation of nose, throat, eyes and skin. Do not breathe dust or spray mist. In case of skin contact, wash with water; for eyes, wash copiously with water and get medical attention.

DO NOT REUSE CONTAINER. DESTROY WHEN EMPTY.

IMPORTANT: Keep away from fire sparks. Store in a cool, dry place. Do not allow to become wet or over-heated in storage. This may bring on chemical changes which will impair the fungicidal effectiveness of FORE and may also generate flammable vapors. Keep container closed when not in use.

CONDITIONS OF SALE: All statements concerning the use of this product apply only when used as directed. The manufacturer makes no warranties expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.

*FORE is manufactured by and is a trademark of Rohm and Haas Co. U.S. Patents 2,504,404, 2,974,156 and Patent Pending.

Product No. 735692 • Draft B • EPA Reg. No. 2342-762
 Manufactured for Kerr-McGee Chemical Corp
 Jacksonville, Florida U.S.A. • General Offices, Oklahoma City, Oklahoma

